


Cable Brillante 6x19

Cuerda de Acero Grado IPS

Disponible en Varios Diametros
Trenzado Regular Derecho

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/4	0.12	2.94
5/16	0.18	4.58
3/8	0.26	6.56
7/16	0.35	8.89
1/2	0.46	11.50
9/16	0.59	14.50
5/8	0.72	17.90
3/4	1.04	25.60
7/8	1.42	34.60
1	1.85	44.90
1-1/8	2.34	56.50
1-1/4	2.89	69.00
1-1/2	4.16	114.00
1-5/8	4.88	132.00
1-3/4	5.67	153.00
2	7.39	198.00
2-1/4	9.36	247.00
2-3/8	10.40	274.00
2-1/2	11.60	302.00
2-3/4	14.00	361.00





Cable Brillante 6x26


Cuerda de Acero Grado IPS

Disponible en Varios Diametros

Trenzado Regular Derecho

Disponible en Construcion 6x25

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/4	0.12	3.40
5/16	0.18	5.27
3/8	0.26	7.55
7/16	0.35	10.20
1/2	0.46	13.30
9/16	0.59	16.80
5/8	0.72	20.60
3/4	1.04	29.40
7/8	1.42	39.80
1	1.85	51.70
1-1/8	2.34	65.00
1-1/4	2.89	79.90
1-3/8	3.50	96.00
1-1/2	4.16	114.00
1-5/8	4.88	132.00
1-3/4	5.67	153.00
2	7.39	198.00
2-1/4	9.36	247.00
2-3/8	10.40	274.00
2-1/2	11.60	302.00
2-3/4	14.00	361.00
3	16.60	425.00



Cable Brillante 6x36


Cable Trenzado Regular Derecho

Grad EIPS - Acero Arado Extra Mejorado

Cable de Maxima Rotura

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/4	0.12	3.40
5/16	0.18	5.27
3/8	0.26	7.55
7/16	0.35	10.20
1/2	0.46	13.30
9/16	0.59	16.80
5/8	0.72	20.60
3/4	1.04	29.40
7/8	1.42	39.80
1	1.85	51.70
1-1/8	2.34	65.00
1-1/4	2.89	79.90
1-3/8	3.50	96.00
1-1/2	4.16	114.00
1-5/8	4.88	132.00
1-3/4	5.67	153.00
2	7.39	198.00
2-1/4	9.36	247.00
2-1/2	11.60	302.00
2-3/4	14.00	361.00
3	16.60	425.00






Cable Brillante 6x37

Cable Trenzado Regular Derecho
 Grad EIPS - Acero Arado Extra Mejorado
 Cable de Maxima Rotura

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/4	0.12	3.40
5/16	0.18	5.27
3/8	0.26	7.55
7/16	0.35	10.20
1/2	0.46	13.30
9/16	0.59	16.80
5/8	0.72	20.60
3/4	1.04	29.40
7/8	1.42	39.80
1	1.85	51.70





Cable Brillante 6x19 FC


Cuerda de Alambre Con Nucleo De Fibra

Grado I,P.S

Cable Trenzado Regular Derecho

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/4	0.11	2.74
5/16	0.16	4.26
3/8	0.24	6.10
7/16	0.32	8.27
1/2	0.42	10.70
9/16	0.53	13.50
5/8	0.66	16.70
3/4	0.95	23.80
7/8	1.29	32.20
1	1.68	41.80





Cable Brillante 6x37 FC


Cuerda de Alambre Con Nucleo De Fibra

Grado I,P.S

Cable Trenzado Regular Derecho

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/4	0.11	2.74
5/16	0.16	4.26
3/8	0.24	6.10
7/16	0.32	8.27
1/2	0.42	10.70
9/16	0.53	13.50
5/8	0.66	16.70
3/4	0.95	23.80
7/8	1.29	32.20
1	1.68	41.80





Cable Brillante 6x15 FC

Cuerda de Alambre Con Nucleo De Fibra

Grado I,P.S

Cable Trenzado Regular Derecho

Diametro Del Cable	Peso Per Pie (Pie Lineal)	Fuerza de Rompiento (Tons)
1/2	0.42	12,500
5/8	0.45	19,100
3/4	0.61	27,600

