

CABRILLO SERIES: CLICK INSTALLATION INSTRUCTIONS



CATALINA
PRODUCTS
INTERNATIONAL

714.716.1667 | contact@catalinaproducts.international

SPC FLOORING INSTALLATION INSTRUCTIONS

SPC flooring is intended for interior use only and is suitable for above-grade, on-grade and below-grade applications. However, it should not be installed in locations where the substrate beneath the building structure is exposed to the elements.

SPC flooring is a floating floor and should be allowed to expand and contract freely. It must not be nailed, or fastened through the flooring and into the subfloor. Fill expansion spaces around potentially wet areas with premium waterproof 100% silicone sealant. Always remove standing water, pet urine and other liquids promptly.

Direct sunlight may cause SPC flooring to fade or the joints to separate. Protect it from direct sunlight using window treatments or UV tinting on windows. SPC flooring is not recommended for use in sunrooms.

SPC flooring is a waterproof floating floor, but it should not be used to seal an existing floor from moisture. It cannot inhibit the growth of mold or prevent structural problems associated with, or caused by flooding, excessive moisture, alkalis in the subfloor, or conditions arising from hydrostatic pressure. Regardless of location, always remove standing water, urine and other liquids promptly. Moisture issues should be addressed and corrected at the job site prior to installation.

PRE-INSTALLATION

Evaluate the Job Site

Moisture issues should be addressed and corrected at the job site prior to installation. Examine the installation site for leaky plumbing, including leaks from water heaters, dishwashers, washing machines, or any other water-bearing fixtures or pipes. Inspect substrates for level. They must be sturdy, sound, and flat within $\frac{3}{16}$ " in a 10 foot radius without any abrupt height differences. The substrate should not slope more than 1 inch per 6 feet in any direction.

All concrete substrates must be tested for relative humidity, moisture and pH before installation begins. Test results should not exceed 85% relative humidity (RH). The Calcium Chloride Test for moisture should be no more than 8lbs per one-thousand square feet in 24 hours MVER, (Moisture Vapor Emission Rating) and pH tests for alkalinity levels should register between 7 and 9. All wood floors must be checked for moisture. Obvious signs of moisture issues include warping, peaking, degradation of the integrity of the substrate, rusted fasteners, and rusted floor registers. Even if obvious signs are not present, the material should be tested using a wood moisture meter; moisture levels should not exceed 14%.

ATTENTION: Mold and mildew grow only in the presence of moisture. Moisture issues should be addressed and corrected at the job site prior to installation. Please visit www.epa.gov/mold for information about safely preventing and removing mold, mildew and other biological pollutants.

Identify Your Substrate

Approved Substrates

Concrete

SPC flooring is waterproof, but moisture issues should be corrected at the jobsite before installation begins to prevent serious damage to the subfloor and surrounding structure, and to discourage the growth of mold and mildew. Concrete substrates should be prepared in accordance to the most current version of ASTM F710 (Standard Practice for Preparing Concrete Floors to Receive Resilient Flooring). Concrete substrates must be sturdy, sound, and flat within $\frac{3}{16}$ " in a 10 foot radius without any abrupt height differences. The substrate should not slope more than 1 inch per 6 feet in any direction. Moisture and alkalinity tests should be performed on all concrete substrates regardless of grade level or age of slab. Perform either ASTM F2170 In-Situ Relative Humidity (RH) test or ASTM F1869 Calcium Chloride Moisture Test (MVER: Moisture Vapor Emission Rating). Perform pH test per ASTM F710 to determine alkalinity of the slab. RH Test results should not exceed 85% relative humidity. The Calcium Chloride Test for moisture should measure no more than 8lbs per one-thousand square feet in 24 hours MVER, and pH tests for alkalinity levels should register between 7 and 9. Electronic meter testing is not considered a replacement for a Calcium Chloride Test or Relative Humidity Test. All moisture tests should be conducted prior to installation to ensure that moisture is at recommended levels. Follow current ASTM F710 guidelines. It is highly recommended that substrate moisture and pH testing be conducted by an ICRI (International Concrete Repair Institute) tier 2 certified technician.

Radiant Heat

Radiant heating systems must be cast 1/2-inch below the surface of the concrete slab, and should be operating at least 2 weeks before installation. Set the temperature of the radiant heating system to 68°F 48 hours before, during, and 72 hours after installation. The temperature of the radiant heat floor may be increased gradually 72 hours after installation, but the surface temperature of the subfloor should never exceed 85°F. Contact the manufacturer of your radiant heating system for further recommendations.

CABRILLO SERIES: CLICK INSTALLATION INSTRUCTIONS



CATALINA
PRODUCTS
INTERNATIONAL

714.716.1667 | contact@catalinaproducts.international

Plywood, OSB, Particleboard & Chipboard

Wood substrates must be A.P.A. approved with a minimum grade of "BB" or "CC". They must be sturdy, sound, clean, dry, and flat within $\frac{3}{16}$ " in a 10 foot radius without any abrupt height differences. The substrate should not slope more than 1 inch per 6 feet in any direction. It is recommended to perform moisture tests prior to installation to prevent serious damage to the subfloor and surrounding structure, and to discourage the growth of mold and mildew. Moisture readings should never exceed 14% for plywood, OSB, particleboard and chipboard substrates. If moisture readings exceed 14%, it is advisable to correct moisture issues at the jobsite before installation.

NON-APPROVED SUBSTRATES

Remove the floors noted below and remove old adhesive before installation. Encapsulate adhesive and cutback residue.

- Carpeting/Carpet Pad
- Cushion Back Sheet Vinyl
- Engineered Hardwood Over Concrete
- Floating Floors
- Hardwood Over Concrete
- Parquet Over Concrete
- Sleeper Substrates

NOTE: Various Federal, State and Local government agencies have established regulations governing the removal of in-place asbestos-containing material. If you contemplate the removal of a resilient floor covering structure that contains (or is presumed to contain) asbestos, you must review and comply with all applicable regulations. Do not sand, dry sweep, dry scrape, drill, saw, bead blast, or mechanically chip or pulverize existing resilient flooring, backing, lining felt, asphalt "cut-back" adhesive, or other adhesive. These products may contain asbestos fibers and/or crystalline silica. Avoid creating dust. Inhalation of such dust is a cancer and respiratory tract hazard. Smoking by individuals exposed to asbestos fibers greatly increases the risk of bodily harm. Unless positively certain that the product is a non-asbestos containing material, you must presume it contains asbestos. Regulations may require that the material be tested to determine asbestos content. The RFCI's Recommended Work Practices for Removal of Resilient Floor Covering are a defined set of instructions addressed to the task of removing all resilient floor covering structures. For further information, contact the Resilient Floor Covering Institute website at www.rfci.com.

Prepare the Job Site

Careful preparation is the key to outstanding results. All trades must finish before installation.

- Install permanent exterior doors and windows
- Turn on HVAC at least one week prior to installation room temperature should be maintained between 50°F – 100°F at least 48 hours prior to installation.
- Allow all other trades to finish.
- Perform recommended moisture and pH tests. See the "Identify Your Substrate" section of this manual (pages 3-4) for further information about suggested tests.
- Level uneven surfaces. Fill large cracks and voids with cementitious leveling and patching compound. Substrates must be sturdy, sound, and flat within $\frac{3}{16}$ " in a 10 foot radius without any abrupt height differences. The substrate should not slope more than 1 inch per 6 feet in any direction.
- Remove floor moldings. Quarter round and wall base should be carefully removed before installation begins. It will be used to conceal the expansion space once the job is finished.
- Fill grout lines. Refer to chart on page 6.
- Remove non-approved substrates.
- Remove or encapsulate old adhesive. Old adhesives must be scraped up and left so that no ridges or puddles are evident and all that remains is a thin, smooth film. Then, encapsulate residue.
- Undercut wood door casings. Wood door casings should be undercut so that the product will fit neatly beneath them, concealing the expansion space. Position the plank on the substrate against the door casing. Lay the handsaw flat against the scrap plank and carefully cut the door casing to the height of the plank.
- Cut around metal door casings. Do not cut metal door casings. Cut the product around them, leaving the appropriate expansion space. After installation, fill the space with a coordinating premium waterproof 100% silicone sealant.
- Clean up the job site. Remove all debris, sweep and vacuum the subfloor. Smooth, non-porous floors should be damp-mopped after vacuuming and allowed to dry thoroughly before installation. All dust must be removed prior to installation.

Check Run Numbers and Manufacture Date

Locate the run number on the short end of each carton and verify that all of the material for your job is from the same run. Minor shade variations within the same run number contribute to the natural look of the product. To avoid noticeable shade variations, do not install material from different runs across large expanses.

To determine manufacture date, locate the run number on the short end of the carton. It is the eight-digit number separated by decimal points beginning with the two-digit day, then the two-digit month, and finally the four-digit year.

CABRILLO SERIES: CLICK INSTALLATION INSTRUCTIONS



CATALINA
PRODUCTS
INTERNATIONAL

714.716.1667 | contact@catalinaproducts.international

INSTALLATION CONSIDERATIONS	RESIDENTIAL	COMMERCIAL
Subfloor Flatness Tolerances	3/16" in a 10 foot radius without any abrupt height differences. Slope no more than 1" in 6'	3/16" in a 10 foot radius without any abrupt height differences. Slope no more than 1" in 6'
Vapor Barrier (6 mil polyfilm)	Not Required	Not Required
Is Underlayment (Pad) Required	No	No
Acclimation Requirements	Not Required	48 hours
Transition Requirements (T-Mold) for Large Spaces	Not Required	Required in rooms greater than 100' in any direction
Transition Requirements (T-Mold) Doorways/ Thresholds	Not Required	Required
Installation Over Existing Ceramic Tile Floor	Filling Grout Lines Not Required (Follow Subfloor Flatness Tolerances)	Filling Grout Lines Required
Subfloor RH/MVER Recommendations	85% RH/8 lbs MVER	85% RH/8 lbs MVER
Radiant Heat	Approved – Substrate surface temperature not to exceed 85° F	Approved – Substrate surface temperature not to exceed 85° F
Perimeter Expansion Requirements	1/4" around perimeter walls & heavy fixed objects such as cabinetry	3/8" around perimeter walls & heavy fixed objects such as cabinetry
Optimal Interior Environmental Conditions	50°F – 100°F / 40% – 60% RH	50°F – 100°F / 40% – 60% RH
Definition of "Waterproof"	Structural integrity of flooring will not degrade due to contact with moisture/water but is not a moisture barrier	Structural integrity of flooring will not degrade due to contact with moisture/water but is not a moisture barrier

INSTALLATION PROCEDURES

- SET SPACERS** Create the required expansion space between the perimeter planks and the wall using spacers. Place spacers equaling the thickness for required expansion between plank and wall on short and long ends of plank. Do not remove them until the installation is complete.
- INSTALL FIRST PLANK** Position the first plank a few inches from the starting wall. Installation will move from left to right beginning in the left corner with tongue side of long edge facing the wall.
- ESTABLISH PROPER STAGGERING** Maintain a minimum 6-inch end-joint stagger from row-to-row throughout the entire installation. Tile products should be staggered in a brick-laid pattern with stagger equal to 1/2 of a tile. Installation alternates back and forth between rows one and two, for the first two rows only.
- FIRST PLANK OF SECOND ROW** Cut the first plank in the second row to one-third its length before installing it. Insert the long tongue edge of the plank into the long groove edge of the first plank. Make sure there are no gaps. Tap along the long groove edge using a tapping block.
- SECOND PLANK OF SECOND ROW** Insert the long side, then slide the plank until the short tongue touches the short groove edge on the first plank of the second row. Tap long joint tight using the tapping block, before tapping the short joint down using the soft faced hammer.
- SECOND PLANK OF FIRST ROW** Select a full plank and position the long groove edge into the tongue of the second plank in the second row. Tap long joint tight using the tapping block, before tapping the short joint down using the soft faced hammer. Repeat the same installation pattern until you reach the opposite wall and cannot install another full plank.
- INSTALL THE LAST PIECES OF ROWS 1 AND 2** Cut to fit, maintaining the expansion gap. Install as before. Move the entire assembly against the spacers on the starting wall.
- INSTALL REMAINING ROWS** Install the remaining material, one row after the other. Always tap the long joint tight using the tapping block, before tapping the short joint down using the soft faced hammer. Maintain the required stagger throughout the install.
- INSTALL THE LAST ROW** Cut the final row of planks to fit along the wall. Use a pull bar to lock the long edges together. Do not use the pull bar on the short edges.
- FINISH THE JOB** Remove spacers. Cover expansion space with quarter round or other trim, being sure not to trap or pin down the floor.