

ARGuard™ Premium R&O Turbine Oil

PROD. CODE
7363, 7364,
7365, 7366

ARGuard™ Premium R&O Turbine Oils are designed for modern hydraulic power systems and turbines (steam, gas, and hydroelectric) where a premium rust and oxidation oil is recommended. They are formulated to meet the requirements of most major pump and bearing manufacturers.

FEATURES & BENEFITS

- Superior oxidation stability and rust and corrosion protection
- Rapid water separation and excellent filterability
- Dependable turbine bearing lubrication with trouble free performance

INDUSTRY & OEM SPECIFICATIONS

- ASTM D4304 Type I
- DIN 51524 Part 1
- Parker Hannifin HF-1
- U.S. Steel 126
- Cincinnati Machine P38, P54, P55, P57
- Solar ES9-224
- AFNOR E48-600 HL
- Siemens TLV 901304, 901305

APPLICATIONS

ARGuard™ Premium R&O Turbine Oils are typically used in vane, rotary, gear pump and compressors where R&O oils are recommended. They are also designed for use in direct drive steam, gas and hydroelectric turbines, vacuum pumps, airline lubricators, and lightly loaded enclosed gear boxes.

METHOD	DESCRIPTION	ISO VG			
		32 (7363)	46 (7364)	68 (7365)	100 (7366)
D4052	API GRAVITY, 60 °F	34.7	33.1	31.6	30.2
CALCULATED	DENSITY, LBS/GAL (G/L)	7.101 (850)	7.168 (859)	7.235 (867)	7.297 (874)
D445	VISCOSITY @ 40 °C, cSt	32.0	46.0	68.0	100.0
D445	VISCOSITY @ 100 °C, cSt	5.7	7.0	8.9	11.3
D2161	VISCOSITY @ 100 °F, SUS	165	238	353	521
D2161	VISCOSITY @ 210 °F, SUS	44.0	48.7	54.8	65.4
D2270	VISCOSITY INDEX	119	110	105	100
D5949	POUR POINT, °F (°C)	-30 (-33)	-15 (-27)	0 (-18)	-11 (-24)
D92	FLASH POINT, °F (°C)	400 (204)	425 (218)	430 (220)	475 (246)
D1500	COLOR	0.5	0.5	0.5	0.5
D665 A&B	RUST TEST	PASS	PASS	PASS	PASS

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



amref.com | 814.368.1200

