



Towel City recap instructions

*Roller instructions

1. If it's a 7" or 8" treaded asphalt Towel City recap, read no further. We have tested and tested them with very little success. If it's a recap on a Hoosier F-53 then we can help and follow the instructions as follows.
2. Use the Hoosier roller instructions to get the job done with the exceptions listed below. You do not want to wrap them and only use a tire roller machine for consistent results.
3. If you wish for minimum durometer change, cut back to 15-20 minutes rolling time. We recommend 25-30 minutes for both new and used tires and combination of both.
4. The recap rubber is not the same as the standard Hoosier F-53 so the extra rolling time is necessary.
5. Try to roll them the night before you race if possible. If that is not possible than 48 hours ahead is the maximum amount of time ahead of racing that you'd want to do it.
6. Follow all other steps from our Hoosier roller instructions.

Note: You will have to repeat these instructions every week as long as one heat cycle was put on the tires. Once you establish a base line with feel and durometer readings, adjust your rolling time accordingly.

2014