

TECHNICAL DATA SHEET

Fin Defoam 50

(Mineral oil and fatty acid ester)

Product Features :

- ✓ Mineral oil and fatty acid ester based defoamer for use in paints
- ✓ Efficient Defoamer which simultaneously enhances biocidal action
- ✓ Enhances biocidal action

Specifications:

Appearance	: Yellow-Brown Viscous liquid
Nature	: Non-ionic
% Active Content	: 100
Density at 20°C	: 0.81 to 0.89
Brookfield viscosity at 25°C	: 115 to 120 cps
Solubility in water	: Emulsifiable

Benefits :

- ◆ Fin Defoam 50 can be incorporated as supplied in Distemper paints, Premium quality exterior coatings, smooth as well as textured interior decorative paints, Paint primers, Construction Chemicals- Wall Putty
- ◆ Provides excellent packaged product stability, outstanding anti-settling properties, imparts good film properties to the product and offers broad compatibility.

Application and treat level recommended:

- ◆ Paint and Coatings : 0.2 % to 0.4 % w/w range of the final product.
Normally the defoamer is added undiluted at the beginning of the paint mixing cycle which ensures through dispersion of the defoamer and complete deaeration of the pigment.



Storage, packing and handling:

- ◆ Store away from direct sunlight and high temperature shocks.
- ◆ Non-flammable and non-combustible ☒
- ◆ Available in 45 kg cans
- ◆ Products are generally safe for handling. However avoid contact with skin and eyes. Do not take internally. Gloves and Safety goggles should always be used while handling the product

All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which seller assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.