

DESCRIPTION:

Perfeccoat MAX-3520 1K Binder is designed for PC-1K metallic basecoat. Able to speed up air drying time. Help the orientation of silver & pearl particles. Improve the application property.


COMPONENTS:

MAX-3520 1K Binder
1K Basecoat

SUBSTRATES:

Match with 1K basecoat.

MIX RATIO (Volume):



1. Addition of MAX-3520 to PC-1K metallic basecoat is 10-20% of total volume.
2. In 3-stage pearl colors, add 50-70% MAX-3520 into the pearl colors accordingly.
3. For basecoat colors with low opacity, such as red pearl colors, addition of MAX-3520 should be less than 15% so as not to affect the hiding power of the paint.

Note:

◆ Shelf Life: 2 years in original sealed can at cool and dry place at 41-95°F.

PHYSICAL DATA:

VOC: 5.6 lbs/gal

FOR PROFESSIONAL USE ONLY

Read MSDS Before Use

NOTE: The information in this data sheet is based on our knowledge and the current laws. It is always the responsibility of the user to fulfill the requirements of local rules and legislation. The uncertain factors may affect the application of products, such as the condition of substrate. We do not accept any liability on loss, damage and performance of products unless we issue a special agreement. Always read the latest Material Data Sheet and the Technical Data sheet before applying the products.