DESCRIPTION:

RC-2940 Matting Agent is designed to reduce the brightness of the paint film. Good matting ability with smooth paint film. Suitable for 1K and 2K system.

COMPONENTS:

RC-2940 Matting Agent

1K basecoat/2K Topcoat

Hardener

SUBSTRATES:

Match with 2K solid colors, clear coats and 1K basecoat.

MIX RATIO:



414 D	4K D DO 0040 400 (4E 00)			
1K Basecoat	1K Basecoat : RC-2940 = 100 : (15-30)			
2K Topcoat	Effect	2K Topcoat	RC-2940	Hardener
	All matte	100 parts	150 parts	50 parts
	Half matte (egg shell)	100 parts	80-100 parts	50 parts
	Half bright	100 parts	40-80 parts	50 parts

APPLICATION:

Refer to the technical data sheet of the matching products for proper application.

NOTE:

- The matting agent is easy to crystallize when exposed to air too long.
- To avoid particles in the paint film, especially when applied in combination with clear coat, remove crystallized particles and other contamination around the can rim before use and pour out with filter.
- Shelf Life: 2 years in original sealed can at cool and dry place at 68°F.

PHYSICAL DATA:

VOC: 5.4 lbs/gal

FOR PROFESSIONAL USE ONLY

Read MSDS Before Use

NOTE: The information in this data sheet is based on our knowledge and the current laws. It is always the responsibility of the user to fulfill the requirements of local rules and legislations. The uncertain factors may affect the application of products, such as the condition of substrate. We do not accept any liability on loss, damage and performance of products unless we issue a special agreement. Always read the latest Material Data Sheet and the Technical Data sheet before applying the products.