



63-RG Single Roughness Gauge



Workpiece Measurement









Roughness Measurement



Roughness Gauge TC63-RG Single




Modular roughness gauge for machine-integrated quality monitoring of plane surfaces

- Evaluation of surface roughness in original fixturing
- Early detection of poor surface quality
- Roughness measurement on milling, turning and grinding machines

Your benefit:

- · Minimizing of rejects by allowing immediate rework
- Enhanced productivity and process reliability by elimination of manual and downstream tests
- Touch element similar to standard specifications for high precision
- Very low measuring force
- No-wear, optoelectronic measuring mechanism
- Proven and robust design



Measuring resolution


Analogue measuring range	180 µm
Resolution Converter resolution	$34.8 \text{ mV/}\mu\text{m} \mid 0.067 \mu\text{m/Digit}$
Sampling rate internal external	1 kHz 1 ms/Value or Status

Technical data


Protection class	IP68
Approach direction Measuring force	±X, ±Y with spindle orientation 0.08 N
Max. deflection in XY	950 µm
Repeatability	0.4 μm 2σ
Max. probing speed	100 mm/min
Measureable roughness	$>$ Rz 1 μ m
Roughness parameters	Ra, Rq, Rt, Rz, Rmax, Wt
Signal transmission Frequency band	Radio (BRC Technology) 2.4000 – 2.4835 GHz
Transmission power Operating range	0 dBm 15 m
Tool holder	BTH 25 (HSK, SK, BT, VDI,)



TC63-RG – for high-precision roughness measurement on plane surfaces



Display and operation via machine control or BLUM touch panel



Output signals (Trigger point/Analogue measuring range)



Various accessories available

focus on productivity

Blum worldwide Service & Support

More than 40 subsidiaries and service offices.

www.blum-novotest.com

Blum-Novotest Ltd.

Unit 15 Granary Wharf Business Park Wetmore Road, Burton upon Trent Staffordshire , DE14 1DU United Kingdom

Phone: +44 1283 569691 Fax: +44 1283 563687 info@blum-novotest.co.uk Blum-Novotest, Inc.

4144 Olympic Boulevard Erlanger, KY 41018 USA

Phone: +1 (859) 344 6789 Fax: +1 (859) 344 6799 solutions@blum-novotest.us