

Product Data Sheet

Features

- Pumps abrasive slurries, corrosive material, solids and gaseous liquids with ease
- Ideal for high viscosity or shear sensitive products
- Pumps can run-dry indefinitely without damage
- No check valves or seal water flush systems
- Fully reversible pumps in either direction
- Minimal maintenance the hose is the only wearing part
- Pump casings available in a choice of materials including stainless steel
- Suction lift capability up to 9.5 metres and self-priming
- Highly accurate





Technical Specifications

Maximum intermittent flow rate of: Maximum continuous flow rate of: Flow per revolution of: Pressure capability of: Maximum temperature: Inner hose diameter of:

300 litres per hour / 1.32 gallons per minute 210 litres per hour / 0.92 gallons per minute 0.05 litres / 0.013gallon 7.5 Bar / 110 psi 80 Degrees Celsius / 176 Degrees Fahrenheit 10 mm / ³/₈ inch



MIXING AND PUMPING TECHNOLOGIES INC. **KEEPING FLUID IN MOTION**


Technical Specifications

Operating Speeds:	0 to 120rpm
Product Temperature Range:	-10 °C to +80 °C / 14 °F to 176 °F
Suction Lift:	9.5 metres / 30 feet lift
Hose Materials:	Natural Rubber, Nitrile (Buna), EPDM and CSM
Connections available:	¼" BSPP as standard. Screw on flange optional.
Hose Lubricant Required:	0.6 litres / 0.16 gallons
Sound level at 1m:	< 70 dB(A) (pumping water at maximum continuous flow)
Optional Hose Failure Sensor:	Capacitive DC sensor

Materials of Construction

Pump housing:
Rotor:
Compression rollers:
Front cover:
Support Frame:
Seals:

Carbon steel or stainless steel Aluminium or carbon steel Acetal or steel Carbon steel Carbon steel Neoprene or Nitrile



The information contained in this document is believed to be correct at the time of publication, but AFX Mixing and Pumping Technologies Inc. accepts no liability for any error it contains, and reserves the right to alter specifications without prior notice. All values given in this document are values under controlled test conditions. Actual site flow rates achieved may differ due to changes in temperature, product viscosity, suction and discharge pressures and/or system configuration.



Tel: +1 604 380 4458 Email: contact@afxmixing.com Web: www.afxmixing.com 13782, 232a Street Maple Ridge BC, Canada V4R 0C2