







Belastningstabell för mjuka lyft						Maxlast i ton
Verktögsfärg	Rakt lyft	Snarat lyft	U-lyft	U-lyft med vinkel		U-lyft med vinkel
						
				β 0-45° α 0-90°		β 45-60° α 90-120°
Vit	0,5	0,4	1,0	0,7		0,5
Lila	1,0	0,8	2,0	1,4		1,0
Grön	2,0	1,6	4,0	2,8		2,0
Gul	3,0	2,4	6,0	4,2		3,0
Grå	4,0	3,2	8,0	5,6		4,0
Röd	5,0	4,0	10,0	7,0		5,0
Brun	6,0	4,8	12,0	8,4		6,0
Blå	8,0	6,4	16,0	11,2		8,0
Orange	10,0	8,0	20,0	14,0		10,0
Orange	12,0	9,6	24,0	16,8		12,0
Orange	15,0	12,0	30,0	21,0		15,0
Orange	20,0	16,0	40,0	28,0		20,0
Orange	25,0	20,0	50,0	35,0		25,0
Orange	30,0	24,0	60,0	42,0		30,0
Orange	35,0	28,0	70,0	49,0		35,0
Orange	40,0	32,0	80,0	56,0		40,0
Orange	50,0	40,0	100,0	70,0		50,0
Orange	60,0	48,0	120,0	84,0		60,0
Faktor symmetriskt lyft	1	0,8	2	1,4		1
Faktor asymmetriskt lyft	1			1		1

Belastningstabell för lyftkättingar klass 8							Maxlast i ton
Nominell diam. mm	1-partigt lyft	2-partigt lyft		3-partigt och 4-partigt lyft		Snarat ändlöst sling	
							
		β 0-45° α 0-90°	β 45-60° α 90-120°	β 0-45° α 0-90°	β 45-60° α 90-120°		
6	1,12	1,6	1,12	2,36	1,7		1,8
7	1,5	2,12	1,5	3,15	2,24		2,5
8	2,0	2,8	2,0	4,25	3,0		3,15
10	3,15	4,25	3,15	6,7	4,75		5,0
13	5,3	7,5	5,3	11,2	8,0		8,5
16	8,0	11,2	8,0	17,0	11,8		12,5
19	11,2	16,0	11,2	23,6	17,0		18,0
22	15,0	21,2	15,0	31,5	22,4		23,6
26	21,2	30,0	21,2	45,0	31,5		33,5
32	31,5	45,0	31,5	67,0	47,5		50,0
Faktor symmetriskt lyft	1	1,4	1	2,1	1,5		
Faktor asymmetriskt lyft	1	1	1	1,5	1		

Belastningstabell för ställinestroppar med fiberkärna									Maxlast i ton
Nominell diam. mm	1-partigt lyft	Snarat enkelt	2-partigt lyft		3-partigt och 4-partigt lyft		Ändlöst	Ändlöst dubbelt	Snarat ändlöst
									
			β 0-45° α 0-90°	β 45-60° α 90-120°	β 0-45° α 0-90°	β 45-60° α 90-120°			
8	0,70	0,56	0,95	0,70	1,50	1,05	1,40	2,80	1,10
9	0,85	0,68	1,20	0,85	1,80	1,30	1,70	3,40	1,40
10	1,05	0,84	1,50	1,05	2,25	1,60	2,10	4,20	1,70
11	1,30	1,04	1,80	1,30	2,70	1,95	2,60	5,20	2,12
12	1,55	1,24	2,12	1,55	3,30	2,30	3,10	6,20	2,50
13	1,80	1,44	2,50	1,80	3,85	2,70	3,60	7,20	2,90
14	2,12	1,69	3,00	2,12	4,35	3,15	4,24	8,48	3,30
16	2,70	2,16	3,85	2,70	5,65	4,20	5,40	10,80	4,35
18	3,40	2,72	4,80	3,40	7,20	5,20	6,80	13,60	5,65
20	4,35	3,48	6,00	4,35	9,00	6,50	8,70	17,40	6,90
22	5,20	4,16	7,20	5,20	11,00	7,80	10,40	20,80	8,40
24	6,30	5,04	8,80	6,30	13,50	9,40	12,60	25,20	10,00
26	7,20	5,76	10,00	7,20	15,00	11,0	14,40	28,80	11,80
28	8,40	6,72	11,80	8,40	18,00	12,50	16,80	33,60	13,50
32	11,0	8,8	15,0	11,0	23,5	16,5	22,0	44,0	18,0
36	14,0	11,2	19,0	14,0	29,0	21,0	28,0	56,0	22,5
40	17,0	13,6	23,5	17,0	36,0	26,0	34,0	68,0	28,0
44	21,0	16,8	29,0	21,0	44,0	31,5	42,0	84,0	33,5
48	25,0	20,0	35,0	25,0	52,0	37,0	50,0	100,0	40,0
52	29,0	23,2	40,0	29,0	62,0	44,0	58,0	116,0	47,0
56	33,5	26,8	47,0	33,5	71,0	50,0	67,0	134,0	54,0
60	39,0	31,2	54,0	39,0	81,0	58,0	78,0	156,0	63,0
Faktor symmetriskt lyft	1	0,8	1,4	1	2,1	1,5			
Faktor asymmetriskt lyft	1		1	1	1,5	1			