


Type
1.3 C



Profile
(dimensions in inches)



Gage	Weight		Section Properties per ft (m) of width		
	Galv psf <i>N/m²</i>	Painted psf <i>N/m²</i>	I in. ⁴ <i>mm⁴</i>	+ S in. ³ <i>mm³</i>	- S in. ³ <i>mm³</i>
26	1.1 52.7	N/A	0.073 99,688	0.099 5,323	0.103 5,538
24	1.4 67.0	N/A	0.098 133,828	0.138 7,419	0.140 7,527
22	1.7 81.4	N/A	0.123 167,967	0.175 9,409	0.174 9,355
20	2.1 100.5	N/A	0.143 195,279	0.207 11,129	0.206 11,075

Profile

1.3 C" Deck

Minimum Yield Strength (F_y)

80 ksi (551,581 kN/m^2)

Bending Strength (F_b)

36.0 ksi (248,211 kN/m^2)