maxell Data Sheet Alkaline LR6

Model IEC-LR6 ANSI-AA

System Zn/MnO_2

Nominal Voltage (V) 1.5V


Capacity (mAh)* Approximate 2900mAh (10mA-24h/d, 20±2°C, EV=0.8V)

-20°C~54°C Operation Temperature

Typical Weight 22g


Shelf Life 5 Years (storage conditions: 20±2 °C, 55±20% RH)

Hg≤1ppm, Cd≤20ppm, Pb≤40ppm Heavy Metal Content



	Dimension (mm)	
A – diameter	13.7 - 14.5	
B – overall height	49.5 - 50.5	
C – cap height	1.0 MIN	
D – cap diameter	5.5 MAX	


Current Discharge Characteristics



^{*} For reference only.

Data Sheet Alkaline LR6

■ Resistance Discharge Characteristics



■ Anti-leakage Performance

Test conditions: Store 35 days under 60±2 °C and 90±5% RH, then put them under normal atmospheric temperature for 4~24 hours.

Sample quantity: 10 batteries

Requirement: No visible leakage, no explosion.

■ Safety Performance (Test environmental conditions: 20±2°C, 55±20% RH)

No.	Safety Test Items	Test Method	Sample Quantity	Specification
1	Storage after partial use	Place the discharged battery (3.9Ω-1h/d, 2.5h) under an environmental condition of Temp.45±5°C for 30 days	5 pcs	No leakage, No Explosion, No Fire
2	Transportation shock	IEC 60086-5	5 pcs	No leakage, No Explosion, No Fire
3	Transportation vibration	IEC 60086-5	5 pcs	No leakage, No Explosion, No Fire
4	Climatic-temperature cycling	Place the battery in the temperature cycling procedure between -20°C and 70°C for 10 cycles	5 pcs	No Explosion, No Fire
5	Incorrect installation	Keep four un-discharged batteries from the same batch series connected with one of them (the Test Battery) reversed. The circuit shall be completed for 24h.	5 groups	No Explosion, No Fire

6	External short circuit	Keep the battery external short-circuit for 24hours under the specified condition.	5 pcs	No Explosion, No Fire
7	Over-discharge	IEC 60086-5 (1 discharged battery + 3 undischarged batteries)	5 groups	No Explosion, No Fire
8	Free fall	The battery shall be dropped from a height of 1m onto a concrete surface. Each battery shall be dropped six times, and twice on each of the three axes. The battery shall be stored for 1h afterwards.	5pcs	No Explosion, No Fire

■ **6. USAGE GUIDE** (Please refer t o IEC60086.5 for detailed safety and storage specifications.)

- (1) Insert batteries correctly with regard to the polarities ("+"/"-") marked on the battery and the electrical appliances;
- (2) Do not short-circuit, recharge, heat, disassemble the battery, or dispose of in fire;
- (3) Do not mix use old batteries with new ones, or mix use batteries of different types or brands;
- (4) Exhausted batteries should be immediately removed from the equipment;
- (5) Keep the batteries away from small children; do not let the child remove/ replace batteries without monitoring from adults.
- (6) Storage condition of the batteries shall be Temperature: 15 ℃~25 ℃ (no higher than 30 ℃), while extremely damp environment beyond RH: 40%~90% shall also be avoided. Naked battery is recommended to be stored after being labeled.

■ 7. Transport Information (* N/A = Not applicable)

(1) UN number: N/A*

(2) UN proper shipping name: N/A

(3) Transport hazard class(es): N/A

(4) Packing group, if applicable: N/A

(5) Environmental hazards (e.g., Marine pollutant (Yes/No)) No.

(6) Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

The product can be treated as ordinary goods in transportation; Products in bulk shall be packed in inner packaging in such a manner that can prevent movement or short-circuit effectively. (7) Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises:

Avoid high-temperature, high-humidity condition.

*** End ***