

Southern Forest Products Marketing Board

Southern New Brunswick PO Box 4969 Sussex, NB E4E DLL Email: snbmarketingboard@snbfpmb.ca Phone (506)433-9866 Toll Free (833)500-9866 Fax (506)433-9869 Web: www.snbfpmb.ca

Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

#### HARDWOOD SAWLOG, VENEER, & SPOOLWOOD PRICES AND SPECS

### **Contents**

Columbia Forest Products – Hardwood logs & Veneer (Presque Isle, ME)	2
Groupe Savoie Saint Quentin – Hardwood Logs (Saint Quentin, NB)	3
Groupe Savoie Westville Division – Hardwood Logs (Westville, NS)	6
Groupe Savoie Westville Division – Hardwood Veneer (Westville NS)	7
Biomass Products Inc. – Hardwood Logs (Richmond Corner, NB)	8
Seacoast Fishing Supplies – Hardwood Sawlogs	10
Hardwood Products Company LLC (Guilford, ME)	11
J.D. Irving Limited – Hardwood Sawlogs (Sussex, NB)	12
Garant – Hard, Soft Maple, Yellow Birch, Ash (Woodstock, NB)	13
Maritime Wood Product Inc. – Aspen (Bath, NB)	15
Thorhammer Veneer Ltd. – Hardwood & Veneer (Napadogan, NB)	16

### Columbia Forest Products - Hardwood logs & Veneer (Presque Isle, ME)

#### Columbia Forest Products, Presque Isle, Maine 04769 Tyler Smith, Log Buyer (506) 323-0942



These are Roadside Prices, in Canadian \$. Prices may fluctuate with exchange.

Species	Code	Grade	Lengths	Min Diameter "	Allowable Defects	Price/MBF
Y & W Birch	17	SLICER	9' 5", 10' 5", 11'5"		Straight grain centered hearts 4 FC	
Y & W Birch	25	SELECT PLUS	8'9", 9'5", 10'5", 11'5"	12, 13	1/3 Heart Center Straight No Defects No Butt Swell	\$2,587.03
Y & W Birch	10	PRIME	8'9", 9'5", 10'5", 11'5"	14 and up	No Surface or End Defect	\$1,807.03
Y & W Birch	20	SELECT	8'9", 9'5", 10'5", 11'5"	11, 12, 13	No Defects	\$1,417.03
Y & W Birch	33	#1SPECIAL	8'9", 9'5", 10'5", 11'5"	14 and up	One Defect	\$1,417.03
Y & W Birch	30	#1	8'9", 9'5", 10'5", 11'5"	11, 12, 13	One Defect and Small End Defect	\$117.03
Y & W Birch	40	#2	8'9", 9'5", 10'5"	11 and up	Two Surface Defects and Small End Defect	\$637.03
Y & W Birch	60	#4	8'9", 9'5"	10	No Defects Straight	\$897.03
Hard Maple	17	SLICER	9'5", 10'5", 11'5"		Straight grain centered hearts 4 FC	
Maple	10	PRIME	9'5", 10'5", 11'5"	14 and up	No Defects 1/3 Heart	2847.03
Maple	20	SELECT	9'5", 10'5", 11'5"	11, 12, 13	No Defects 1/3 Heart	1807.03
Maple	33	#1 Special	9'5", 10'5", 11'5"	14 and up	One Defect 1/3 Heart	1807.03
Maple	30	#1	9'5", 10'5", 11'5"	11, 12, 13	One Defect 1/3 Heart	1287.03
Maple	42	#2 Special	9'5", 10'5", 11'5"	14 and up	No Defects up to 1/2 Heart	1287.03
Maple	40	#2	9'5", 10'5", 11'5"	11, 12, 13	No Defects up to 1/2 Heart	1027.03
Maple	50	#3	9'5", 10'5"	11 and up	Two Defects 1/3 Heart	767.03
Maple	60	#4	9'5"	10	No Defects Straight, 1/3 Heart	1027.03

### **Defect Description:**

- 2"-3" Sound knot One Defect
- Larger Sound Knots- one or more defects depending on log size and quality. Other knots will be graded as they affect quality of the log.
- A three foot tight seam is acceptable in birch.
- Burls, swells, cat faces, dote, checking, shake, work track, mineral, grubs and spiral grain are defects and will be graded as they affect the value of the log.
- Two defects in a straight line will be graded as a one defect log.

- No sweep in 9", 10", 11" log. -
- No butt swell or excessive flare.
- In logs 12" to 14" in diameter,  $1\frac{1}{2}$ " of sweep will be allowed. In logs 15" and over, 3" sweep is acceptable. Necessary scale deductions will be made.
- All logs not meeting lengths specified will be cut back to next acceptable length. Need to have full 5" trim.
- Length of logs will be measured from top of scarf.

## Groupe Savoie Saint Quentin - Hardwood Logs (Saint Quentin, NB) PRICE AND SPECIFICATIONS



HARDWOOD LOGS

251, Route 180 Saint-Quentin, N.-B. E8A 2K9

Scaling:

CONTACT:	Yves O'Brien, VP Procurement	
	Cell:(506) 235-0506	
	wes.obrien@groupesavoie.com	
Scale house:	508-235-1066	- 3

May 2021

Scale hours: Mon-Thur 6:00 am to 5:00 pm Friday 6:00 am to 3:00 pm

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE 200KM + 1

LOGS : (class A)			SUGAR	maple) R MAPLE	BI	and WHITE RCH	RED MAPLE (Soft) BEECH		
small end	length	#clear	less than	nd straight 1 50% heart	0% heart Prime			Prime Red Maple <50% hart	
diameter		faces	\$/m3		\$/m3		\$/m3	(Class D)	
36 cm +		4	160	-832\$/Mpmp	150	-780\$/Mpmp	65	70	
(14 in +)	7'6"-8'9"	2-3	100	-520\$/Mpmp	95	-404\$/Mpmp	60	65	
		0-1	50	-260 \$/Mpmp	50	-260 \$/Mpmp			
24 to 34 cm		4	100	-5208/Mpmp	90	-468\$/Mpmp	60	65	
(9 to 13 in)	7'6"-8'9"	2-3	70	-364\$/Mpmp	65	-338\$/Mpmp	55	60	
		0 - 1	50	-260 \$/Mpmp	50	-260 \$/Mpmp	* Soft Maple 1	0 In. (25cm) and up	
20 à 22cm	8.8	4	55	-286 \$/Mpmp	55	-286\$/Mpmp		NA	
(8 in)	Straight							IN/A	

Heated and/or stained logs will be paid et 35\$/m³ or 45\$/m³ (depend of size) roadside (Class C logs) Logs not responding to specs will pe paid at 35 \$ / m3 roadside (class B logs)

Pieces declassified to pallet will be paid at 30 \$ / m3 roadside

#### Specifications:

Length: 8'9" (>11 inch can produce 7'0" long for recovery logs)

CIEBE TACE: Perfect face (no knot)


FORKS: not accepted

Straight crack: accepted but loss in clear faces

Delimbing: knots flush with log

Prices in Mbf are approximate (factor 5.2)

Class B log: do not respect class A logs specs



3

\*\*\* Deduction of 15\$/m² for veneer transport

VENEER: (11 inch +) at small end Birch: 89,96,106 and 116

Possible pieces will be put aside to be mesured by an independant certified

Maple: 9'6", 10'6" and 11'6"

veneer scaler



SPEC-FOR-A-101 (Quality specifications - Log - Private wood)



Information

YvesO'Brien

Cell: (506) 235-0506 Office: (506) 235-1066

### Private wood

Saw logs								
Criteria	Specifications	Photos						
Diameter	Min         Max           9"s.e         28"           (23 cm)         (70 cm)           s.e         Small end							
Length	7'6''- 8'9''(+/- 2 in) Min 7'0'' for recovery logs	Coupezici						
Heart rot	> 10 inches: less than 33% Less than 10 inches: No rot	3 poles						
Sweep	> 10 inches: Maximum of 30% (1/3) of diameter < 10 inches: straight							
Split	Accepted on 1 faces max. Twisted split is not tolerated if the 2nd face is affected	ок						

Revision #9 (28-07-2017)

Page 1 of 2



SPEC-FOR-A-101 (Quality specifications - Log - Private wood)



Information

Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupesavoie.com

y tostobilonegi ooposa toio.com

### Private wood

Saw logs							
Criteria	Specifications	Photos					
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)						
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).						
Plywood logs (Veneer)	Maple: 9'5",10'5",11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight						
	Important						
(A)(2)	ansported between 6 a.m. and 5 p.m. M num to haul the logs in our mill during sur						

Revision #9 (28-07-2017)

Page 2 of 2

# Groupe Savoie Westville Division – Hardwood Logs (Westville, NS)

.

GROUPE			-		brook Road			-	lamper					2021	
			W	estville	, Nova Scotia			Office	: (902)	396-3	960				
	1		BO	K 2A0				Cell: (9	902) 75	9-323	4				
								email:	jody.h	amper	@groupesav	oie.cor	n		
Westville Div	sion														
Net Roadside Log Pri	ce	\$/MFBM			NB log Rule										
Grades (clear faces)	Dia"	Sugar Maple	\$/gmt	Dia"	Red Maple	\$/gmt	Dia"	Birch	\$/gmt	Dia"	Ash	\$/gmt	Dia"	Oak	\$/gmt
Prime (4)	10+	\$587.03	(113) \$	12+	\$387.03	(74) \$	10+	\$562.03	(108) \$	10+	\$487.03	(94) \$	10+	\$487.03	(94) \$
1 (3)	10+	\$487.03	(94) \$	10+	\$337.03	(65)\$	10+	\$437.03	(84) \$	10+	\$412.03	(79) \$	10+	\$412.03	(79) \$
2 (2)	9+	\$387.03	(74) \$	9+	\$287.03	(55) \$	9+	\$337.03	(65) \$	9+	\$287.03	(55) \$	9+	\$287.03	(55) \$
Pallet log	8+	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$
Tie Logs (0)	11+	\$287.03/ MF	BM -su	ıgar maş	ole, red maple, bi	irch, oa	k, beec	h- lengths 8' 9	", straig	ht and s	sound, no rot				
Lengths -Saw logs		8'6", 7'6", 6'6'	Rot a	ccepte	d 30% diamet	er									
			Maxi	mum s	weep 2" at 8 f	t									
Lengths -Veneer	٤	3'9", 9'5", 10'5	Maxi	mum 5	0% (1/2) hear	t in all	maple	es (sugar and	l red) g	rade 2	and up				
			Yard	hours-	Monday to Th	ursda	y 7:00	AM to 5:00	PM, Fri	iday- 7	:00 AM to 4	00 PM			
					No clear face		-			-					
					approximate										
			Sumn	ner cut	logs must be	delive	red w	ithin 2 week	s after	harve	sting				
Trucking is paid by	_														

#### **Groupe Savoie Westville Division - Hardwood Veneer (Westville NS)**

## **GROUPE SAVOIE - WESTVILLE DIVISION** PRICE LIST AND SPECIFICATIONS PURCHASING HARDWOOD LOGS AND VENEER



2649 Foxbrook Road Westville, Nova Scotia B0K 2A0 Tel: (902) 396-3960 Fax: (902) 396-3962 Jody Hamper (902) 759-3234

Effective May 1, 2019

#### Logs must be shipped within 2 weeks in summer to prevent stain. Net Price Roadside \$/Mfbm Canadian dollars

Species	Code	Grade	Lengths	Min Diameter	Allowable Defects	Prices/MBFM
Y&W Birch	Y+	Slicer	8'9" 9'5" 10'5" 11'5" 14" and up Straight, No Butt Swirls		\$2,687.03	
Y&W Birch	Y+	Select Plus	8'9" 9'5" 10'5" 11'5"	12" 13"	1/3 Heart center Straight no Defects	\$2,387.03
Y&W Birch	YP	Prime	8'9" 9'5" 10'5" 11'5"	14" and up	No surface or end defects	\$1,487.03
Y&W Birch	YS	Select	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	No Defects	\$1,137.03
Y&W Birch	YO	#1 Special	8'9" 9'5" 10'5" 11'5"	14" and Up	One Defect	\$1,137.03
Y&W Birch	Y1	# 1	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	One defect & 3" End Defect	\$987.03
Sugar Maple	M+	Slicer	9'5" 10'5" 11'5"	14" and up	Straight, No Defects & 1/3 heart centered	\$2,987.03
Sugar Maple	MP	Prime	9'5" 10'5" 11'5"	14" and up	No Defect 1/3 heart	\$2,637.03
Sugar Maple	MS	Select	9'5" 10'5" 11'5"	11" 12" 13"	No Defect 1/3 heart	\$1,487.03
Sugar Maple	MO	#1 Special	9'5" 10'5" 11'5"	14" and Up	One Defect 1/3 heart	\$1,487.03
Sugar Maple	M1	#1	9'5" 10'5" 11'5"	11" 12" 13"	One Defect 1/3 heart	\$1,012.03
Sugar Maple	M2S	#2	9'5" 10'5" 11'5"	14" and up	No Defect 1/2 heart	\$1,012.03
Specificatio	ons:		Yard I	nours Mon -	Thurs 7am - 5 pm	
					Fri 7 am - 4 pm	

Straight = less than 1 1/2" sweep at 12"+

7

### **Biomass Products Inc. – Hardwood Logs (Richmond Corner, NB)**

# BIOMASS PRODUCT INC. 3394 RICHMOND CORNER, ROUTE 540 506-328-8797 AS of May 1/2020

# <u>ASH</u>

\$550.00	13" & up	diameter
\$500.00	10" - 12"	diameter
\$400.00	8" - 9"	diameter

# HARD MAPLE

\$600.00	13" & up	diameter
\$500.00	10" -12 dia	meter

# YELLOW BIRCH-WHITE BIRCH-SOFT MAPLE

\$450.00/THOU 10-11-12" \$500.00 13" & UP

8

**Biomass Products Inc. Log Sheet Specs** 

. .

1. 1.

# LOG SHEET SPECS

- 1.) 9" minimum top inside bark
- 2.) Gradual sweep no crooks
- 3.) Absolutely No checks- cracks
- 4.) No excessive knots
- 5.) Even lengths- 8', 10', 12', 14',16'
- 6.) 4-6 inches of Trim



## Seacoast Fishing Supplies – Hardwood Sawlogs

### July 24/2020

Currently only purchasing White Ash logs

**Contact:** Don Boudreau: (506) 533-0455

Price: \$244.66/cord delivered

**Specifications:** 

Length: 8' 6" and up

Top Diameter: 7" minimum

**Quality: 2 clear faces** 

Limited deliveries, please contact office prior to cutting.

506 433-9865

# Hardwood Products Company LLC (Guilford, ME)

	Guilford, Maine 04443
	Wood Specifications - January 1, 2021
	Scale Rule: Maine Log Rule Plus: We give a 1" rise on 21'and longer logs
At least 3" of white 20" maximum diam White Birch / Grade 2: 7" <u>minimum</u> diame <u>At least 2" of white</u> 20" maximum diam Pallet Grade: If a log does not ha Pallet log	eter; 10'-6" minimum length (scaled every foot above 10'-6") <u>e wood</u> from inside the bark to the closest point of the heart. heter, outside the bark \$705.23/mbf CAD eter; 8'-6" minimum length (scaled every foot above 8'-6") <u>e wood</u> from inside the bark to the closest point of the heart. neter, outside the bark. \$566.63/mbf CAD we the minimum required white wood and it is solid, it will be graded as a eter, 20" maximum diameter, 8'-6" minimum length, no rot or holes
No seams, splits, rot, holes, d	defect per 4' section. (bump / burl / cat face / knot / crotch) dead wood, checked or stained wood e defects will be discounted on scale.
	ithin 2 weeks of harvest from April 1 to November 1
	ed with a "0", and saved for Contractor for 10 Business days unless ments have been made.
	Friday for wood delivered during the previous weekly period Monday through Friday). Payment will be based on our mill scale.
SCALE HOURS: 5:00 AM	- 3:00 PM Monday – Friday

# J.D. Irving Limited – Hardwood Sawlogs (Sussex, NB)

JD Irving is currently not purchasing hardwood logs. Effective at the end of the day, May 16<sup>th</sup> 2020.

IRVING	J.D. Irving, Limited							
J.D. IRVING, LIMITED	J.D. IRVING, LIMITED SUSSEX- HARDWOOD SAWLOG SPECIFICATIONS							
Grade 2								
SPECIES	Hard Maple, Yellow Birch and White Birch; maximum 25% White Birch							
AGE	Delivered within 2 weeks of date cut (live trees at time of cut)							
LENGTH	NGTH 8'6", 10'6" and 12'6"							
DIAMETER	<b>10"</b> minimum top diameter (inside bark)							
DEFECTS	Sweep must be no more than 1/3 the smallest diameter of the bolt							
	Maximum butt rot is 1/3 the smallest diameter of the bolt							
	No stained logs accepted							
	No split logs accepted							
	No forked trees, butts cut flush and square with the centre line of the tree							
PRICE	\$0 /GMT Currently not buying							
All loads co	ntaining burned wood, unacceptable species, or logs containing metal shall be							
rejected. D	Defective bolts within loads may be deducted from the scale and sent back to							
producers	on the truck OR downgraded to pulp grade (Sussex Chip Plant specifications) at the							
attention o	f the scale staff or District Administrator Sussex Region at the time of delivery by							
the trucker	or producer and, if unloaded, piled separately.							
These spec	ifications are subject to change by J.D. Irving, Limited with minimal notice.							

# Garant – Hard, Soft Maple, Yellow Birch, Ash (Woodstock, NB)

				135 Phillips	Dr.				
				Woodstock,	New Brunswick				
	rant			E7M 2K8					
	liente								
Mill Grade	Species	Price		Unit	Length	Diam.	Specs		
Prime Plus	White Ash	\$	712.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	2 clear faces	knots cut flush	
Prime	White Ash	\$	662.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	2 clear faces	knots cut flush	
Select	White Ash	\$	562.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	2 clear faces	knots cut flush	
No. 1	White Ash	\$	387.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	2 clear faces	knots cut flush	
Prime Plus	Hard Maple	\$	807.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	2 clear faces	knots cut flush	1/2 heart or less
Prime	Hard Maple	\$	757.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	2 clear faces	knots cut flush	1/2 heart or less
Select	Hard Maple	\$	707.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	2 clear faces	knots cut flush	1/2 heart or less
No. 1	Hard Maple	\$	387.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	3 clear faces	knots cut flush	1/3 heart or less
Prime Plus	Soft Maple	\$	662.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	3 clear faces	knots cut flush	1/2 heart or less
Prime	Soft Maple	\$	612.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	3 clear faces	knots cut flush	1/2 heart or less
Select	Soft Maple	\$	562.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	3 clear faces	knots cut flush	1/2 heart or less
No. 1	Soft Maple	\$	367.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	3 clear faces	knots cut flush	1/3 heart or less
Prime Plus	Yellow Birch	\$	662.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	14"+	2 clear faces	knots cut flush	1/2 heart or less
Prime	Yellow Birch	\$	612.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	12",13"	2 clear faces	knots cut flush	1/2 heart or less
Select	Yellow Birch	\$	562.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	10",11"	2 clear faces	knots cut flush	1/2 heart or less
No. 1	Yellow Birch	\$	367.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	8",9"	3 clear faces	knots cut flush	1/3 heart or less



### Specifications Sheet

### Hard, Soft Maple, Yellow Birch

10 " Minimum top, inside the bark Sweep must be **less** than

- 3 inches in a 8 ft length
- 5 inches in a 12 ft length
- 6 inches in a 16 ft length

No crook, excessive flare will be deducted No check or cracks Minimum 2 clear faces No excessive knots, maximum of 1 knots (Defect) per 8ft No Rot. 1/2 heart or less (diameter deductions will be made for heart rot) Trim of at least 4 to 6 inches Even lengths of 8', 10', 12', 14' and 16' plus trim Preferred length is 12' and 16'

### Ash

8 " Minimum top, inside the bark Sweep must be **less** than

- 3 inches in a 8 ft length
- 5 inches in a 12 ft length
- 6 inches in a 16 ft length

No crook, excessive flare will be deducted

No check or cracks

minimum 2 clear faces

No excessive knots maximum of 1 knots (Defect) per 8ft

No rot

Trim of at least 4 to 6 inches

Even length of 8', 10', 12', 14' and 16' plus trim

Preferred length is 12' and 16'

# Maritime Wood Product Inc. - Aspen (Bath, NB)

	Maritime Wood Product Inc.				
	156 Hospital St., Bath, NB E7J 1C1 (506) 278-3233, (506) 278-5914				
Species	Length	Diameter	Mill Price	Unit Measure	
Aspen, no Balsam Poplar	8'-9'	Minimum 9"	\$77.43	Metric Tonne	
Form: Straight, no rot, no forks, no major defects, 2-3 clear faces					

<b>THORHAMMER VENEER LTD.</b> 12 Alpha St. Napadogan, NB								
	-		-	Updated July 1	1th 2022			
	PRICES ARE \$CAD, ROADSIDE & LOADED							
SPECIES	MILL GRADE	TOP DIAMETER	PRICE / MFBM	PRICE / CORD	PRICE / M3	CLEAR FACES		
	PRIME	14" +	\$623.03	\$270.64	\$117.50	4		
	SELECT	14" +	\$596.53	\$259.14	\$112.50	3		
RED MAPLE	#1 Special	11" +	\$543.53	\$236.14	\$102.50	4		
	#1	11" +	\$437.53	\$190.14	\$82.50	3		
	#2	9.5" +	\$437.53	\$190.14	\$82.50	4		
	#3	9.5" +	\$331.53	\$144.14	\$62.50	3		
	Good Log Run A	verage	\$495	\$214.64	\$92.50			
	PRIME	14" +	\$676	\$293.63	\$127.50	4		
WHITE	SELECT	14" +	\$676	\$270.63	\$117.50	3		
BIRCH	#1 Special	11" +	\$570	247.63	\$107.50	4		
	#1	11" +	\$464	201.63	\$87.50	3		
	#2	9.5" +	\$464	201.63	\$87.50	4		
	#3	9.5" +	\$385	155.63	\$67.50	3		
	Good Log Run Average         \$517         \$224.63         \$97.50							

ThorHammer - Hardwood & Veneer (Napadogan, NB)

**DEFECTS:** 

Rot over 2", large knots over 2", seam over 2" deep, over 10% sweep or crook, dote, ring shake, crook, dote, ring shake, large worm holes, burls, swells. Large flare results in length deduction. large worm holes, burls, swells. Large flare results in length deduction

1	Scale at ThorHammer Veneer, Napadogan, will be final.							
	Length is 104" (8'6" MIN) up to 110" acceptable; Will accept 76" to 78" (1.90 m to 1.96 m) but check with log buyer (2.67 m to 2.79 m) Veneer quality logs shorter than 104" but over 74" (6') accepted but scaled back to 4' plus trim Logs shorter than 104" must have length clearly marked on end.							
2	Longer lengths a	accepted and sca	le based on num	ber of 4' & 6' plu	us trim			
3	All logs must ha	ve 8" trim. Logs	short of specified	l lengths or are o	ut back to 4' le	ength class.		
4		sap season must	-	-				
5		tween October 1			mill before Jub	/ 1.		
6	Cull logs must b	e removed from	mill yard within	10 days, otherwi	se the mill will	dispose of them		
7	trucking price (per M3)							
		Distance Limit	Add					
	ZONE 1	70 Kms	\$15					
	ZONE 2	140 Kms	\$20					
	ZONE 3	210 Kms	\$25					
	ZONE 4	280 Kms	\$30					
	ZONE 5	350 Kms	\$35					
	ZONE 6	410 Kms	\$40					
8	Please contact	Rod for details	s on self-unload	ding, scaling, vo	olume and tir	ning of deliver		
	506-262-1965							

### **ThorHammer Veneer Inc.**

#### SPECIFICATIONS - SOFT HARDWOOD (Red Maple, White & Yellow Birch) CORE-VENEER BOLTS **GENERAL INSTRUCTIONS:**

#### 1. Logs must be cut from live standing trees, have 2 Clear Faces and be Sound.

- 2. Dry, dead and hollow logs and logs containing worm holes, splits, shakes, seams, conk and punk or punk knots will be rejected in most cases except as seen below.
- 3.
- Logs may contain up to 10% sweep but logs with short sharp crooks will be rejected. All butts must be trimmed of excessive flare, butt hinge, stump pull and notches and be sawn straight and square. 4.
- 5. Veneer cut while trees are in leaf out (May & June) must be delivered in the following month and within two months at any oth er time of the year.

ITEM OR CONDITION	SPECIFICATION			
<ul> <li>Length 6', 8' plus trim</li> <li>Longer lengths accepted and scale based on number of 4' &amp; 6' plus trim Bolts can be Cut from the Log</li> <li>Example is an 11' log would yield 1-54" &amp; 1-78" Bolts</li> </ul>	1.90 m to 1.96 m (76" to 78") 2.67 m to 2.79 m (105" to 110")			
Minimum small end diameter	22 cm (8.66") inside the bark			
Ends and butts	Sawn straight and square, flare, butt hinges, stump-pull and notches trimmed back			
Conks: visible tree fungus associated with decay or rot.	Not accepted			
Seams to center of log face	Not accepted – Will accept some extremely minor small seams that don't extend far into the sawn surface			
Splits and cracks from dry wood or mechanical damage extending into the sawn surface	Not accepted			
Center rot	Up to 4 cm (1 <sup>1</sup> / <sub>2</sub> ") of soft rot is acceptable			
Crook - Sweep	10% only			
Shake (complete separation of annual rings)	Will accept a bit of minor shake not more than half a circle.			
Mechanical Damage	Saw cuts into surface of the log are not acceptable and splits in the sawn surface are also not acceptable.			
LOG DIAMETER	KNOTS			
24 cm to 26 cm	No defects allowed			
28 cm and up	Not more than 6 smaller sound knots of 5.08 cm (2") Or 3 larger sound knots of 10.16 cm (4")			

Approved:

Date<u>:</u>

#### SPECIFICATIONS - ASPEN POPLAR VENEER BOLTS

#### **GENERAL INSTRUCTIONS:**

- 1.
- Logs must be cut from live standing aspen poplar trees and be clear and sound. Dry, dead, and hollow logs and logs containing worm holes, splits, shakes, seams, conk and punk or punk knots will be rejected in most cases except as 2. seen below.
- 3.
- 4.
- Logs may contain up to 10% sweep but logs with short sharp crooks will be rejected. All butts must be trimmed of excessive flare, butt hinge, stump pull and notches and be sawn straight and square. Veneer cut while trees are in leaf out (May & June) must be delivered in the following month and within two months at any other time of the year. 5.

ITEM OR CONDITION	SPECIFICATION			
Length	2.65 m to 2.79 m (104" to 110")			
Minimum small end diameter	22 cm (8.7") inside the bark			
Ends and butts	Sawn straight and square, flare, butt hinges, stump-pull and notches trimmed back			
Conks: visible tree fungus associated with decay or rot.	Not accepted			
Seams to center of log face	Not accepted – Will accept some extremely minor small seams that don't extend far into the sawn surface			
Splits and cracks from dry wood or mechanical damage extending into the sawn surface	Not accepted			
Center rot	Up to 4 cm (1 <sup>1</sup> / <sub>2</sub> ") of soft rot is acceptable			
Crook - Sweep	10% only			
Shake (complete separation of annual rings)	Will accept a bit of minor shake not more than half a circle.			
Mechanical Damage	Saw cuts into surface of the log are not acceptable and splits in the sawn surface are also not acceptable.			
LOG DIAMETER	KNOTS			
22 cm to 26 cm	No defects allowed			
28 cm and up	Not more than 6 smaller sound knots of 5.08 cm (2") Or 3 larger sound knots of 10.16 cm (4")			

Approved:

Date: