



LANDSCAPE FABRIC IS A POLYESTER FABRIC DESIGNED FOR WEED CONTROL AND LANDSCAPE BEDS. IT IS RESISTANT TO COMMONLY ENCOUNTERED SOIL CHEMICALS, MILDEW, AND INSECTS, AND IS NON-BIODEGRADABLE. WE WISH TO ADVISE THAT BWSS LANDSCAPE FABRIC MEETS THE FOLLOWING MINIMUM AVERAGE ROLL VALUES:

PROPERTY	TEST METHOD	MINIMUM AVERAGE ROLL VALUE
WEIGHT		3.5 oz/syd
GRAB TENSILE	ASTM-D-4632	135 LBS
GRAB ELONGATION	ASTM-D-4632	>70%
TRAPEZOIDAL TEAR	ASTM-D-4633	50 LBS
PUNCTURE	ASTM-D-4833	35 LBS
AOS	ASTM-D-4751	60/70 SIEVE
PERMITIVITY	ASTM-D-4491	1.2 SEC
FLOW RATE`	ASTM-D-4491	70 GAL/MIN/FT

BLACKWATER SITEWORK SUPPLY PROVIDES THE SPUNBOND FABRIC INDICATED ABOVE. THE VALUES LISTED ARE A RESULT OF TESTING CONDUCTED BY AN INDEPENDENT TESTING LABORATORY. THESE TEST RESULTS ARE NO MORE THAN ONE YEAR OLD WHEN PRESENTED TO THE AUTHORIZING AGENT.

