

Free Shipping on Orders of \$130 or More. See page 3 for details.


TO ORDER: 1-800-777-7094 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | AMSOIL.ca



Product Index

Motor Oil	4
European Motor Oil	8
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Briggs & Stratton Synthetic 4T Racing Oil/Oil Analysis	15
ATV/UTV Oil/Snowmobile Oil	16
Dirt Bike Oil	18
Suspension Fluid	19
Motorcycle Oil	20
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	34
Grease	36
Air Tool Oil	38
Bar and Chain Oil/ Compressor Oil/Fuel Additives	39
Engine and Transmission Flush	44
Metal Protector/Coolant/ Coolant Boost	45
Firearm Lubricant/Power Steering Fluid	46
Aftermarket Partners	47

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



Power Big Savings with Preferred Customer Membership

Preferred Customers Enjoy



Reduced Pricing

Up to 25% off every order



Get 5% off your next order when you spend \$100 (up to \$5 value)



Birthday Gift

Celebrate with 5% off your next order up to \$100 (up to \$5 value)



Shipping

On orders over \$130



Free Membership

When you spend \$500 in a year



Exclusive Promotions



Plus, you will receive the quarterly *AMSOIL Magazine* with the latest product details, technical information and complete product catalog.

Six-month trial membership just \$15. Full year of membership for just \$30.

Sign up at AMSOIL.ca/pc today and use this referral number. \checkmark

Beferral # #327600

*Effective June 27, 2022, instead of a \$5 coupon, Canadian Preferred Customers will receive a coupon for 5% off their next order (up to a \$5 value). See Preferred Customer Program terms & conditions at AMSOIL.ca/pc.

TECHNICAL QUESTIONS

(715) 399-8324 (TECH) or tech@AMSOIL.com

SHIPPING AND HANDLING

Free shipping on orders of \$130 or more. Orders below that threshold pay a flat shipping rate of \$12.99. Exclusions apply. See the shipping & handling policy at AMSOIL.ca/storefront/shippinginformation.aspx.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-777-7094 for instructions.

SALES TAX INFORMATION

AMSOIL INC. has an established sales tax rate for each province.

NOTE:

A General Sales Tax (GST) of 5% will be charged on all Canadian purchases. Only provincial governments are exempt. GST will be charged on the purchase price and the freight costs. In the provinces of Quebec, Prince Edward Island and New Brunswick the provincial sales tax will be charged on the GST. Freight charges are subject to sales tax on all orders.


Prices subject to change without notice.

WHY BUY SIGNATURE SERIES?

Signature Series Delivers Powerful Protection


AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test^p. AMSOIL provided far superior wear protection and kept bearings looking like new.

*Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.



Their Oil

AMSOIL



AMSOIL Resists Viscosity Increase

AMSOIL is barely challenged by the industrystandard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL **delivered twice the** viscosity control required by the <u>standard.^{GG}</u>

⁶⁶Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

AMSOIL Helps Keep Engines Cleaner

AMSOIL Signature Series is fortified with a heavy treatment of detergent additives, delivering **28 percent more acid-neutralizing power than Mobil 1*** and helping engines stay cleaner, longer.^{LL}

¹²Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased July 2020.



AMSOIL Keeps Pistons Cleaner

Even after doubling the length of the industry-standard test, AMSOIL delivered **40% cleaner pistons** than required by the standard.^{FF}

^{FF}Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

Signature Series Protects Against LSPI AMSOIL Synthetic Motor Oils achieved 100% protection against LSPI.⁸

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Signature Series Guards Turbos

Protects turbochargers **72% better** than required^c by the GM dexos1[®] Gen 2 specification.

 $^{\rm c}{\rm Based}$ on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge.^{DD}

^bvs. AMSOIL OE Motor Oil ^{DD}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification. Signature Series Fights Wear 75% more engine protection

against horsepower loss and wear.^A ^ABased on independent testing of AMSOIL Signature Series 0W-20 using the ASTM D6891 standard test.

ASM

AZO

ALM



SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 40,200 kilometers or 1 year, whichever comes first.

		• OW-20 STOCK# ASMQTC ASMQTC ASM1GC ASM1GC	units EA CA EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle (4) 3.78-litre Bottles	P.C. PRICE 16.09 182.35 62.09 235.30	FULL PRICE 19.59 233.40 75.69 301.20
	Signification	• 5W-20 STOCK# ALMQTC ALMQTC ALM1GC ALM1GC	units EA CA EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle (4) 3.78-litre Bottles	P.C. PRICE 16.09 182.35 62.09 235.30	FULL PRICE 19.59 233.40 75.69 301.20
ASL	ATM	OW-30 Stock# Azoqtc Azoqtc	units EA CA	PKG ./ SIZE (1) 946-ml Bottle (12) 946-ml Bottles	P.C. PRICE 16.09 182.35	FULL PRICE 19.59 233.40
		5W-30 <u>stock#</u> ASLQTC ASLQTC ASL1GC ASL1GC	units EA CA EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle (4) 3.78-litre Bottles	P.C. PRICE 16.09 182.35 62.09 235.30	FULL PRICE 19.59 233.40 75.69 301.20
AZF	AMR	• 10W-30 Stock# Atmqtc Atmqtc	units EA CA	PKG ./ SIZE (1) 946-ml Bottle (12) 946-ml Bottles	P.C. PRICE 16.09 182.35	FULL PRICE 19.59 233.40
	Surrente	OW-40 Stock# Azfqtc Azfqtc	units EA CA	PKG ./ SIZE (1) 946-ml Bottle (12) 946-ml Bottles	P.C. PRICE 16.09 182.35	FULL PRICE 19.59 233.40
	Sent Institute	O 5W-50 Stock# Amrqtc Amrqtc	units EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles	P.C. PRICE 16.09 182.35	FULL PRICE 19.59 233.40
SROW-40	SISTER SUSSE			Click Here	e To Or	der

*Based on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation.



For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. **Provides 64% more protection against oil breakdown^F than required by the GM dexos1* Gen 2 specification**. Extra protection that lasts up to 19,300 kilometers or 1 year, whichever comes first.

• 0W-20	10W-30
STOCK# UNITS PKG./SIZE P.C. PRICE FULL PRICE XLZQTC EA (1) 946-ml Bottle 13.09 15.89 XLZQTC CA (12) 946-ml Bottles 148.15 189.60 XLZIGC EA (1) 3.78-litre Bottles 50.99 62.19 XLZIGC CA (4) 3.78-litre Bottles 193.10 247.20	STOCK# UNITS PKG./SIZE P.C. PRICE FULL PRICE XLTQTC EA (1) 946-ml Bottle 13.09 15.89 XLTQTC CA (12) 946-ml Bottles 148.15 189.60 IOW-40 IOW-40 IOW-40 IOW-40 IOW-40
● 5W-20	STOCK# UNITS PKG./SIZE P.C. PRICE FULL PRICE XLOQT EA (1) 946-ml Bottle 13.09 15.89
STOCK# UNITS PKG./SIZE P.C. PRICE FULL PRICE XLMOTC EA (1) 946-ml Bottle 13.09 15.89 XLMOTC CA (12) 946-ml Bottles 148.15 189.60 XLM1GC EA (1) 3.78-litre Bottle 50.99 62.19 XLM1GC CA (4) 3.78-litre Bottles 193.10 247.20	XLOQT CA (12) 946-ml Bottles 148.15 189.60 "Put this in my light duty, full size pickup. Noticeable difference right
• 5W-30	away. Engine quieter and clean."
STOCK# UNITS PKG./SIZE P.C. PRICE FULL PRICE XLFQTC EA (1) 946-ml Bottle 13.09 15.89 XLFQTC CA (12) 946-ml Bottles 148.15 189.60 XLF1GC EA (1) 3.78-litre Bottle 50.99 62.19 XLF1GC CA (4) 3.78-litre Bottles 193.10 247.20	– Jim P Northern VA

FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.



Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection**.^G Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

OESQT E	ITS PKG./SIZE A (1) 946-ml Bottle A (12) 946-ml Bottles	9.99	12.19
• 0W-20			
STOCK# UN OEZQTC E OEZQTC C OEZ1GC E	ITSPKG./SIZEA(1) 946-ml BottleA(12) 946-ml BottlesA(1) 3.78-litre BottleA(4) 3.78-litre Bottles	112.70 38.59	47.19
• 5W-20			
STOCK# UN OEMQTC E OEMQTC C	ITSPKG./SIZEA(1) 946-ml BottleA(12) 946-ml BottlesA(1) 3.78-litre BottleA(4) 3.78-litre Bottles	9.99 112.70 38.59	47.19
5W-30			
STOCK# UN OEFQTC E OEFQTC C	A (1) 946-ml Bottle A (12) 946-ml Bottles		
52. TOO L		00.00	

OEF1GC CA (4) 3.78-litre Bottles 146.05

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQTC	EA	(1) 946-ml Bottle	9.99	12.19
OETQTC	CA	(12) 946-ml Bottles	112.70	144.60

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits 946-ml and 3.78-litre bottles.

STOCK#	P.C. PRICE	FULL PRICE
G1230	1.05	1.25

^GBased on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.

187.00

PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL Synthetic European Motor Oil features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

Synthetic European Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- Outstanding All-Season Performance
- Engineered for Maximum Fuel Economy
- Enhanced Turbocharger Protection

"My engine sounds better than it ever has. My BMW* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

– Tom

Atlanta, Ga.





OW-20 LS-VW Synthetic European Motor Oil

API SN-PLUS, SN ... • ACEA C5 • VW 508.00/509.00

STOCK#	UNITS		PKG./SIZE	P.C. PRICE	FULL PRICE
eztqt	EA	(1)	946-ml Bottle	15.49	18.89
EZTQT	CA	(12)	946-ml Bottles	175.35	225.00

OW-20 LS Synthetic **European Motor Oil**

API SN-PLUS (Resource Conserving), SN, SM... • ILSAC GF-5 • ACEA C5, A1/B1 • BMW LL-17FE+ • MB 229.71 • Ford WS-M2C947-B1 • Opel/Vauxhall OV0401547 • Fiat 9.55535-GSX • Chrysler MS-12145 • Volvo VCC RBS0-2AE

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQT	EA	(1) 946-ml Bottle	14.49	17.69
AFEQT	CA	(12) 946-ml Bottles	164.60	211.20

OW-40 FS Synthetic European Motor Oil

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQTC	EA	(1) 946-ml Bottle	14.39	17.59
EFOQTC	CA	(12) 946-ml Bottles	163.35	209.40

5W-30 LS Synthetic European Motor Oil

Manufacturer Approvals: VW 504.00/507.00 Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQTC	EA	(1) 946-ml Bottle	17.89	21.79
AELQTC	CA	(12) 946-ml Bottles	203.20	260.40

5W-40 MS Synthetic European Motor Oil

Manufacturer Approvals: MB-Approval 229.51

- Porsche A40

Voiscine A40
 Use in vehicles that require ACEA C3 • API SN/SM/CF...
 BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • VW/ Audi 502.00/505.01

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQTC	EA	(1) 946-ml Bottle	15.29	18.59
AFLQTC	CA	(12) 946-ml Bottles	173.45	222.00
AFL1GC	EA	(1) 3.78-litre Bottle	59.19	72.19
AFL1GC	CA	(4) 3.78-litre Bottles	224.30	287.20

○ 5W-40 FS Synthetic **European Motor Oil**

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • Renault 0710, 0700

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQTC	EA	(1) 946-ml Bottle	11.89	14.49
EFMQTC	CA	(12) 946-ml Bottles	134.85	172.80
EFM1GC	EA	(1) 3.78-litre Bottle	46.09	56.29
EFM1GC	CA	(4) 3.78-litre Bottles	174.50	223.40

BUILD IT.



○ Assembly Lube

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 118-ml Tube	10.89	13.59
EALTB	CA	(12) 118-ml Tubes	123.45	162.00

Break-In Oil

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK# (UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQTC	EA	(1) 946-ml Bottle	11.69	14.29
BRKQTC	CA	(12) 946-ml Bottles	132.95	170.40



CRUISE IT.

Z-ROD[®] Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

010W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQTC	EA	(1) 946-ml Bottle	14.99	18.19
ZRTQTC	CA	(12) 946-ml Bottles	169.65	217.20

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	EA	(1) 946-ml Bottle	14.99	18.19
ZRDQT	CA	(12) 946-ml Bottles	169.65	217.20

20W-50

STOCK# UN	IITS PKG./	SIZE P.C. PRI	CE FULL PRICE
ZRFQTC I	EA (1) 946-r	ml Bottle 18.09	21.99
ZRFQTC (CA (12) 946-r	ml Bottles 205.1	0 262.80



AMSOIL Delivers Superior Rust Protection



In industry-standard testing, AMSOIL Z-ROD® completely prevented rust formation while a leading competitor did not.^{JJ}

⁴⁴Based upon in-house testing of AMSOIL Z-ROD 10W-40 and a leading competitor obtained on 7/25/2019 in ASTM D1748-10.



"AMSOIL products are the best on the market and definitely give us an added performance factor."

Bryce Menzies Professional Off-Road Driver

DOMINATOR[®] Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	(1) 946-ml Bottle	18.39	22.39
RD20QT	CA	(12) 946-ml Bottles	208.90	267.60

🛑 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	(1) 946-ml Bottle	17.79	21.69
RD30QT	CA	(12) 946-ml Bottles	201.95	258.60

15W-	50				
STOCK#	UNITS		PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	EA	(1)	946-ml Bottle	18.59	22.59
RD50QT	CA	(12)	946-ml Bottles	210.80	270.00

SAE 60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	(1) 946-ml Bottle	19.09	23.29
RD60QT	CA	(12) 946-ml Bottles	217.15	278.40

















AMSOIL Fights Wear

AMSOIL delivers powerful engine protection. How good is it? In third-party testing compared to a leading brand, AMSOIL provided longlasting wear protection, keeping cylinder liners looking like new.DD



^{to:}Based on third-party testing of AMSOIL 5W-30 Signature Series Max-Duty Synthetic Diesel OI and a ventional 15N-40 desel oi using the Detroit Diesel? DD13 Scuting test for specification DFS 39/8222. Mananes and images are the property of their respective owners and may be registered marks in some cou affiliation or endorsement claim, express or implied, is made by their use.

Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+ Engineered for maximum protection and performance for diesel engines. Provides 6X more engine protection.¹ Delivers up to 60% better turbo cleanliness^J and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.^K

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	(1) 946-ml Bottle	15.39	18.79
DHDQT	CA	(12) 946-ml Bottles	174.75	223.80
DHD1G	EA	(1) 3.78-litre Bottle	60.29	73.49
DHD1G	CA	(4) 3.78-litre Bottles	228.35	292.20

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1GC	EA	(1) 3.78-litre Bottle	60.19	73.39
DTT1GC	CA	(4) 3.78-litre Bottles	227.90	291.80

0W-40

Delivers 4X better cold-temperature performanceEE

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	EA	(1) 946-ml Bottle	15.29	18.59
DZFQT	CA	(12) 946-ml Bottles	173.45	222.00
DZF1GC	EA	(1) 3.78-litre Bottle	59.69	72.79
DZF1GC	CA	(4) 3.78-litre Bottles	226.00	289.40



)	15W-	40		
	STOCK#		PKG./SIZE	P.C. PRIC
	DMEQTC	EA	(1) 946-ml Bottle	14.79
	DMEQTC	CA	(12) 946-ml Bottles	167.75
			(1) 3.78-litre Bottle	
			(4) 3.78-litre Bottles	

DMETPC

DMETPC

EΑ

Based on specification standards of CAT C13 2nd Ring Top Land Carbon testing. "Based on industry standard testing using the NMMA FC-W Rust Test. 'than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation. ^{EB}When compared to SAE 15W-40 in ASTM D5293 Cold Cranking Viscosity Test.

Click Here To Order

(1) 9.45-litre Bottle

CA (2) 9.45-litre Bottles 270.00

PRICE

142.45

FULL PRICE

17.99


214.80

70.39

279.80

171.20

340.40



FICIA

FIC

ADN

11/4

DIESEL OIL • HUILE DIESEL

ADP

51114

4X

DIESEL OIL • HUILE DIESEL

SAE 15W-40

SAE 10W-30

ADO

OIL + NULE DIESEL

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.¹ Provides up to 66% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

🔾 10W-3				
STOCK# ADNQTC ADNQTC ADNTPC ADNTPC	UNITS EA CA EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 9.45-litre Bottle (2) 9.45-litre Bottles	P.C. PRICE 10.39 117.75 98.70 187.10	FULL PRICE 12.69 151.20 118.95 235.90
5W-4 0				
STOCK# ADOQTC ADO1GC ADO1GC ADO1GC ADOTPC ADOTPC	UNITS EA CA EA CA EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle (4) 3.78-litre Bottles (1) 9.45-litre Bottles	P.C. PRICE 10.89 123.45 41.99 159.10 103.20 195.60	FULL PRICE 13.29 158.40 51.29 203.60 124.30 246.60
15W- 4	0			
STOCK# ADPQTC ADPQTC ADP1GC ADP1GC ADPTPC ADPTPC	UNITS EA CA EA CA EA CA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle (4) 3.78-litre Bottles (1) 9.45-litre Bottle (2) 9.45-litre Bottles	P.C. PRICE 10.39 117.75 40.19 152.35 98.65 186.95	FULL PRICE 12.69 151.20 49.19 195.00 118.90 235.80

than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 10W-30 as worst-case representation.

FREE SHIPPING ON ORDERS OF \$130 OR MORE | AMSOIL.ca | 13



Discontinued and available

while supplies

For a serious

try Signature Series Max-Duty 5W-30. See page 12.

upgrade,

last.

100% Synthetic Diesel Oil

Engineered specifically for smaller American diesel pickups, vans, cars and SUVs, providing outstanding protection, performance and fuel economy. Delivers up to 6X better wear protection than required by a leading industry standard.1

0W-20

Use in vehicles that require GM dexosD

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QTC	EA	(1) 946-ml Bottle	13.69	16.79
DP020QTC	CA	(12) 946-ml Bottles	155.75	199.80

5W-30

Use in vehicles that require GM dexosD, dexos2 • Chrysler MS-11106 • Ford WSS-M2C214-B1 • ACEA C3

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE		
DP530QTC	EA	(1) 946-ml Bottle	13.59	16.59		
DP530QTC	CA	(12) 946-ml Bottles	154.50	198.00		

HDD

51/1

CI-4+ Synthetic Diesel Oils

Engineered for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

Series 3000 5W-30 **Synthetic Heavy Duty Diesel Oil**

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQTC	EA	(1) 946-ml Bottle	16.79	20.49
HDDQTC	CA	(12) 946-ml Bottles	190.55	244.20
HDD1GC	EA	(1) 3.78-litre Bottle	65.19	79.49
HDD1GC	CA	(4) 3.78-litre Bottles	247.10	316.40



15W-40 Synthetic Heavy Duty **Diesel and Marine Oil**

Use in vehicles that require API CI-4+

AMEQTC AMEQTC AME1GC AME1GC	jnits EA CA EA CA	PKG ./ SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle (4) 3.78-litre Bottles	P.C. PRICE 15.49 176.00 60.49 229.15	FULL PRICE 18.89 225.60 73.79 293.40
AMETPC AMETPC	EA CA	(1) 9.45-litre Bottle (2) 9.45-litre Bottles	149.50 283.40	179.65 357.30

Click Here To Order

¹Based on third-party testing in the OM646LA cam wear test using 0W-20 as worst-case representation.

Like Heavy Duty Diesel and Marine Oil?

Try Signature Series Max-Duty 15W-40 for a serious upgrade. See page 12.



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc

P.C. PRICE

15.39

174.75

P.C. PRICE

16.19

183.60

FULL PRICE

FULL PRICE

19.69

235.20

18.79

223.80

GBS2960	
aboz300	



BRIGGS&STRATTON

Briggs & Stratton Synthetic 4T Racing Oil

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	EA	(1) 946-ml Bottle	14.95	19.94
GBS2960	CA	(12) 946-ml Bottles	179.40	239.32

Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oaitesting.com.

stock# KIT401 KIT402 G1206 G1571	PKG./SIZE 1 sample kit (UPS Paid) 1 sample kit Oil Suction Pump w/10-ft. hose Replacement Hose 25-ft.	P.C. PRICE 52.05 32.45 34.65 11.00	FULL PRICE 62.00 38.70 36.65 11.50	<u>Oil Analyzer</u>	D (









11/40

411

ioron

AUV50

5173 ADUIN



SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

5W-40

		PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles	16.19	FULL PRICE 21.29 254.30	
10W-40 STOCK#) UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
AUV40QTC	EA	(1) 946-ml Bottle	16.19	21.29	
AUV40QTC	CA	(12) 946-ml Bottles	184.25	253.80	
5W-50					

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QTC	EA	(1) 946-ml Bottle	16.09	20.99
AUV50QTC	CA	(12) 946-ml Bottles	182.35	250.80

AFF

Formula 4-Stroke® Powersports **Synthetic Motor Oil**



Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQTC	EA	(1) 946-ml Bottle	17.49	21.29
AFFQTC	CA	(12) 946-ml Bottles	198.80	254.40



Synthetic ATV/UTV Transmission & Differential Fluid

AUDT

PACK

1/3

AUPT

TRAIN FL

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQTC	EA	(1) 946-ml Bottle	18.09	22.89
AUDTQTC	CA	(12) 946-ml Bottles	205.75	273.60
AUDTPK	EA	(1) 946-ml Easy-Pack	20.39	25.69
AUDTPK		(12) 946-ml Easy-Packs		307.20

Synthetic ATV/UTV Powertrain Fluid

Purpose-built for transmission/differentials and front drives in Polaris* ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	EA ((1) 946-ml Easy-Pack	18.99	23.99
AUPTPK	CA (1	2) 946-ml Easy-Packs	3 215.90	286.80

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris* and Can-Am* UTVs and ATVs. Call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1C	EA	1 kit	52.70	67.50
PK2C	EA	1 kit	46.65	59.75
PK3C	EA	1 kit	43.95	56.25
CK1C	EA	1 kit	83.05	106.30
CK2C	EA	1 kit	64.60	82.70
CK3C	EA	1 kit	80.55	103.15



SYNTHETIC DIRT BIKE OIL Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QTC	EA	(1) 946-ml Bottle	16.69	21.79
DB40QTC	CA	(12) 946-ml Bottles	189.30	260.40

e 10W-50

STOCK#	UNITS		PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QTC	EA	(1)	946-ml Bottle	18.69	24.49
DB50QTC	CA	(12	946-ml Bottles	212.70	292.80

• 10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	(1) 946-ml Bottle	19.39	25.29
DB60QT	CA	(12) 946-ml Bottles	219.70	302.40



(HM F



Bu



DBTF

•)

•


S D

D

2

AMSOIL delivers confident clutch feel.

AMSOIL provides excellent clutch protection⁷. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



¹Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.

Synthetic Dirt Bike Transmission Fluid

TOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BTFQT	EA	(1) 946-ml Bottle	15.09	19.69
BTFQT	CA	(12) 946-ml Bottles	170.95	235.20

SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

Lightweight #5

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	(1) 946-ml Bottle	19.49	23.69
STLQT	CA	(12) 946-ml Bottles	220.95	283.20

Medium #10

Use in applications that require more dampening and slower rebounds

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	(1) 946-ml Bottle	19.59	23.79
STMQT	CA	(12) 946-ml Bottles	222.20	284.40





SYNTHETIC V-TWIN MOTORCYCLE OIL • 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQTC	EA	(1) 946-ml Bottle	16.99	20.69
MCVQTC	CA	(12) 946-ml Bottles	192.45	246.60
MCV1GC	EA	(1) 3.78-litre Bottle	66.69	81.29
MCV1GC	CA	(4) 3.78-litre Bottles	252.60	323.40

SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	(1) 946-ml Bottle	18.39	22.39
MCSQT	CA	(12) 946-ml Bottles	208.30	267.00

20W-40


Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQTC	EA	(1) 946-ml Bottle	16.89	20.59
MVIQTC	CA	(12) 946-ml Bottles	191.80	246.00

15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	EA	(1) 946-ml Bottle	19.39	24.39
MSVQT	CA	(12) 946-ml Bottles	219.70	291.60



MS



Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQTC	EA	(1) 946-ml Bottle	19.69	24.89
MVTQTC	CA	(12) 946-ml Bottles	223.45	297.00

Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQTC	EA	(1) 946-ml Bottle	16.49	20.79
MVPQTC	CA	(12) 946-ml Bottles	186.75	248.40

SYNTHETIC METRIC MOTORCYCLE OIL

• 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQTC	EA	(1) 946-ml Bottle	16.89	20.49
MCFQTC	CA	(12) 946-ml Bottles	191.20	244.80
MCF1GC	EA	(1) 3.78-litre Bottle	65.69	79.99
MCF1GC	CA	(4) 3.78-litre Bottles	248.80	318.40

10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	EA	(1) 946-ml Bottle	17.39	21.09
MCTQT	CA	(12) 946-ml Bottles	196.90	252.00

15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati*, BMW, KTM*, Yamaha, Triumph and Royal Enfield* motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MFFQT	EA	(1) 946-ml Bottle	19.39	24.49
MFFQT	CA	(12) 946-ml Bottles	220.30	292.80



V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson* motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, AMSOIL Motorcycle Oil Filter and O-ring.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDCK	EA	1 kit	91.05	116.55
HDBK	EA	1 kit	86.65	110.90
HDMC	EA	1 kit	107.70	137.80
HDMB	EA	1 kit	103.35	132.30
Construction of the local division of the lo				

FITMENT INFO:

HDCK, HDBK: most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

HDMC, HDMB: most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)



MCF

MFF

51/4

ETRIC

RCYCLE

METRIC



Outboard • Inboard
 InboardOutboard
 (I/O) • Watercraft

RUNS ON

FRFFDA

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

10W-30

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 WCTQTC
 EA
 (1) 946-ml Bottle
 14.99
 18.29

 WCTQTC
 CA
 (12) 946-ml Bottle
 170.30
 218.40

10W-40

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 WCFQTC
 EA
 (1) 946-ml Bottle
 16.39
 19.89

 WCFQTC
 CA
 (12) 946-ml Bottles
 185.50
 237.60

25W-40 (Synthetic Blend)

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 WCMQTC
 EA
 (1) 946-ml Bottle
 12.99
 16.19

 WCMQTC
 CA
 (12) 946-ml Bottles
 147.50
 193.20

HPM

PIMARINE

● HP Marine[™] Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK# HPMQTC HPMQTC HPM1GC	UNITS EA CA EA	PKG./SIZE (1) 946-ml Bottle (12) 946-ml Bottles (1) 3.78-litre Bottle	P.C. PRICE 13.99 158.90 53.89	FULL PRICE 17.09 203.40 65.79	
HPM1GC	CA	(4) 3.78-litre Bottles	204.25	261.60	38

Pete Maina Pro Fisherman

WCM

RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at **AMSOIL**.ca/freedom.

Click Here To Order

• Universal Synthetic Marine Gear Lube Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.^V Choose the easy-pack for fast, easy

AGM

Y1//4

installation.

MARINE Gear Lube Pump

EASY-PACK-

Gear Lube SAE 75**W-90**

OUTSTANDING PROTECTION FOR LOWER UNITS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	EA	(1) 296-ml Tube	9.69	11.99
AGMTB	CA	(č) 296-ml Tubes	54.80	71.70
AGMQTC	EA	(1) 946-ml Bottle	17.69	21.59
AGMQTC	CA	(12) 946-ml Bottles	201.30	258.00
AGMPK	EA	(1) 946-ml Easy-Pack	19.99	24.29
AGMPK	CA	(12) 946-ml Easy-Packs	226.65	290.40

Marine Gear Lube Pump

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK #	P.C. PRICE	FULL PRICE
G3456	13.40	14.05



Midwest Fishing Report

www.amsoil.com/mfr

^vBased upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in AST<u>M 3233 and ASTM D892.</u>



Runs On Freedom™ Limited Snowmobile Warranty

Use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively in your current-model-year or newer sled and we'll cover engine repairs in the unlikely event of any engine breakdown for up to two vears/8.000 km.*

*To get details and register, visit AMSOIL.ca/rofwarranty.

Synthetic 2-Stroke Injector Oil

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQTC	EA	(1) 946-ml Bottle	12.89	16.09
AIOQTC	CA	(12) 946-ml Bottles	146.25	192.00
AI01GC	EA	(1) 3.78-litre Bottle	49.89	62.39
AI01GC	CA	(4) 3.78-litre Bottles	189.10	248.00

INTERCEPTOR[®] Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS
AITQTC	EA
AITQTC	CA
AIT1GC	EA
AIT1GC	CA

PKG./SIZE	P.C. PRICE	FULL PRICE
(1) 946-ml Bottle	16.39	19.89
(12) 946-ml Bottles	185.50	237.60
(1) 3.78-litre Bottle	63.19	77.09
(4) 3.78-litre Bottles	239.50	306.60

Meets the performance requirements of Polaris®, Arctic Cat® and Ski-Doo® two-stroke snowmobiles.

Click Here To Order

AMSOIL Fights Wear AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered outstanding wear protection and cleanliness in a rental sled throughout 1,617 miles (2,602 km) of abuse.^{cc} AMSOIL fought the formation of carbon deposits, allowing power valves to move freely. AMSOIL kept pistons virtually free of carbon with nearly all coating intact. ^{co}Based upon use of a new 2019 Polaris' RMK* 850 as a rental sled at Grizzly Lodge December 2018 - February 2019, "All trademarked names and images are the property of their respective numers and may be renistered marks in some countries. No affiliation or endorsement claim, express or implied is marked by their use



AIO

51/4

ctor Oil ur Injecteur

Hunter Patenaude Team AMSOIL Scheuring Speed Sports

> P.C. PRICE 17.59

199.40

67.79

257.00

FULL PRICE

21.39

255.60

329.00

82.69



STOCK#

TDRQTC

TDRQTC

TDR1GC

TDR1GC

UNITS

EA

CA

EA

CA

DOMINATOR[®] Synthetic 2-Stroke Racing Oil

Delivers outstanding wear protection in highhorsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

PKG./SIZE

(1) 946-ml Bottle

(12) 946-ml Bottles

(1) 3.78-litre Bottle

(4) 3.78-litre Bottles





PERFORMANCE

• Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCCNC	EA	(1) 473-ml Bottle	13.89	17.79
TCCCNC	CA	(6) 473-ml Bottles	78.85	106.20



• SABER[®] Professional Synthetic 2-Stroke Oil

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATPSFC	EA	(1) 189-ml Bottle	5.49	6.89
ATPSFC	CA	(12) 189-ml Bottles	61.45	81.60
ATPBCC	EA	(1) 236-ml Bottle	6.09	7.59
ATPBCC	CA	(12) 236-ml Bottles	68.40	90.00
ATPQTC	EA	(1) 946-ml Bottle	16.89	20.49
ATPQTC	CA	(12) 946-ml Bottles	191.20	244.80



SABER Professional Fights Carbon

Equipment using SABER Professional was 96% carbon-free^N.



AMSOIL SABER Professional 300 Hours 3.8% Screen Blockage



Leading Oil Brand 45 Hours 98% Screen Blockage

^NBased on spark-arrestor testing.

VS.

FREE SHIPPING ON ORDERS OF \$130 OR MORE | AMSOIL.ca | 25



Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

○ 5W-30				
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AESQT	EA	(1) 946-ml Bottle	12.49	15.29
AESQT	CA	(12) 946-ml Bottles	141.80	181.80
🛑 10W-3	0			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASEQTC	EA	(1) 946-ml Bottle	12.49	15.29
ASEQTC	CA	(12) 946-ml Bottles	141.80	181.80
• 10W-4	0			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	(1) 946-ml Bottle	13.79	16.79
ASFQT	CA	(12) 946-ml Bottles	156.40	200.40
A EM E	~			

15W-5	0			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SEFQT	EA	(1) 946-ml Bottle	11.79	14.39
SEFQT	CA	(12) 946-ml Bottles	133.60	171.00

20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

1	oW	-40
ST	OCK#	UNITS

	TV .			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AHFQT	EA	(1) 946-ml Bottle	16.39	19.89
AHFQT	CA	(12) 946-ml Bottles	185.50	237.60

Click Here To Order

Signature Series Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/ light-truck transmissions. Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval-Miles

Multi-Vehicle stock# UNITS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQTC	EA	(1) 946-ml Bottle	18.59	22.59
ATFQTC	CA	(12) 946-ml Bottles	210.80	270.00
ATFPK	EA	(1) 946-ml Easy-Pack	20.59	25.09
ATFPK	CA	(12) 946-ml Easy-Packs	233.60	299.40
ATFTPC	EA	(1) 9.45-litre Bottle	179.05	215.00
ATFTPC	CA	(2) 9.45-litre Bottles	339.40	428.00



Fuel-Efficient

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQTC	EA	(1) 946-ml Bottle	19.19	23.39
ATLQTC	CA	(12) 946-ml Bottles	217.80	279.00
ATLPK	EA	(1) 946-ml Easy-Pack	21.39	26.09
ATLPK	CA	(12) 946-ml Easy-Packs	243.10	311.40
ATLTPC	EA	(1) 9.45-litre Bottle	184.80	221.80
ATLTPC	CA	(2) 9.45-litre Bottles	350.30	441.60





OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passengercar/light-truck transmissions.

Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQTC	EA	(1) 946-ml Bottle	12.49	15.29
OTFQTC	CA	(12) 946-ml Bottles	141.80	181.80
OTFTP	FA	(1) 9 45-litre Bottles	119.60	143.90
OTFTP	EA	(1) 9.45-litre Bottle	119.60	143.90
OTFTP	CA	(2) 9.45-litre Bottles	226.65	285.80



Fuel-Efficient

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQTC	EA	(1) 946-ml Bottle	12.59	15.29
OTLQTC	CA	(12) 946-ml Bottles	142.45	182.40
OTLTP	EA	(1) 9.45-litre Bottle	120.65	145.15
OTLTP	CA	(2) 9.45-litre Bottles	228.65	288.30



Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQTC	EA	(1) 946-ml Bottle	17.59	22.29
CVTQTC	CA	(12) 946-ml Bottles	200.05	265.80





100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	(1) 946-ml Bottle	27.79	36.29
DCTQT	CA	(12) 946-ml Bottles	315.90	434.40



Synthetic Manual Transmission and Transaxle Gear Lube

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQTC	EA	(1) 946-ml Bottle	22.39	27.29
MTGQTC	CA	(12) 946-ml Bottles	254.50	325.80
MTGPK	EA	(1) 946-ml Easy-Pack	24.49	29.89
MTGPK	CA	(12) 946-ml Easy-Packs	278.55	357.00



Synthetic Synchromesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQTC	EA	(1) 946-ml Bottle	20.29	24.69
MTFQTC	CA	(12) 946-ml Bottles	229.80	294.60





Super Shift® Racing Transmission Fluid

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	(1) 946-ml Bottle	17.69	21.59
ARTQT	CA	(12) 946-ml Bottles	200.70	257.40

Torque-Drive® S	ynthetic	Heavy-Duty
Automatic Trans	mission	Fluid

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATD1GC	EA	(1) 3.78-litre Bottle	74.29	90.49
ATD1GC	CA	(4) 3.78-litre Bottles	281.50	360.20



Synthetic Tractor/Hydraulic Transmission Oil

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	(1) 946-ml Bottle	14.49	17.69
ATHQT	CA	(12) 946-ml Bottles	164.60	211.20







Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQTC	EA	(1) 946-ml Bottle	21.99	26.79
SVGQTC	CA	(12) 946-ml Bottles	250.05	320.40
SVGPK	EA	(1) 946-ml Easy-Pack	21.99	26.79
SVGPK	CA	(12) 946-ml Easy-Packs	250.05	320.40

80W-90

Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	(1) 946-ml Bottle	16.59	20.29
AGLQT	CA	(12) 946-ml Bottles	188.65	241.80
AGLPK	EA	(1) 946-ml Easy-Pack	18.69	22.79
AGLPK	CA	(12) 946-ml Easy-Packs	212.10	271.80

<mark>- 75W-110</mark>

Extra viscosity protection without sacrificing fuel efficiency

				·····,
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	EA	(1) 946-ml Bottle	22.29	27.19
SVTQT	CA	(12) 946-ml Bottles	253.20	324.60
SVTPK	EA	(1) 946-ml Easy-Pack	24.49	29.89
SVTPK	CA	(12) 946-ml Easy-Packs	278.55	357.00

75W-140

Maximum viscosity protection for severe-duty applications

DKC /SIZE		FULL PRICE
FRU./SIZE	F.C. FRICE	FULL FRIGE
(1) 946-ml Bottle	24.79	30.19
12) 946-ml Bottles	281.70	360.60
) 946-ml Easy-Pack	24.79	30.19
) 946-ml Easy-Packs	281.70	360.60
	PKG./SIZE (1) 946-ml Bottle 12) 946-ml Bottles) 946-ml Easy-Pack) 946-ml Easy-Packs	(1) 946-ml Bottle 24.79 12) 946-ml Bottles 281.70) 946-ml Easy-Pack 24.79



Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name. Not only an innovative oil, but innovative packaging as well.

– Joey Calif.

Click Here To Order



SEVERE GEAR[®] SAE 250 EP Synthetic Racing Gear Lube

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	(1) 946-ml Bottle	23.29	28.39
SRTQT	CA	(12) 946-ml Bottles	264.60	339.00




75W-90 Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 805,000 kilometers as set by equipment manufacturers for over-the-road trucks and heavy equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQTC	EA	(1) 946-ml Bottle	18.49	22.59
FGRQTC	CA	(12) 946-ml Bottles	210.20	269.40





U)

G3721

Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	13.65	14.70
Flexible Pour Spout	G1230	1.05	1.25
Nozzle Dispenser Caps (6)	G1242	1.60	1.60
FloTool Flexible Pour Spout	G3721	5.65	5.90



Slip Lock[®] Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATBC	EA	(1) 118-ml Tube	11.49	14.19
ADATBC	CA	(12) 118-ml Tubes	129.80	169.80



Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 24,000 kilometers/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 40,000 kilometers/one year, whichever comes first, in normal service or 24,000 kilometers/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

STOCK# EA15K01 EA15K02 EA15K02 EA15K04 EA15K05 EA15K05 EA15K07 EA15K08 EA15K07 EA15K08 EA15K12 EA15K12 EA15K12 EA15K16 EA017 EA15K19 EA15K20 EA023 EA024 EA026	UNITS EA EA EA EA EA EA EA EA EA EA EA EA EA	P.C. PRICE 27.45 27.80 25.60 26.60 25.75 22.50 19.25 28.20 25.55 23.05 24.25 23.05 24.25 25.40 24.10 23.35 24.10 23.75 25.40 23.75 25.40 23.75 25.65 27.85	FULL PRICE 34.40 34.95 32.15 32.45 28.30 24.20 35.50 32.30 29.75 29.05 30.40 29.35 30.40 29.35 30.40 31.85 29.75 30.40 31.85 29.75 32.15 34.85	STOCK# EA15K32 EA034 EA15K35 EA15K37 EA15K38 EA15K38 EA15K38 EA15K38 EA15K43 EA15K43 EA15K43 EA15K43 EA15K54 EA055 EA059 EA059 EA064 EA080 EA15K88 EA098	UNITS EA EA EA EA EA EA EA EA EA EA EA EA EA	P.C. PRICE 24.15 25.20 24.10 20.90 21.30 32.30 24.55 27.45 36.85 22.45 23.05 25.55 23.75 31.10 40.85 24.80 23.60 27.20 49.90 44.20	FULL PRICE 30.40 31.60 30.35 26.30 26.75 40.60 30.80 34.50 46.30 28.25 29.05 32.00 29.85 31.15 51.25 31.15 29.55 34.05 62.40 55.55
EA024	EA	25.65	32.15	EA15K88	EA	49.90	62.40

Which filter do I need?

Check the product guides at AMSOIL.ca, call 1-800-777-7094 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Fill in your vehicle information. Then call 1-800-777-7094 (Monday – Friday, 7 a.m. – 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

Make	Year	Model	Engine
VIN			
Your Oil Filter is			
Your Air Filter is			The First in Synthetics 🛚

More Premium Filters

AMSOIL offers a variety of specialty oil filters constructed with premium synthetic technology. Check the Product Guides at AMSOIL.ca or call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAHD2160	EA	57.25	72.15
EAHD3000	EA	81.75	103.05
EAHD3191	EA	55.60	70.10
EAHD4005	EA	65.50	82.45
EAHD9000	EA	110.40	138.95
EAHD9025	EA	86.70	109.10



Bypass Filtration

High-efficiency bypass filters effectively remove minute dirt particles and soot by working in conjunction with the engine's full-flow oil filter.

BYPASS OIL FILTRATION SYSTEMS							
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE			
BMK21	EA	(1) Single-Remote Bypass Kit	394.00	487.15			
BMK22	EA	(1) DUAL-GARD Bypass Kit	422.00	522.40			
BMK23	EA	(1) Universal Dual-Remote Bypass System	408.00	504.70			
BMK26	EA	(1) Ford 7.3L Dual-Remote	400.00	504.70			
DIMILEO	271	Bypass System	518.00	641.35			
BMK27	EA	(1) 2001-2019 GM 6.6L Dual-Remote					
		Bypass System	518.00	641.30			
BMK28	EA	(1) Ford 6.7L Dual-Remote					
DI IVOO		Bypass System	519.00	642.30			
BMK30	EA	(1) Heavy-Duty Bypass Kit	438.00	542.25			
BMK31	EA	(1) Ford 6.0/6.4L Single-Remote Bypass System	643.00	796.05			
BMK32	EA	(1) 2001-2016 GM 6.6L Single-Remote	040.00	130.03			
DIMINOL	271	Bypass System	618.00	764.35			
BMK33	EA	(1) Ford 6.7L Single-Remote					
		Bypass System	618.00	764.30			
BMK34	EA	(1) 2004-current Cummins 5.0L/5.9L/6.7					
		Single-Remote Bypass System	494.00	610.50			
BYPASS C		ERS					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE			
EABP90	EA	(1) 6" Filter	57.20	71.00			
EABP100 EABP110	EA EA	(1) 7.5" Filter (1) 10.5" Filter	63.75 70.25	79.15 87.20			
EABP120	EA	(1) Heavy-Duty Filter for BMK30	81.75	101.35			
2121 120	L/ ((1) Houry Bury Hiter for Divince	01.10	101.00			



Motorcycle Oil Filters

High-efficiency filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAOM103	EA	23.70	29.20
EAOM103C	EA	29.40	36.15
EAOM109	EA	23.70	29.15
EAOM134	EA	21.30	26.15
EAOM134C	EA	26.20	32.25
EAOM135	EA	22.05	27.15
EAOM135C	EA	27.00	33.25
EAOM136C	EA	27.00	33.20
EAOM138	EA	25.40	31.10









5-MOLY

16 02



DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

Use in applications	that	require	NLGI No	2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	EA	(1) 397-g. Cartridge	17.39	22.79
GRGCR	CA	(10) 397-g. Cartridges	169.35	222.00

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease							
Use in applications that require NLGI No. 1							
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE			
GPOR1CR	EA	(1) 425-g. Cartridge	13.69	18.09			
GPOR1CR	CA	(10) 425-g. Cartridges	135.60	174.00			

Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE		
GPOR2CR	EA	(1) 425-g. Cartridge	14.49	19.09		
GPOR2CR	CA	(10) 425-g. Cartridges	140.85	180.50		

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and **Equipment Grease**

Use in applications that require NLGI No. 1							
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE			
GPTR1CR	EA	(1) 397-g. Cartridge	11.99	15.89			
GPTR1CR	CA	(10) 397-g. Cartridges	118.70	152.00			

Synthetic Polymeric Truck, Chassis and **Equipment Grease**

Use in applications that require NLGI No. 2 STOCK# UNITS PKG./SIZE P C PRICE FULL PRICE (1) 397-g. Cartridge GPTR2CR EA 12.89 16.99 CA GPTR2CR (10) 397-g. Cartridges 127.15 163.00



Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 397-g. Cartridge	11.49	15.19
GLCCR	CA	(10) 397-g. Cartridges	111.35	146.00

Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2

000 m app.						
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE		
GWRCR	EA	(1) 397-g. Cartridge	11.69	15.49		
GWRCR	CA	(10) 397-g. Cartridges	112.90	148.00		

X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

GXC

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GXCCR	EA	(1) 397-g. Cartridge	14.99	19.69
GXCCR	CA	(10) 397-g. Cartridges	145.60	190.50



Click Here To Order

GWR



FWG



Synthetic Fifth-Wheel Grease

Discontinued and available while supplies last.

Heavy-duty grease that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.


Use in applications that require NLGI No. 2				
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FWGTB	EA	(1) 296-ml. Tube	10.89	13.69
FWGTB	CA	(12) 296-ml. Tubes	124.75	163.20



Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIRBA	EA	(1) 118-ml Bottle	5.49	6.99
AIRBA	CA	(12) 118-ml Bottles	62.05	82.80




UCL

Upper Cylinder Lubricant Gasoline Additive

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCNC	EA	(1) 177-ml Bottle	6.09	7.69
UCLCNC	CA	(12) 177-ml Bottles	69.00	91.20



Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas* and 20 percent more than Sea Foam* for better retention of horsepower and fuel economy.^R


"Based on independent testing of AMSOIL Upper Cylinder Lubricant, Lucas Upper Cylinder Lubricant and Sea Foam Motor Treatment obtained on 02/13/2019 using the ASTM D6079 modified for use with gasoline. "All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. CPI



Restores up to 14 percent horsepower.^{NN} Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CPICN	EA	(1) 354-ml Bottle	16.69	20.69
CPICN	CA	(12) 354-ml Bottles	189.30	247.80

AMSOIL Restores Horsepower



"based on imit-party testing in a 2016 Chrone Silverado 1500, 321, V-8 GDI with 100,616 miles, using one tank treated with AMSCDI P.i. Actual results may vary. "All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



Injector before P.i. treatment.



Injector after one P.i. treament.



Cylinder head before P.i. treatment.



Cylinder head after one P.i. treament.

AMSOIL P.i.[®] restores up to 14% horsepower.^{NN} Horsepower ORMULATION GASOLINE 355 mL • 12 FL. 02. MBased on third-party testing in a 2016 Chevrolet* Silverado* 1500, 5.3L V-8 GDI



Addresses Ethanol-Related Performance issues

DIRECTIONS: One bottle treats up to 23 litres for cleanup and up to 45 litres for continued protection. For best results use with every tank.

Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and fourstroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCNC	EA	(1) 236-ml Bottle	12.19	15.09
AQSCNC	CA	(6) 236-ml Bottles	69.00	90.30



Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot[®] (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.



СОВ

Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. 60 ml treats 19 litres of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCNC	EA	(1) 473-ml Bottle	15.49	19.19
ASTCNC	CA	(6) 473-ml Bottles	87.70	114.90

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam[®] Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.[×]



"Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.

DOMINATOR® Octane Boost

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 57 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
COBBE	EA	(1) 354-ml Bottle	12.89	15.59
COBBE	CA	(6) 354-ml Bottles	72.80	93.30





Motorcycle Octane Boost


Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 15-23 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCNC	EA	(1) 118-ml Bottle	6.49	7.89
MOBCNC	CA	(12) 118-ml Bottles	73.45	94.20

Click Here To Order



Provides as much as **18°C better protection** against cold-temperature gelling than Howes Lubricator Diesel Treat.^M Plus raises cetane up to 4 points.



*Based on third-party testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above -17.8°C.

Diesel All-In-One

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. 30 ml treats up to 9.46 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBCNC	EA	 (1) 473-ml Bottle 	14.19	17.69
ADBCNC	CA	(12) 473-ml Bottles	161.45	211.20

Diesel Injector Clean + Cetane Boost

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSCNC	EA	(1) 473-ml Bottle	16.59	20.59
ADSCNC	CA	(12) 473-ml Bottles	188.05	246.00

Diesel Injector Clean

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFCNC	EA	(1) 473-ml Bottle	11.19	13.89
ADFCNC	CA	(12) 473-ml Bottles	126.60	166.20



ADB

DIESEL

ADS

DIESE





Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. 30 ml treats up to 37.85 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CCBCN	EA	(1) 473-ml Bottle	12.49	15.59
CCBCN	CA	(12) 473-ml Bottles	141.80	186.00

Diesel Recovery

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. 30 ml treats up to 3.79 L of fuel.

	0			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQTC	EA	 (1) 887-ml Bottle 	16.39	19.89
DRCQTC	CA	(12) 887-ml Bottles	185.50	237.60



Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCNC	EA	(1) 473-ml Bottle	14.69	18.29
FLSHCNC	CA	(12) 473-ml Bottles	167.15	219.00

Click Here To Order



Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CMPSC	EA	(1) 208-g. Spray Can	8.49	10.29
CMPSC	CA	(12) 208-g. Spray Cans	95.60	122.40

Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 241,000 kilometers or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,609,344 kilometers, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	(1) 3.78-litre Bottle	59.09	72.29
ANT1G	CA	(4) 3.78-litre Bottles	223.90	287.60

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	16.80	17.60
G1165	EA	6 Strips	6.30	6.75

AMSOIL Resists Cavitation

()

In third-party, industry-standard testing, cylinder liners protected by AMSOIL showed virtually **no signs of cavitation**.^{III}

"Based on results of the ASTM D7583 cavitation test.



DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	EA	(1) 473-ml Bottle	15.49	19.19
RDCBCN	CA	(6) 473-ml Bottles	87.70	114.90

Powersports Antifreeze & Coolant

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSAFQTC	EA	(1) 946-ml Bottle	10.19	12.19
PSAFQTC	CA	(12) 946-ml Bottles	115.25	144.60



PSF

Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBAC	EA	(1) 118-ml Bottle	12.09	15.89
FLPBAC	CA	(12) 118-ml Bottles	137.40	189.00

"It's a great product to keep your firearms/shotguns in great working order & protect from our harsh weather elements."

– Steve Pratts Fork, Ohio

Multi-Vehicle Synthetic Power Steering Fluid

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCNC	EA	(1) 473-ml Bottle	10.79	13.39
PSFCNC	CA	(12) 473-ml Bottles	122.20	160.20



Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-777-7094 (Monday - Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).







The Company of FIRSTS

More than 45 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of "extended drain intervals" with a recommended 25,000-mile/12-month drain interval.

- FIRST synthetic gear lube for automotive use.
- **FIRST** synthetic motor oil for diesel engines.
- FIRST synthetic motor oil for racing engines.
- FIRST synthetic motor oil for turbocharged engines.
- FIRST synthetic motor oil for marine engines.
- FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.





The First in Synthetics®

AMSOIL INC. One AMSOIL Center Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-777-7094. Credit card orders only. ◄

Referral #

To order: Call 1-800-777-7094 Customer Reference

#327600

Amsoil Dealer

Jim Ackney 780-476-0545