

Wandering and dementia

A guide for caregivers



Contents

Understanding wandering	3
Reducing the risk of wandering	5
Becoming prepared	8
Identification kit	9
If an incident occurs	11
Reuniting	13
Locating devices	14
Ethical considerations	15
Deciding on a device	16
Resources page	19
Acknowledgments	19

Understanding wandering

Wandering

Wandering refers to a variety of behaviours that may result in a person living with dementia becoming lost. Wandering is a direct result of physical changes in the brain and:

- Is a common behaviour associated with dementia.
- May occur at any time of the day or night.
- May lead the person with dementia outdoors, which can expose them to dangers such as traffic or dangerous weather conditions.
- May occur on foot, by car or public transportation.



Reasons for wandering

Figuring out why a person living with dementia wanders can be difficult. While every person living with dementia is unique, there are some common reasons to why they may wander:

- The person may be too hot or too cold in their current location.
- The person may be agitated due to medication side-effects, too much noise, or other forms of overstimulation.
- They may be in discomfort. For example, the person may be hungry, in pain, or in need of the toilet.
- The person may believe they need to leave the house in order to go to work, or take care of their children.
- They may not recognize their own home and may want to go somewhere that is more familiar.
- The person may be continuing a long-standing habit. For example, perhaps the person has always enjoyed long walks.

- New environments may increase disorientation. Moving to a new neighbourhood or a new home may increase someone's wandering risk.
- They may be experiencing delusions and hallucinations due to their illness or medication side-effects.
- They may be seeking relief from boredom.
- They may not have enough of an outlet for their energy.
- Restlessness or changing sleep patterns can lead to confusion between night and day.

Wandering can often occur at night.

The factors that may be contributing to the wandering behaviour of the person I am caring for are:

Safety

The balance between risk and safety is delicate. While the act of wandering in itself is not a dangerous activity, it can become dangerous when the person living with dementia becomes disoriented or lost, or when the physical environment poses risks to their physical well-being. Busy streets with poorly marked crosswalks may increase the risk of a person becoming injured, for example.

Like all people, people living with dementia should have the opportunity to move about as freely as possible, but changes in the brain may mean that they aren't able to exercise the judgment and reasoning to do it safely.

The Alzheimer Society of B.C. can assist people living with dementia and their families to explore practical strategies to minimize the risk of wandering and to be prepared if wandering does occur. For more information, call the First Link® Dementia Helpline at 1-800-936-6033 or contact your local Alzheimer Resource Centre.



Reducing the risk of wandering

No one thing is going to prevent a person living with dementia from wandering. **Multiple strategies are recommended** to reduce the risk. The following are five key areas to consider.

1) Examine the immediate environment

Enable safe wandering

Like walking and other types of physical movement, wandering can often be a coping mechanism for people living with dementia. If the person is able to walk freely, in a safe and secure environment, the person can enjoy a healthy outlet for feelings of anxiety or restlessness.

- Consider using a technological device, like a bell that signals when a door is opened or sound-sensitive monitors to help keep track of where a person is in the home.
- Walking with a caregiver or a friend, or spending time outside in a secure area, may be a safe option for a person who tends to wander.

Provide visual cues

- Familiar objects, furniture and pictures can provide comfort and belonging.
- Leaving a light on in the hallway or placing an illuminated clock by the bed may help reduce disorientation at night.
- Labels on doors may help the person find their way around the home.





Reduce triggers

Many people living with dementia talk about "triggers" – something that can cause agitation, increased stress or more difficulty thinking. Understanding the person's triggers for wandering and how to manage them may help reduce wandering behaviour.

- Keep objects associated with the outdoors (car keys, jackets, shoes) out of the person's view.
- If possible, place door locks above eye level or where the person can't see them.
- Try disguising doors by decorating or covering them so they don't look like doors.
- Anticipate the times the person may wander or has wandered before, like approaching nightfall (often associated with sundowning).

Sundowning is when someone becomes confused, anxious, agitated or restless later in the day. It is a common symptom of Alzheimer's disease and other dementias.

2) Exercise

Exercise can help the person use up extra energy and may improve the person's sleep patterns.

- Consider involving the person in a regular exercise program.
- The person's abilities, health and interests should be taken into consideration when choosing activities. If you have questions about your situation, speak to your doctor or health-care provider.
- Accompany the person on walks to provide stimulation. Go to a local shopping mall when the weather turns cold.



3) Develop meaningful activities

Everyone enjoys participating in meaningful activities where they can feel successful.

- Engage the person in an activity they might enjoy, like a cup of tea, a conversation or looking through a picture album.
- Involve the person in day-to-day household activities (peeling potatoes, setting the table, folding laundry, reorganizing a toolbox). Consider the person's past interests or skills when presenting activities.
- Try not to become upset or frustrated if these tasks are not done "right." The important thing is that the person living with dementia feels included and important.
- Try another activity if the person becomes bored or frustrated.
- Be flexible. Modify activities to adapt to the person's current abilities.

4) Keep records

Keeping an ongoing journal or record can help provide insight into reasons for the person's wandering behaviour. Understanding the person's wandering patterns and triggers can help you put strategies in place. Useful things to record include:

- Was the wandering dangerous?
- Why do you think the wandering occurred?
- How long did the behaviour last?
- What seemed to help the person relax or settle down?



All about me is a record-keeping tool which can be used to get to know the person living with dementia better.

Available online at www.alzheimerbc.org

5) Establish community connections

- If you haven't already, get in touch with your local Alzheimer Resource Centre for information, education and support or call the First Link® Dementia Helpline at 1-800-936-6033.
- Connect with your local community centre for socialization and support.
- Let others in your community know that the person living with dementia has a potential to wander. Ask friends, neighbours and local businesses to stay alert and call you if they think the person is disoriented. If it is possible, get the person with dementia's permission to do this first.

My strategies for reducing the person's risk of wandering are:

Wandering in residential care

If the person living with dementia is moving to or currently lives in residential care, you may want to consider the following:

- What is the facility's procedure when a wandering incident occurs?
- Does the facility have strategies to reduce the risk of wandering?
- Have you talked about reducing the risk of wandering as part of the person's care plan?



Becoming prepared

Fill out an identification kit now

An identification kit can help organize vital information about the person you are caring for. If the person goes missing, you will have valuable information on hand to assist police.

- Fill out and print the identification kit on page 9-10.
- Keep the kit in a central location, for example, the refrigerator door, and make copies for other people that the person living with dementia may spend time with.
- Regularly check to ensure the information is current. For example, update the photo if the person's appearance changes.
- Keep two copies, one to give to police in an emergency, and one for yourself.

Identification options

MedicAlert® Safely Home® – a 24/7 identification service

- A nationwide partnership emergency hotline service from MedicAlert Foundation Canada and the Alzheimer Society of Canada.
- The ID bracelet bears the authentic MedicAlert symbol recognized by emergency responders and is engraved with the wearer's critical medical information and the Emergency Hotline number.
- MedicAlert's 24/7 Emergency Hotline relays key medical information to emergency responders within an average of five seconds. Information includes health records, caregiver information, up-to-date photo and possible locations.
- When called, the Emergency Hotline specialists immediately notify caregivers or family to let them know the situation and location of the member.

- The enrollment price of \$60 includes the cost of MedicAlert membership for one year and a complimentary stainless steel MedicAlert ID bracelet.
- Financial assistance is available through the Membership Assistance Program.
- To learn more or to register call 1-855-581-3794 or visit <u>www.medicalert.ca/safelyhome</u>.

Customized identification

- Create a personal identification card which can be placed in a wallet or pocket.
- Consider writing or sewing identification labels into clothes.
- Generic bracelets can be purchased from some drug or jewelry stores and engraved by a jeweler.
- Engrave an existing piece of jewelry such as a watch or pendant.

- Privacy and safety should be considered when deciding what information should be included on customized identification.
- A limitation of generic ID jewelry is that they are not connected with an emergency hotline service and may not be recognized by first responders (police, paramedics and fire rescue).

Identification kit

About the person living with dementia **Recent photo** First name: Last name: Nickname: Place a recent, good quality photograph clearly showing the Date of birth: person's head and shoulders here. Replace the photo with an Gender: updated version as needed. Language(s) spoken: Cell phone: Home address: **Wandering history Emergency contact person** Has the person wandered before? Yes No Name: Relation to person living with dementia: What are the person's favourite places to visit? Home phone: Cell phone: Where did the person used to work? Work phone: Home address: What transit routes has the person taken in the past?

Physical	descriptio	n	Medical information
Height:	feet	inches	Medical condition(s):
	metres	centimetres	
Weight:	lbs or	kgs	Allergies:
Eye colour:			Current medication(s):
Hair colour:			
Hair style:			Doctor's name:
Ethnicity:			Doctor's phone number: ()
Complexion:			
Identifyi	ng feature	es	Personal identification & locating devices
Check all tha	it apply:		Is the person registered with MedicAlert® Safely Home®?
Hearing ai	d(s): Right	Visual aid(s): Glasses Contacts	Is the person wearing a MedicAlert® bracelet or another form of identification? Describe what it looks like. Is it a bracelet or necklace? What colour
Dentures:	Lower	Walking aid:	is it?
Wheel	chair		
	(scars, birth ion and desc	marks, tattoos). ription:	Does the person have a locating device? Note the type and model and describe what it looks like.
			For people with access to a vehicle
			License plate number:
			Vehicle colour:
			Vehicle brand and model:

10 Alzheimer Society of B.C.

If an incident occurs

It's not easy to remain calm and think clearly when a person living with dementia is lost. Keep in mind that you are not alone and others are there to help. When a person living with dementia goes missing it is an **emergency** – the most important thing is to not delay your response. The following strategies may be helpful if the person living with dementia wanders away from home.

Step 1: Check common areas

- Try and get a sense of how long the person has been gone.
- Look inside the house, including the basement. Then check the surrounding outdoor area, including the front and back yards and any garages or sheds.
- If you live in an attached dwelling like an apartment building, check common areas and consider alerting the building manager.
- If you live in a rural or sparsely populated area, or it is late at night, do not search on your own. You may endanger yourself and complicate the search for police.
- Missing items may provide clues to the person's whereabouts. For example, missing grocery bags may mean the person is heading to the store or a missing transit pass may mean the person is taking public transit.

Places I'll check if the person I'm supporting goes missing:

Phone:
Phone:
Phone:
Phone:

Step 2: Contact the police

- Do not delay! Dial 9-1-1. Police consider this an emergency that requires immediate assistance.
- Immediately inform police the person is living with dementia and advise them if the person is registered with MedicAlert® Safely Home®.
- Share the information that is on the identification kit (page 9) with police.

- If the person may be in a vehicle, share vehicle information with police.
- If the person may be using public transit, share information about any transit routes they may have used in the past.
- If the person's credit cards are gone, inform police and consider notifying credit card companies. Tracking credit card use may help to locate the person.

Step 3: Mobilize support

- Ensure that someone stays at home in case the person returns.
- Alert friends and neighbours that the person is missing.

People to call if the person I'm supporting wanders:

Phone:
Phone:
Phone:
Phone:



12 Alzheimer Society of B.C.

Reuniting

A person who has been found might be anxious or confused. Below are some communication strategies to help calm the person and reduce their stress.

1. Approach calmly

- Approach in a casual manner, and approach from the front to make sure the person can see you coming.
- If the person does not wish to return home immediately, walk a short distance with them while speaking calmly and normally.

2. Provide reassurance

- Reassure the person about where they are and why.
- Talk about familiar things that may trigger a response to return home. For example, you might offer them a cup of tea or suggest that it is time to feed the dog.
- If they are determined to reach a particular location, consider taking them there or suggest that you will go there together a little bit later.
- Let them know that you have been worried about them, and will be happy to see them return home.

3. Keep things in perspective

- It is natural to want to ensure that the person you are caring for doesn't go missing again. Come up with some strategies to reduce the risk of wandering and to prepare for a time where a wandering incidence might happen again.
- Remember that neither you nor the person is to blame.

4. Ask for help

- After an emergency situation, you may need to re-evaluate the living situation of the person living with dementia.
- The Alzheimer Society of B.C. is here to help. Call the First Link® Dementia Helpline at 1-800-936-6033 or connect with your local Alzheimer Resource Centre.



Locating devices

Location devices are electronic tools that can be used to follow a person's movements or identify a person's location. No device or system can guarantee that a person living with dementia will not become lost or that they will be found if they do; however, they may represent one part of an overall strategy to keep the person you support safer.

The table below highlights a few of the different types of locating technologies you may see on the market.

Device type	Applications	General features	Limitations
GPS (Global Positioning System)	 Built into some models of cars. Some use internet maps to allow tracking. Some allow user-defined safe boundaries (signal sent if person goes outside of the set boundaries). Assisted GPS (A-GPS) uses an assistance server (cellular tower) to reduce locating time. 	 Uses radio signals transmitted from satellites to electronic receivers to identify the location of a person wearing a transmitter within a few metres. Relies on battery power. But could use AC power, computers, internet connections, standard telephone service, cellular phone service and call centre operators. 	 Intended for use outdoors. Not able to pinpoint exact location, if satellite signal is affected (for example, under bridges, inside buildings, underground or underwater). Satellite signals may be affected by electrical interference, dense bush, or high rises.
Radio frequency (Radio frequency modulation or homing device)	Wristband worn by person.	 Determines location using radio signals. Battery powered, lasts about 45 days. Works indoors and in wooded areas. Wearer has a unique radio frequency signal. 	Limited range (usually less than five kilometres).
Cell phone	Newer technologies such as smartphones and tablets.	 By dialing 9-1-1, the lost person often activates a locating system. Cell phone allows for two-way communication with the lost person and caller. 	 Relies on person carrying cell phone and knowing how to use it. Depends on cellular signal. GPS and locating applications are only available on newer models of cell phones.

14 Alzheimer Society of B.C.

Ethical considerations

If you are deciding whether or not to use a locating device, consider the benefits, drawbacks and safety needs. For example, some people may think a locating device increases personal freedom and safety, while others may feel it is an invasion of privacy.

Making decisions can be difficult. To help make the choice, consider having a discussion with the person living with dementia. Have the discussion as soon as possible after the diagnosis in order to plan effectively for the future. You can also receive support from your local Alzheimer Resource Centre or by calling the First Link® Dementia Helpline at 1-800-936-6033.

1-800-936-6033.
Before you decide whether the use of a locating device is right for the person you support, you may want to consider the following questions.
• What effect, if any, will there be on personal dignity? How important is this?
• During their life, what value has the person living with dementia placed on their freedom and independence versus their safety and security?
How do these values influence the decision to use a locating device?
• Are there legal issues to consider if the person is no longer able to have input into the decision?
When is a good time to start using a locating device?

Deciding on a device

Device

It can be challenging to find a locating device that meets your exact needs. Fill out this check sheet for each device you are considering and compare. Salespersons or others using the device may be able to help you answer the questions.

Device type:	Device name:		
Manufacturer:			
Affordability			
Price of device:			
Other costs (monthly fees, service call	s, replacement batteries):		
Is this device covered by an alternativ	e funding source (insurance, service club)?	Yes	No
Ease of handling/use			
How often does the battery need rec	harging and/or replacing?		
Does the technology require other equ	uipment such as a computer, internet or cell phone?	Yes	No
If yes, what?			
Can the device be easily removed, los	t or forgotten by the person?	Yes	No
Service			
Is a trial period offered?		Yes	No
How long is the warranty period?			
What does the warranty cover?			
Is there a policy for upgrading if need	ds change or a new technology becomes available?	Yes	No
Is there a "loaner" unit that can be q	uickly accessed?	Yes	No

Reliability

Is the device durable? Yes No

Has this device been independently tested? Yes No

If yes, where and by whom did this testing take place?

Is this device endorsed by:

Policing services?

Search and rescue units?

Facilities caring for persons with dementia?

Does this device incorporate:

a geofence? (technology that will trigger a response when a device leaves a pre-set area)

a panic button?

two-way communication?

Will this device work if the person:

is immersed in water?

is out of a specific range?

is away from a pre-determined area or leaves a building?

Will this device provide an alarm when the person:

removes the device?

falls?

is near water?

is immersed in water?

is out of a specific range?

is away from a pre-determined area or leaves a building?

Specific considerations

For the caregiver
• Who needs to locate/track the person (e.g. agency, call center, police, caregiver)?
• Is two-way communication needed with the person who is lost?
• Are special skills, knowledge, or training needed to use device?
• Is the system flexible to changing needs (e.g. going on vacation)?
• Is a map required?
• Does the caregiver need to have knowledge of the area covered?
For the person who may get lost
• Is the device acceptable to the person wearing it?
• Does the device need to be attached/ carried by the person?
• Is the device comfortable to wear?
• Does it matter what the device looks and feels like (e.g. weight, size, appearance)?
• Does the person need to identify his/her own location?

Resources page

The Alzheimer Society of B.C. is dedicated to helping people build the knowledge, skills and confidence to live well with dementia. The Society is available to answer questions and help you find the professional assistance you need.

- Visit our website to find an Alzheimer Resource Centre in your area: www.alzheimerbc.org.
- Call the First Link® Dementia Helpline, a province-wide service for people living with dementia, their caregivers, family and friends. Call toll-free: 1-800-936-6033 or 604-681-8651.



Acknowledgments

The Alzheimer Society of B.C. would like to thank Flora Gordon Design + Imagery and all of the volunteers photographed for this resource.

We also extend a special thank you to members of the Alzheimer Society of B.C.'s B.C. Leadership Group of People Living with Dementia and the B.C. Leadership Group of Caregivers.



info@alzheimerbc.org

First Link® Dementia Helpline: 1-800-936-6033

www.alzheimerbc.org