

SAFETY DATA SHEET

1. Identification

Product identifier	Blue Buster Powder	
Other means of identification		
Product code	BB-200	
Recommended use	Industrial use.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	Bike Brite, Inc.	
Address	25000 Euclid Ave., Suite 200 Cleveland, Ohio 44117	
Telephone	+1-440-975-1804	
Contact person	Joe Coviello	
E-mail	info@bikebrite.com	
Emergency Numbers:		
Domestic USA: International:	1-800-535-5053 (Infotrac) 1-352-323-3500 (Infotrac)	
international.		
2. Hazard(s) identification	Not classified.	
Physical hazards	Not classified.	
Health hazards	Not classified.	
OSHA defined hazards		
Label elements	None.	
Hazard symbol		
Signal word	None.	
Hazard statement	The substance does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Aluminum oxide		1344-28-1	100
Composition comments	All concentrations are in percent by weight un percent by volume.	less ingredient is a gas. Gas	concentrations are in
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops a	nd persists.
Eye contact	Do not rub eyes. Rinse with water. Get medic	al attention if irritation develo	ps and persists.
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	

Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handlingMinimize dust generation and accumulation. Provide appropriate exhaust ventilation at places
where dust is formed. Avoid prolonged exposure. Practice good housekeeping.Conditions for safe storage,
including any incompatibilitiesKeep in air-tight containers- material is hygroscopic. Store in a well-ventilated place. Store away
from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Valu	Jes		
Material	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).Appropriate engineering
controlsGood general ventilation (typically 10 air changes per hour) should be used. Ventilation rates
should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,
or other engineering controls to maintain airborne levels below recommended exposure limits. If
exposure limits have not been established, maintain airborne levels to an acceptable level. If
engineering measures are not sufficient to maintain concentrations of dust particulates below the
Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is
ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust
ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear suitable protective clothing.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance)
------------	---

Appearance	
Physical state	Solid.
Form	Crystals.
Color	White.
Odor	None.
Odor threshold	Not available.
рН	7.4
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non flammable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - upper (%)	Not applicable.
Vapor pressure	0 mm Hg at 25 °C
Vapor density	Not applicable.
Relative density	0.8 (77 °F (25 °C))
Solubility(ies)	
Solubility (water)	0 % at 25 °C
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not applicable.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

•	•
Reactivity Chemical	The product is stable and non-reactive under normal conditions of use, storage and transport.
stability Possibility of	Material is stable under normal conditions.
hazardous	No dangerous reaction known under conditions of normal use.
reactions	

Conditions to avoid	The substance is hygroscopic and will absorb water by contact with the moisture in the air. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Information on likely routes of e	sxposure
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes.
Information on toxicological effe	ects
Acute toxicity	Not expected to be acutely toxic.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitizatior	n
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Chronic inflammation of nose, throat and bronchial tubes.
12. Ecological information	1

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the
possibility that large or frequent spills can have a harmful or damaging effect on the environment.Persistence and degradabilityNo data is available on the degradability of this product.Bioaccumulative potentialNo data available.Mobility in soilNo data available.Other adverse effectsThe product is not volatile but may be spread by dust-raising handling.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Aluminum oxide (CAS 1 US. Pennsylvania Worker a Aluminum oxide (CAS 1 US. Rhode Island RTK Aluminum oxide (CAS 1 US. California Proposition California Safe Drinking any chemicals currently International Inventories Country(s) or region	344-28-1) 344-28-1) 65	ent Act of 1986 (Proposi	tion 65): This material is not known to con On inventory (
US. Pennsylvania Worker a Aluminum oxide (CAS 1 US. Rhode Island RTK Aluminum oxide (CAS 1 US. California Proposition California Safe Drinking any chemicals currently	344-28-1) 344-28-1) 65 Water and Toxic Enforceme	ent Act of 1986 (Proposi	tion 65): This material is not known to con	tain
US. Pennsylvania Worker a Aluminum oxide (CAS 1 US. Rhode Island RTK Aluminum oxide (CAS 1 US. California Proposition California Safe Drinking	344-28-1) 344-28-1) 65 Water and Toxic Enforceme	ent Act of 1986 (Proposi	tion 65): This material is not known to con	tain
US. Pennsylvania Worker a Aluminum oxide (CAS 1 US. Rhode Island RTK	344-28-1)	now Law		
US. Pennsylvania Worker a Aluminum oxide (CAS 1		now Law		
	and Community Right-to-K	now Law		
	,			
US. New Jersey Worker an	nd Community Right-to-Kno	ow Act		
Aluminum oxide (CAS 1				
US. Massachusetts RTK - S	Substance List			
(SDWA) US state regulations				
Not regulated. Safe Drinking Water Act	Not regulated.			
Not regulated.	on 112(r) Accidental Releas		68.130)	
•	on 112 Hazardous Air Pollu	tants (HAPs) List		
Other federal regulations		1344-20-1	100	
SARA 313 (TRI reporting) Chemical name Aluminum oxide		CAS number 1344-28-1	% by wt.	
SARA 311/312 Hazardous chemical	No			
Not listed.				
SARA 302 Extremely haza	-			
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	()		
Superfund Amendments and R	Reauthorization Act of 1986	(SARA)		
Not listed. CERCLA Hazardous Subst Not listed.	tance List (40 CFR 302.4)			
Not regulated. OSHA Specifically Regulat	ted Substances (29 CFR 19	10.1001-1050)		
TSCA Section 12(b) Export	t Notification (40 CFR 707,	Subpt. D)		
	Communication Standard		nemical" as defined by the OSHA Hazard	
US federal regulations	This product is not knowr			

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-July-2015
Revision date	-
Version #	01
Disclaimer	Bike Brite, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.