



Sports Equipment and Athletic Field/Outdoor Facility Solutions

OUR STORY...


Multi-sport athletic facilities count on Jaypro Sports for innovative designs that are safe, durable and long lasting

DESIGNED TO PERFORM. MANUFACTURED TO LAST.



Design

We use state of the art 3-D modeling and collaborative software, to ensure that all products meet the highest performance standards. Jaypro's team can recommend the proper equipment for any facility and help all trades along the way, including locating supplemental steel supports for backstops or other ceiling suspended gymnasium equipment. Our expert design team will develop innovative solutions to meet your most challenging facility requirements.



Engineering

Our Engineers are using the latest analytical software. This allows us to analyze designs to give you unsurpassed performance with optimum safety. Jaypro's Engineers, Designers and Project Managers are well trained and eager to help you realize your vision. We offer the best warranties in the industry and are proud of our strong record of standing behind our products.



Manufacturing

All employees at Jaypro Sports are dedicated to providing you with sports equipment that is designed and manufactured to the highest standards in the industry. All welding is done by certified welders in our own factory. Our state of the art powder coating system is very efficient and cost effective.



OUTDOOR FACILITY

Barrier Netting	4
Football	8
Basketball.....	12
Baseball.....	20
Soccer.....	32
Rugby & Field Hockey.....	40
Lacrosse	41
Volleyball.....	42
Tennis.....	44
Track & Field	46
Benches & Bleachers.....	52

EQUIP
THE USA

Manufactured in Waterford, CT

EQUIP AMERICA...

Jaypro Sports is working to equip America one facility at a time! With over 65 years of experience, Jaypro Sports has developed the most robust and reliable equipment for facilities of all shapes and sizes. Our complete line of indoor gymnasium and outdoor field equipment is designed for all levels of play, from Pro to Recreational. Look to Jaypro Sports to EQUIP your facility, field or court today.

OUTDOOR FACILITIES



Bleachers




Player
Benches



Soccer
Goals





Football
Goal Posts



Football Post
Protector
Padding

As we find ways to do more with less space, having sports equipment that works together has become the new standard in outdoor sports equipment. Jaypro Sports has designed our outdoor sports equipment with ways that allow for one field to accommodate many sports.

From easy to move goals that store out of the way to a soccer goal that fits directly under the football goal post. You can find many creative solutions for your sports equipment needs.

Not just sports equipment, but all the accessories that are needed for safe play and spectator viewing: benches, bleachers, field and safety netting.

When considering an outdoor sports facility you need someone who knows and understands the requirements of a safe and functional sports complex. Jaypro Sports has the solutions for you. Let us supply the facilities of your dreams.

Surround your field with **FIELDPRO™** netting for a safer design and professional look!



Customize your Field and Facility with Barrier net options with several poles and nets to choose from.

- Straight or offset poles with optional powder coat finish.
- 1¾", 3½" or 4" square mesh net
- Easy to use hoist system for quick install/removal of net
- Ground sleeves for system removal

Work with our Engineers to make your netting options work for you.

BARRIER NET SYSTEMS



10' Straight Pole with multi-sport net is ideal for use as a Lacrosse and Field Hockey backstop net. The net is clipped at the top and bottom of each pole.

15', 20', 25', 30', and 40' Straight Pole comes with a hoist system allowing quick and easy lowering/removal of the net after the game, season, or before a big storm. Reinstalling the net is a snap - all from ground level with no need for a ladder.

20' Offset Pole provides 3' of offset which is ideal for use around the perimeter of soccer and baseball/softball fields. It's also an added measure of safety from ricocheting balls.

Features:

- Pulley system to raise/lower net (excludes 10' poles)
- (4) net options to choose from
- Ground sleeves facilitate installation and allow for system removal as needed
- Covers for ground sleeves are sold separately

Visit JAYPRO.COM
for product specifications

Pole	Pole Description	Net	Net Description
FN-10	10' tall straight 2 $\frac{3}{8}$ " OD heavy-walled aluminum pole	FN-A	#36 knotted multi-sport UV treated nylon net with 1 $\frac{3}{4}$ " sq. mesh and $\frac{1}{4}$ " rope border
FN-15	15' tall straight 4" OD heavy-walled aluminum pole	FN-B	#36 knotted soccer/football UV treated nylon net with 3 $\frac{1}{2}$ " sq. mesh and $\frac{1}{4}$ " rope border
FNS-20	20' tall straight 4" OD heavy-walled aluminum pole	FN-C	HTPP knotless UV treated net with 1 $\frac{3}{4}$ " sq. mesh and $\frac{1}{4}$ " rope border
FNO-20	20' tall offset 4" OD heavy-walled aluminum pole	FN-D	HTPP knotless UV treated net with 4" sq. mesh and $\frac{1}{4}$ " rope border
FNS-25	25' tall straight 6 $\frac{5}{8}$ " OD heavy-walled aluminum pole		
FNS-30	30' tall straight 6 $\frac{5}{8}$ " OD heavy-walled aluminum pole		
FNS-40	40' tall straight 6 $\frac{5}{8}$ " OD heavy-walled steel pole		
FN-SPECIAL	Custom for your facility		

FIELDPRO™ MULTI-SPORT NET SYSTEM

Ball stop net system for lacrosse, field hockey, and other field sports. Ensure the safety of athletes, coaches, and spectators! (4) 4" heavy-walled aluminum uprights, ground sleeves, a #36 knotted black nylon net with 1¾" sq. mesh. Pulley system and corrosion-resistant hardware included. *Standard upright color is black.*

15'H x 65'W

FNMB-65



FIELDPRO™ FOOTBALL NET SYSTEM

Keep field goals and extra point kicks away from spectators and inside the field. (2) 6½" heavy-walled aluminum or 8½" heavy-walled steel uprights, ground sleeves, and a #36 knotted black nylon net with 3½" sq. mesh. Pulley system and corrosion-resistant hardware included. Available in 30', 40' and 50' high models. *Standard upright color is a natural finish.*

30'H x 40'W - 6½" aluminum

FNFB-30

30'H x 50'W - 6½" aluminum

FNFB-3050

40'H x 40'W - 6½" aluminum

FNFB-40

40'H x 60'W - 8½" steel

FNFB-4060

50'H x 50'W - 8½" steel

FNFB-5050

50'H x 60'W - 8½" steel

FNFB-5060

FIELDPRO™ SOCCER NET SYSTEM

Ensure the safety of athletes, coaches, and spectators. (4) 4" heavy-walled aluminum uprights, ground sleeves, and a #36 knotted black nylon net with 3½" sq. mesh. Pulley system and corrosion-resistant hardware included. *Standard upright color is black.*

20'H x 65'W

FNSB-65



FIELDPRO™ NET SYSTEM



PORTABLE FIELDPRO™ NET SYSTEM

Lightweight indoor/outdoor portable net system for fields and courts where in-ground sleeve systems are not an option. Can also be used as a multi-field/court space divider! Easy net assembly with cable clamps and sliding rings. 12' tall x 2 $\frac{3}{8}$ " diameter aluminum poles on tip-and-roll bases with no-flat tires. Counterweight containers and corrosion-resistant hardware included. Optional vinyl base covers (PFN-BCVR) sold separately.

Poles can be powder coated black (specify when ordering). Typical pole spacing is 18' apart and should not exceed 20'. Sold per base dependent on overall length needs (specify when ordering).

NOTE: It is the customer's responsibility to fill counterweight containers.



FIELDPRO™ NET SYSTEM BASE COVER

Vinyl base cover slides over counterweight containers. Standard color is red.

Red

PFN-BCVR



PORTABLE FIELDPRO™ NET SYSTEM PACKAGE

Keep balls on the field and ensure the safety of spectators.

Package Includes:

- 4 poles with black powder coat finish
- 4 bases with (16) 5 gallon jugs
- 1 $\frac{3}{4}$ " knotted nylon net
- Red vinyl base covers included
- 12'H x 60'L

PFN-1260PKG




Counterweight Jugs



Base Covers




MAX-1 ALUMINUM FOOTBALL GOAL POSTS




High School: 23' 4"W - Semi-Permanent / Permanent

Offset	Uprights	Item #
6'	20'	FBGP-520
6'	30'	FBGP-530
8'	20'	FBGP-820
8'	30'	FBGP-830




High School: 23' 4"W - Leveling Plate


Offset	Uprights	Item #
6'	20'	FBGP-420
6'	30'	FBGP-430
8'	20'	FBGP-920
8'	30'	FBGP-930



Max-1™ Features:




Adjustable in two directions




Collegiate: 18' 6"W - Semi-Permanent / Permanent

Offset	Uprights	Item #
6'	20'	FBGP-520C
6'	30'	FBGP-530C
8'	20'	FBGP-820C
8'	30'	FBGP-830C



Collegiate: 18' 6"W - Leveling Plate

Offset	Uprights	Item #
6'	20'	FBGP-420C
6'	30'	FBGP-430C
8'	20'	FBGP-920C
8'	30'	FBGP-930C



POWDER COAT COLORS:



MAX-1™

MAX-1™ ALUMINUM FOOTBALL GOAL POSTS

All aluminum goal posts available in high school and collegiate official sizes. NCAA and NFHS compliant. 6½" crossbar and gooseneck available with 6' or 8' offset. 4" uprights available in 20' or 30' heights. 30' uprights are two-piece (Single-piece available upon request). Adjustable in two directions ensures crossbar and uprights are level and plumb. Permanent/semi-permanent or adjustable leveling plate installation. Includes wind streamers. Ground sleeves for semi-permanent installation sold separately.

8' offset perfect for multi-purpose fields can be used with soccer goals SGP-600AX, SGP-400, SGP-760, and CC24S.

White, Yellow or Pro Yellow powder coat options.



GROUND SLEEVES WITH HEIGHT ADJUSTERS

Adjustable and easy to align.

6½" Post - Max-1
FBGPGS-8

STANDARD GROUND SLEEVES

Allows for semi-permanent installation.

6½" Post - Max-1
FBSLV8



FOOTBALL HINGE KIT

Allows any surface-mounted MAX-1™ football goal to be lowered and dismantled from ground level by a maintenance crew. Ideal for multi-purpose facilities! Opposing pull pins offer easy separation of hinge plates. Required access frame and cover (FBGPAF-2) sold separately.



FBHG-1

ACCESS FRAMES AND COVERS

For use with semi-permanent goals requiring removal from grass or turf fields. Aluminum, pressure-treated plywood, and artificial turf design. 2 frames and 2 turf covered ½ plug plates included. Full turf covered plates (optional).

Goals w/ Leveling Plate
18" x 18" x 6½"
FBGPAF-1

Goals w/ Hinge Kit on Max-1™
26" x 26" x 10"
FBGPAF-2




MAX-1™ EXPANDABLE CROSSBARS


Telescoping design adjusts crossbar width for official use at 23' 4" (high school) and 18' 6" (collegiate). Anti-rotation feature holds uprights in place allowing adjustment by one person.

Expandable: 18' 3" - 23' 4"W - Semi-Permanent / Permanent

Offset	Uprights	Item #
6'	20'	FBGP-520AX
8'	20'	FBGP-820AX




Semi-Permanent / Permanent




Expandable: 18' 3" - 23' 4"W - Leveling Plate

Offset	Uprights	Item #
6'	20'	FBGP-420AX
8'	20'	FBGP-920AX



Leveling Plate



STEEL FOOTBALL GOAL POSTS




STEEL FOOTBALL GOAL POSTS

Steel goal posts available in high school and collegiate official sizes. NCAA and NFHS compliant. Posts are 4½" with 5' offset or 5⅞" with 6' offset models. 2⅜" aluminum uprights, steel gooseneck and crossbar. Adjustable in two directions ensures crossbar and uprights are level and plumb. Permanent/semi-permanent or adjustable leveling plate installation. Includes wind streamers. Ground sleeves for semi-permanent installation sold separately.

White or Yellow powder coat options.

Goal Features: Adjustable in two directions



POWDER COAT COLORS:




WHITE



YELLOW

High School: 23' 4"W - Semi-Permanent / Permanent


Offset	Uprights	Color	Gooseneck	Item #
5'	20'	Yellow	4½"	FBGP-620YW
5'	20'	White	4½"	FBGP-620
6'	20'	Yellow	5⅞"	FBGP-720YW
6'	20'	White	5⅞"	FBGP-720



Semi-Permanent / Permanent

High School: 23' 4"W - Leveling Plate


Offset	Uprights	Color	Gooseneck	Item #
5'	20'	Yellow	4½"	FBGP-600YW
5'	20'	White	4½"	FBGP-600
6'	20'	Yellow	5⅞"	FBGP-700YW
6'	20'	White	5⅞"	FBGP-700



Leveling Plate

Collegiate: 18' 6"W - Semi-Permanent / Permanent


Offset	Uprights	Color	Gooseneck	Item #
6'	20'	Yellow	5⅞"	FBGP-720XYW
6'	20'	White	5⅞"	FBGP-720C



Semi-Permanent / Permanent

Collegiate: 18' 6"W - Leveling Plate

Offset	Uprights	Color	Gooseneck	Item #
6'	20'	Yellow	5⅞"	FBGP-700CYW
6'	20'	White	5⅞"	FBGP-700C



Leveling Plate



STANDARD GROUND SLEEVES

Allows for semi-permanent installation.

5⁹/₁₆" Post - Steel Post FBSLV6

4¹/₂" Post - Steel Post FBSLV5



ACCESS FRAMES AND COVERS

For use with semi-permanent goals requiring removal from grass or turf fields. Aluminum, pressure-treated plywood, and artificial turf design. 2 frames and 2 turf covered 1/2 plug plates included.

Goals w/ Leveling Plate: 18" x 18" x 6¹/₂"

FBGPAF-1



GROUND SLEEVES WITH HEIGHT ADJUSTERS

Adjustable and easy to align.

5⁹/₁₆" Post - Steel Post FBGPGS-6

4¹/₂" Post - Steel Post FBGPGS-5

PRO GOAL POST PADS

6" thick x 6' tall cylindrical high density polyurethane foam. Covered in 14 oz. thick vinyl with a hook-and-loop vertical closure.

Specify pad color when ordering.

6⁵/₈" Post PPP-800

5⁹/₁₆" Post PPP-700

4¹/₂" Post PPP-500



GOAL POST PADS

4" thick x 6' tall cylindrical high density polyurethane foam. Covered in 14 oz. thick vinyl with a hook-and-loop vertical closure.

Specify pad color when ordering.

5⁹/₁₆" Post PPP-300

4¹/₂" Post PPP-100

VINYL PAD
COLORS:



RED



NAVY
BLUE



FOREST
GREEN



BLACK



ROYAL
BLUE



GRAY



MAROON



PURPLE



KELLY
GREEN



YELLOW



PINK



TAN



ORANGE



LIGHT
BLUE

GOAL POST PAD DIGITAL GRAPHICS

Customize your post padding.
Extended lead time.

Multi-color JSG-FPP



OUTDOOR BASKETBALL SYSTEMS

TITAN™ ADJUSTABLE SERIES

TITAN™ ADJUSTABLE SERIES

Heavy-duty adjustable steel systems for indoor/outdoor play. A colossal achievement in high performance hoops!

Adjustable height of 5½' to 10'. 2" x 4" heavy gauge steel extension arms. Tempered glass backboards. Reliable actuator and safety pin-stop. Duplex coating "hot dip" galvanized with black powder coat finish. Breakaway rim or flex goal, nylon net, and stainless steel hardware included. Black pole padding and backboard edge padding included.

Item #	Upright	Offset	Backboard
with Tempered Glass Backboard			
CV684A	6" x 8"	4'	42" x 72"
CV664A	6" x 6"	4'	42" x 72"
CV553B	5" x 5"	3'	36" x 60"
with Acrylic Backboard			
CVAC66	6" x 6"	4'	42" x 72"



Clear View Shot Design Technology

Minimizes the distraction of a structure typically located at the center of the backboard.

Lift Assist Technology

Heavy-duty actuator with dual assist springs makes for effortless height adjustment. Crank handle removes to prevent unauthorized adjustment.

TITAN™

FIXED SERIES



Heavy-duty fixed height system with backboard and goal mounted directly to extension arm for exceptional strength. Reinforced with rear support braces!

Upright options:

Galvanized or Powder Coated Black

Backboard options:

Acrylic, Steel, Perforated Steel or Glass

Goal options:

Playground or Flex Goal



For more information,
scan below or go to:
www.Jaypro.com/Fixed-Height



TITAN™

Unit buries 48" into ground. 6" square steel upright with angled extension arm. Height can be adjusted after court resurfacing. Heavy-duty goal and nylon net included. Backboard size - 72"W x 42"H.



THE PLAYGROUND

Durable fixed height system with black powder coat finish and acrylic or steel backboards. 66" extension arm for "play safe" area! Unit buries 48" into ground. 6" square steel upright with angled extension arm. Height can be adjusted after court resurfacing. Contender Breakaway goal (GBA-548), net (JNY-6HP), post and backboard edge padding (EP-46)* included. Backboard size - 72"W x 42"H.

*Steel backboard does not include edge padding.

*Replacement backboards available online.

Acrylic	LS-200
Steel	LS-200RS
Double Acrylic	LD-200



THE CHURCH YARD

Durable fixed height system with black powder coat finish and acrylic or aluminum fan backboard. 40" extension arm for "play safe" area! Unit buries 48" into ground. 4" square steel upright with angled extension arm. Height can be adjusted after court resurfacing. Contender Breakaway goal (GBA-548), net (JNY-6HP), post (PP-44) and backboard edge padding* (EP-48) included. Acrylic Backboard - 48"W x 36"H. Aluminum Fan Backboard - 54"W x 36"H.

*Aluminum fan backboard does not include edge padding.

Acrylic	400-AC-FG
Aluminum Fan	400-FA-FG

3 1/2" GOOSENECK SYSTEM

Direct mount style system with backboard and goal mounted directly to extension arm for exceptional strength. 36" extension arm for "play safe" area! 3 1/2" zinc undercoated steel upright that has either galvanized or powder coat finish option. Aluminum fan backboard (ALB-24BT), goal (GB-55), and nylon net (JNY-4HP) included. Backboard size - 54"W x 36"H.

Black	455-FABT-SR-BK
Royal Blue	455-FABT-SR-RB
Forest Green	455-FABT-SR-FG
Galvanized	455-FABT-SR



Black Post



Royal Blue Post



Forest Green Post



Galvanized Post

ULTIMATE ADJUSTABLE GOOSENECK

A complete adjustable gooseneck system with the benefits of a Hoop Rejuvenator™ Kit. 4 1/2" OD heavy-walled galvanized steel post. H-frame style with 48" extension for "play safe" area. Acrylic, rectangular steel and aluminum fan backboard options. Breakaway goal (UBG-500F), and Hoop Rejuvenator™ Kit included.

72" x 42" Acrylic Board	UAG-AC
54" x 36" Aluminum Fan Board	UAG-FA
72" x 42" Steel Board	UAG-RC



GOOSENECK SYSTEMS



Shown with optional powder coating on pole

For more information,
scan below or go to:
www.jaypro.com/Gooseneck




Rugged all galvanized steel $4\frac{1}{2}$ " or $5\frac{9}{16}$ " Schedule 40 diameter post has a 4' or 6' offset with direct mount welded to gooseneck for durability and stability. Additionally, two $1\frac{5}{16}$ inch diameter steel braces are provided with rectangular backboards. Easy to install and virtually maintenance free. Pole powder coat options available, additional charges apply. See website for backboard and goal combinations.

POWDER COAT COLORS: *Black is standard, other powder coat colors should be specified.*



STRAIGHT POST SYSTEMS



For more information,
scan below or go to:
www.Jaypro.com/Straight-Pole



Easy to install and virtually maintenance free, The out rigger/strut design allows you to set your playing height without compromising strength and stability. 4½" or 5⅞" OD galvanized steel upright is available with 4' or 6' offset. The system is designed for safety, with the 4' outrigger design. Pole powder coat options available, additional charges apply. See website for backboard and board combinations.

POWDER COAT COLORS: *Black is standard, other powder coat colors should be specified.*



RED



NAVY
BLUE



YELLOW



GOLD



GRAY



BLACK



MAROON



DARK
GREEN



KELLY
GREEN



ROYAL
BLUE



WHITE



ORANGE



PURPLE

BASKETBALL POST PADDING



BASKETBALL POST PADDING

- 6' tall x 30" wide padding with 4" thick high-density foam
- 12½" diameter
- 14 oz. vinyl cover (available in 14 colors) with grommet flaps for rear lacing
- Lacing cord included
- Fits 4½" posts

4½" OD Pole

PPP-5HP



PRO STYLE PROTECTOR PAD

- 6' tall pad with minimum of 6" thick cylindrical high-density foam
- 17½" diameter
- 14 oz. nylon reinforced vinyl cover (available in 14 colors) with hook-and-loop closure

4½" OD Pole

PPP-500HP

5⅞" OD Pole

PPP-700HP



PRO STYLE PROTECTOR PAD

- 6' tall pad with minimum of 3¾" thick cylindrical protective safety foam
- 13" diameter
- 14 oz. nylon reinforced vinyl cover (available in 14 colors) with hook-and-loop closure

4½" OD Pole

PPP-100

5⅞" OD Pole

PPP-300

VINYL PAD COLORS:



CUSTOM GRAPHICS FOR POST PADDING

Customize basketball post pads with digital graphics.



BASKETBALL POST PAD DIGITAL GRAPHICS

Customize your post padding.

Contact customer service at 800-243-0533 for artwork requirements. Extended lead time.


Multi-color

JSG-BPP2



FOUL POLES

PROFESSIONAL



Baseball and softball foul poles designed to optimize air passage and engineered to with-stand up to 130 mph winds!

Perm/Semi-Perm and Surface Mount installation available with colors of Yellow, White or Orange!

AVAILABLE SIZES:

20'H - Main upright is 3½" OD Sch 40 zinc coated steel (1 piece) with (2) 5'H x 18"W x 2"D bolt-on wing panels made of 11 gauge perforated steel.

30'H - Main upright is 5⁹/₁₆" OD Sch 40 zinc coated steel (2 piece) with (4) 5'H x 18"W x 2"D bolt-on wing panels made of 11 gauge perforated steel.

40'H - Main upright is 6⁵/₈" OD Sch 40 zinc coated steel (2 piece) with (6) 5'H x 18"W x 2"D bolt-on wing panels made of 11 gauge perforated steel.




FOUL POLE GROUND SLEEVES

For semi-permanent installation of foul poles. Facilitates easy installation and maintenance. Available for 12', 15', 20', 30' and 40' poles.

FPS-XX

COLLEGIATE



Baseball and softball foul poles with a zinc undercoating and powder coat finish of Yellow, White or Orange!

Perm/Semi-Perm and Surface Mount installation available.

AVAILABLE SIZES:

12'H - Main upright is 3½" heavy-duty steel tube pole (1 piece) with (1) 6'H x 18"W bolt-on all steel expanded metal wing panel.

15'H - Main upright is 3½" heavy-duty steel tube pole (1 piece) with (1) 6'H x 18"W bolt-on all steel expanded metal wing panel.


20'H - Main upright is 3½" heavy-duty steel tube pole (1 piece) with (2) 6'H x 18"W bolt-on all steel expanded metal wing panels.

30'H - Main upright is 4½" heavy-duty steel tube pole (2 piece) with (3) 6'H x 18"W bolt-on all steel expanded metal wing panels.

For more information,
scan below or go to:
www.Jaypro.com/Foul-Poles




BIG LEAGUE BATTING CAGES




BMR-1RB



BUY A BETTER CAGE!



(1)



(2)



(3)



(4)

Jaypro's swivel wheel allows for a more precise cage placement!

- (1) The addition of handle wheels controls the cage height over uneven surfaces, which allows for additional leverage to lift and raise the cage. Reduces cage drag and divots while in motion.
 - (2) Includes joint reinforcing clamps for added rigidity
 - (3) Through-bolts and locking nut connections only, no allen screws here!
 - (4) 18"W x 9"D swivel tires can be adjusted to two different heights which allow movement in multiple directions for easy installation and removal on the playing field
- Fully welded design and pre-assembled side frames make the cage strong and rigid for a long life span
 - Net attaches directly to the frame and has reinforced seams and an integrated baffle

#1 - BOMBER ALL-STAR

Heavy-duty portable batting cage with swivel side wheels and handles allows for easy transportation or movement on and off the field.

- 2" heavy-wall aluminum tube design
- #42 weather-treated nylon net with rear net baffle
- Thud pad, 18 oz. vinyl skirt, oversized swivel tires with handles, and black ricochet padding on frame w/ dual observation platforms
- Open Inside Dimensions - 12'H x 18'W x 22'D
- Folded Outside Dimensions - 6'H x 20'W x 15'D
- Thud Pad - 4'H x 6'W x 4"D
- Available in 6 colors: Royal Blue, Black, Red, Green, Navy Blue and Maroon

BMR-1

#3 - BOMBER PRO

Heavy-duty portable batting cage with oversized pneumatic tires for spring training camps, semi-professional, and collegiate use.

- Constructed using the same heavy-duty cage as the Bomber All-Star with similar features.

BBGS-18

#2 - BOMBER ELITE

Heavy-duty portable batting cage with side wheels that can be rotated and pinned 90°. Two height settings for added clearance during transport.

- Constructed using the same heavy-duty cage as the Bomber All-Star with similar features.

BGLC-7500

#4 - BOMBER

Heavy-duty portable batting cage with heavy-duty tires for high school and collegiate training.

- Optional vinyl skirt (SKT-20XX) sold separately
- 12'H x 17'6"W x 12'D

BBLS-12



Easily bring down the Cage to get ready for Transport



Strong Struts won't slip



Rear Wheel & Dual Coaches Stand



Swivel Tires with Handles



Folds Down to 6' High



Thud Pad and Rear Net Baffle

BATTING TUNNELS



MEGA OUTDOOR BATTING TUNNEL FRAMES

Clean frame design (55' & 70') with less structure for balls to ricochet off. Easily slide net to one end for storage or remove snap hooks to pack net away during the off-season!


- 8" steel pole design with black powder coat finish
- Net attaches to tensioned galvanized aircraft cable
- Single tunnel and double tunnel models (permanent installation)
- #36 black knotted nylon net with 1 $\frac{3}{4}$ " sq. mesh included

Single 55' MPCTF-55S

Single 70' MPCTF-70S

Double 55' MPCTF-55D

Double 70' MPCTF-70D



MEGA STACKABLE TUNNEL KITS

Stack multiple tunnels (MPCTF-55S or MPCTF-70S) side by side.

- (2) center posts
- Cable and attachment hardware
- (1) #36 black knotted nylon net with 1 $\frac{3}{4}$ " sq. mesh included

55' Cage MPCTF-55A

70' Cage MPCTF-70A



PROTF-70



PROFESSIONAL OUTDOOR BATTING TUNNEL FRAMES

Clean frame design (55' & 70') with less structure for balls to ricochet off. Individual hoist lines make for easy installation and removal of net! 4" curved aluminum tubing provide 3' offset. Available in single, double and stackable (PROTF-70A) tunnel models (permanent installation). Ground sleeves included. Recommended net (BBCP-7014 or BBCP-5514) sold separately.

Single 55'	PROTF-55	Double 55'	PROTF-55T	Stackable 55' Cage	PROTF-55A
Single 70'	PROTF-70	Double 70'	PROTF-70T	Stackable 70' Cage	PROTF-70A



BBTF-70

SEMI-PERMANENT OUTDOOR BATTING TUNNEL FRAMES

- 2" galvanized steel tubing design
- Net hangs on 3 rows of galvanized aircraft cable
- Ground sleeves included
- Tunnel nets sold separately

70'L x 12'H - 5 Wickets	BBTF-70
55'L x 12'H - 4 Wickets	BBTF-55

SURFACE-MOUNTED OUTDOOR BATTING TUNNEL FRAMES

Same features as the Semi-Permanent Frame except NO ground sleeves.

- 6" sq. surface-mount plates included

70'L x 12'H - 5 Wickets	BBTFSM-70
55'L x 12'H - 4 Wickets	BBTFSM-55

BACKSTOP NET SYSTEMS

BASEBALL/SOFTBALL TENSIONED BACKSTOP NET SYSTEMS

Safety tensioned backstop netting designed to not only stop the ball, but minimize net deflection. Two basic systems are available.

Tensioned Pole to Pole Backstop Net System

BTPNS Engineered structural poles support tensioned netting with fewer poles.


Tensioned Cable Backstop Net System

BPCNS Pull-back cables attached to building structure or offset pull-back poles, for a cleaner look with reduced obstructions.

Features:

- Designed to meet your specific field/facility needs
- Engineered structural poles with heights up to 40 ft.
- In-ground and surface mount pole installations available
- Systems can be free-standing or incorporated into backstop knee-wall
- Netting Options:
 - #36 knotted nylon, 1 $\frac{3}{4}$ " black sq. mesh netting
 - 1 $\frac{3}{4}$ " black Dyneema (UHMWPE) sq. mesh netting, for unsurpassed strength and visibility
- Poles are powder coated black over zinc rich primer
- All hardware is galvanized

Call for more information and design assistance.




Pole to Pole Net System



Tensioned Cable Net System

BATTER'S EYE



The batter's eye or batter's eye screen is a solid-colored, usually dark area beyond the center field wall of a baseball stadium, that is the visual backdrop directly in the line of sight of a baseball batter, while facing the pitcher and awaiting a pitch. This dark surface allows the batter to see the pitched ball against a sharply contrasted and uncluttered background. Its purpose is the safety and hitting success of the batter.


WINDSCREEN OUTFIELD BATTER'S EYE

Features:

- All I-beams are zinc primed with powder coated black finish
- Double single-piece black windscreen panel, front and back
- Includes all necessary assembly hardware
- Engineered to meet ASCE 7 105 MPH wind rating, exposure C
- Optional windscreen colors available
- Optional graphics image available

20'H x 40'L panel BE-24

30'H x 60'L panel BE-36



WIND SCREENS



PREMIUM WIND SCREEN

14 oz. / sq. yd. vinyl coated polyester mesh provides 75% shade.

- IncrediSeal™ heat sealed hems
- Grommets spaced every 18"
- 12 color options
- Graphics available
- Wind vents and cable ties sold separately

6' Height

WSCRN-6

9' Height

WSCRN-9

Graphic Lettering and Logos

WSCRNLG

WIND SCREEN COLORS:



DARK GREEN



ROYAL BLUE



RED



LIGHT GRAY



KELLY GREEN



MAROON



NAVY BLUE



PURPLE



ORANGE



CAROLINA BLUE



YELLOW



WHITE



CLASSIC WIND SCREEN

8 oz. / sq. yd. vinyl coated polyester mesh provides 84% shade.

- IncrediSeal™ heat sealed hems
- Grommets spaced every 18"
- Graphics available

- Color options: Forest Green, Royal Blue, Black, Red, Navy Blue, Orange, Maroon, Carolina Blue, Brown, Tan, Purple, Kelly Green, White, Gray, and Yellow.
- Wind vents and cable ties sold separately



Item #	Description
TWS-6	6'H Screen
TWS-9	9'H Screen
PCT-100	Cable Ties (100)
HMV-18	Half Moon Wind Flap


Maximum length of a single piece wind screen is 100'. Screens over 100' will be made in sections. Custom heights above 6' will be charged at 9' pricing. Heights cannot exceed 9'. Wind screens higher than 6' require a centered horizontal lacing lip along entire length.

OUTDOOR WALL PADDING

Protective padding is an essential component for providing a safe athletic environment. Reduce the risk of injury from unpredictable ricochets from foul tips and passed balls on the baseball field. Keep in mind the contact that players will have with outdoor fencing or walls and the risks that come with them.

WOOD BACKED PADDING


- 2" or 3" thick high-impact polyurethane foam
- ¾" exterior grade sheathing, sealed and stained on all sides
- 18 oz. vinyl with UV protection
- Attachment: Z-clip (for wood and masonry walls) or Lag and Disc (for chain link fence)
- Available in several sizes and with returns
- Optional graphics available (call for details)
- See below for vinyl colors (specify when ordering)



Z-clip attachment to a solid wall or structure



Shown with Optional Graphics



Lag and disc attachment to a chain link fence

SEWN PADDING WITH GROMMETS

- 2" thick high-impact polyurethane foam
- 18 oz. vinyl with UV protection
- Sewn pad with 2" reinforced vinyl flap on top and bottom
- Brass grommets spaced every 12"
- Available in several sizes
- Optional graphics available (call for details and pricing)
- See below for vinyl colors (specify when ordering)



Shown with Optional Graphics



Top and bottom grommet attach to chain link fence

VINYL PAD COLORS:



FENCE TOP & RAIL PROTECTION



FENCE TOP PROTECTION

- 4½" dia. pre-slit corrugated polyethylene for durability and UV protection
- Secure with tie wraps every 2' (sold separately)
- Color: Yellow (YW), Black (BK)



Item #	Size
CFC-100XX	100' Roll
CFC-250XX	250' Roll
CFC-TIESXX	19' Ties (Bag of 100)
CFC-ITOO	Installation Tool




COLORS:

-  RED (RD)
-  WHITE (WH)
-  YELLOW (YW)
-  FOREST GREEN (FG)
-  ROYAL BLUE (RB)
-  ORANGE (OR)

FENCE GUARD

- Maintenance free exterior grade UV-resistant polyethylene
- Set of (12) 7' sections are pre-drilled every 2'
- Available in 6 colors
- Fence guard ties included

STC-8XX



SAFEFOAM TUBULAR PADDING

- Tubular thick foam padding with durable skin coating
- Fits any 2½" dia. or less round pipe
- 8' long sections pre-slit for installation
- Minimum order of 6 pieces
- Secure with tie wraps every 2' (Yellow or Black, sold separately)
- Colors: Yellow (YW), Royal Blue (RB), Red (RD) and Green (GR)

Padding SF-PREMXX

100 Ties

Yellow SF-TIESYW

Black SF-TIESBK



DELUXE FENCE TOP & RAIL PADDING

- 2" thick foam in 6' long sections encased in 18 oz. vinyl
- Fits 2" outside diameter pipe
- Grommets every 6" for attachment
- Color options: Maple Green, Royal Blue, Red, Navy Blue, Gray, Maroon, Sky Blue, Purple, Yellow, White, Tan, Black, Kelly Green and Orange

PRAFTP6



FIELD ACCESSORIES



PRO-STYLE HOLLYWOOD BASES

Used by the pros and ideal for advanced levels of play.

- 3 bases with a tapered lip that digs into the dirt
- 3 anchors and (3) 1½" solid rubber plugs included
- 15" x 15" x 3"


BB-500



FLEX STYLE DOUBLE FIRST BASE

- Double first base reduces collisions and compresses on impact
- 2 anchors and (2) 1½" solid rubber plugs included
- 30" x 15" x 3"

BB-400



HP-200



HP-250

MAJOR LEAGUE HOME PLATE

- Durable molded rubber design
- Stanchion-mounted steel plate
- Removes easily for maintenance and storage

w/ 1½" Anchor HP-200

w/ 5 Zinc-Plated Spikes HP-250



BURY-ALL HOME PLATE

- Rubber design with no corners/edges to catch spikes
- No-skid waterproof surface

HP-100



PROFESSIONAL PITCHING RUBBERS

- Durable molded rubber design
- Interior PVC tube increases longevity
- Fill with dirt or concrete for added stability

6" x 24"

PR-624



MOVABLE PITCHING RUBBER

- Heavy molded rubber
- 3 removable metal spikes included

24" long PR-324



STEP DOWN PITCHING RUBBERS

- Heavy-duty all rubber design
- Step down style for better footing

24" long PR-524



REMOVABLE PITCHING RUBBERS

- Heavy molded rubber
- Steel ground anchors included

24" long PR-424



10"H PRO GAME MOUND

Model is a six piece "snap together" game mound designed straight from the MLB Rulebook.

- 4 sided pitching rubber
- Full size mound for Pro level use
- 18' diameter, 10" height

PPM1810

WORLD CUP GOAL



NOVA[™] World Cup[™] Goal

(SGP-850) Up your game with the look and feel of a Professional team. Completely portable goal to use in situations where you cannot use ground sleeves. The back net posts have the option to powder coat your team color for a unique look. Easy Track[™] net attachment system is on the complete frame and bottom bases for easy installation of the net. NCAA, NFHS and FIFA compliant. Available as goal pair, or package.

12 Year Limited Warranty on Goal

Goal Features:



4" round front frame with upright brace



Tension Cable



Corner fitting for back net posts



Net attachment around entire frame

PREMIERE GOAL



NOVATM Premiere Goal

Goal Features:



Auxiliary Backstay



4" round front frame



Net attachment around entire frame

(SGP-600) European style all aluminum goal with the strength and durability to last. Top of the line goal that will compare and surpass the competition. Easy TrackTM net attachment system is on the complete frame and bottom bases for easy installation of the net. European backstays plus our auxiliary backstays offer added stability and a unique look. NCAA, NFHS and FIFA compliant. Available as goal pair, or package.

12 Year Limited Warranty on Goal

PREMIERE ADJUSTABLE GOAL

NOVATM Premiere Adjustable Goal



(SGP-600AX) European style all aluminum goal designed with the ability to adjust the rear crossbar to fit perfectly under any football goal post. Top of the line goal that will compare and surpass the competition. NCAA, NFHS and FIFA compliant. Available as goal pair or package.

12 Year Limited Warranty on Goal

Goal Features:



Auxiliary Backstay



4" round front frame



Net attachment around
entire frame



Adjustable Crossbar

CLASSIC OFFICIAL GOALS



SGP-400 **ROUND**



SGP-760 **SQUARE**

Classic Official Goals

(SGP-400 or SGP-760) Smart choice for both competition and recreational play. Available in all aluminum front faces: 4" round or 4" x 2" square. Equipped with 2" galvanized steel backstays for that classic soccer look. NCAA, NFHS and FIFA compliant. Available as goal pair, or package.

12 Year Limited Warranty on Goal

Goal Features:



Galvanized backstays



Net attachment around entire frame

CLUB GOALS



NOVA™ CLUB ROUND GOALS

White powder coat finish! NFHS and ASTM compliant.

- 3" extruded aluminum frames with European backstays
- Multiple sizes available
- 4" sq. mesh white nets (SCN-24), augers (SAS-95), and stainless steel hardware included
- Features Jaypro Sports flush mount Easy Track™ net attachment system with clips
- Wheel kit (NSGWK) sold separately

Goal Features:



Net attachment around entire frame



Auger Anchors



Corner connection



European backstays

Size	Counter Weight	Item #
8'H x 24'W x 4'B x 9'D	150 LBS	RCG-24S
7'H x 21'W x 3'B x 8'D	170 LBS	RCG-21S
6½'H x 18½'W x 2'B x 6'D	240 LBS	RCG-18S
6½'H x 12'W x 2'B x 6'D	240 LBS	RCG-12S
4½'H x 9'W x 2'B x 5'D	N/A	RCG-9S
4'H x 6'W x 2'B x 5'D	N/A	RCG-6S





Features the Flush mounted
EASY TRACK
Net Attachment System

GROUND SOCCER ANCHOR

- Low profile inground anchor, constructed of aluminum
- Adjustable clamp fits over and secures most soccer rear crossbars
- Clamp support rods anchored directly into concrete foundation
- Removable clamp that stores inside box, when not in use
- Flush mounted cover, compatible with both synthetic infill turf or natural grass fields

SGA-AF





CLASSIC CLUB ROUND GOALS

White powder coat finish! NFHS and ASTM compliant.

- 3" extruded aluminum frames with galvanized steel backstays
- Multiple sizes available (galvanized steel rear crossbars on three largest sizes)
- 4" sq. mesh white nets (SCN-24), augers (SAS-95), and stainless steel hardware included
- Features Jaypro Sports flush mount Easy Track™ net attachment system with clips on front frame
- Wheel kit (CSGWK) sold separately

Size	Counter Weight	Item #
8'H x 24'W x 4'B x 9'D	140 LBS	CC24S
7'H x 21'W x 3'B x 8'D	160 LBS	CC21S
6½'H x 18½'W x 2'B x 6'D	240 LBS	CC18S
6½'H x 12'W x 2'B x 6'D	240 LBS	CC12S
4½'H x 9'W x 2'B x 5'D	N/A	CC9S
4'H x 6'W x 2'B x 5'D	N/A	CC6S

Goal Features:



Net attachment around entire frame



Auger Anchors



Corner connection



Classic backstays





Features the Flush mounted
EASY TRACK™
Net Attachment System

GROUND SOCCER ANCHOR

- Low profile inground anchor, constructed of aluminum
- Adjustable clamp fits over and secures most soccer rear crossbars
- Clamp support rods anchored directly into concrete foundation
- Removable clamp that stores inside box, when not in use
- Flush mounted cover, compatible with both synthetic infill turf or natural grass fields

SGA-AF



COMBO GOALS



FBSC-240EB shown with net

DELUXE OFFICIAL SOCCER/FOOTBALL GOAL

Ideal for multi-purpose athletic facilities. NFHS compliant.

- Designed for permanent or semi-permanent installation
- 4" round extruded aluminum soccer uprights and crossbars, powder coated white
- 2" removable soccer backstays
- 2 $\frac{3}{8}$ " aluminum football uprights
- Football Uprights - 10' tall
- Features Jaypro Sports flush mount Easy Track™ net attachment system with clips on front frame
- Nets (SND-8 recommended), post padding, and ground sleeves sold separately
- Soccer Dimensions - 8' x 24' x 4' x 10'

Goal w/Standard Backstays

FBSC-240

Goal w/European Backstays

FBSC-240EB

ALUMINUM GROUND SLEEVES

Aluminum ground sleeves with locking caps for semi-permanent installation


Set of 4

SGP-445G

Goal Features:



Football



Standard Backstay



Gusset



Net attachment around entire frame



FBSC-120 shown with net



Football Goal

OFFICIAL SOCCER/FOOTBALL GOAL

- Meets high school regulations for competition football and soccer
- Designed for permanent or semi-permanent installation
- Football uprights can be installed at high school (23'4") or collegiate (18'6") widths and removed for soccer play
- 2" x 4" goal support uprights made of 14 gauge steel tubing
- 2" square steel tube football uprights are 10' tall
- "Money Clip" attachments included
- Ground sleeves (SGP-722G), nets (SEYL-24NHP) and backstays sold separately
- Ideal for shared football and soccer fields
- Soccer Dimensions - 8' x 24'


Goal FBSC-120

GROUND SLEEVES

24" ground sleeves and four locking caps included.

Set of 4 SGP-722G

RUGBY & FIELD HOCKEY GOALS



OFFICIAL RUGBY GOAL

- Designed for permanent installation
- 32'H x 18'4"W
- Uprights extend 22' above crossbar and made with 4" Sch 40 aluminum tubing
- Crossbar is 4" aluminum tubing
- Tough powder coated white finish

Goal RGP-3

RUGBY GOAL PAD

Custom lettering and graphics available.

Pad RGP-SQP



OFFICIAL FIELD HOCKEY GOALS

Aluminum and steel goals available with high-density bottom boards that never fade or break.

- All welded frames for maximum stability
- Net clips (SNT-180) included
- Wheel kit (FHG-1WKS) and net included
- 7'H x 12'W x 4'D

Aluminum Goal

FHG-2ALS

Steel Goal

OFHG7124S



LACROSSE GOALS



PROFESSIONAL FIELD LACROSSE GOAL

Official size 3-piece goal with heavy weighted backstays are designed for professional or collegiate play.

- 2" heavy-walled steel frames with 4"W x 3/8"H base plates
- Net attaches to net rails and secured beneath cover plates
- Net (NETX1-G260 or NETX1-G160) included
- 6'H x 6'W x 7'D

Call 800-243-0533 for custom graphics quote to display logos and sponsors on cover plates.

- | | |
|-----------------------------|----------|
| Goal & White Net | LG-1XS |
| Goal & Black Net | LG-1XSBK |



Display logos and sponsors on flat cover plate




OFFICIAL FIELD LACROSSE GOAL

Official size 5-piece goal for men's/women's leagues.

- 2" rust-proof zinc coated steel frame
- Full net rail on entire goal face
- Net (LGN-50) included
- 6'H x 6'W x 7'D

LG-50B

BEACH VOLLEYBALL




System Includes:



Uprights with Winch



Antenna



Mercury™ Net



Upright Padding



Optional Ground Insert with flag locator

MERCURY™ BEACH VOLLEYBALL SYSTEM

Adjustable beach system with inverted telescoping design and carbon reinforced caps to prevent sand and water infiltration. Available in Professional (**OBV100-OFF**) or Competitive (**OBV100-REC**). NCAA, NFHS, USVBA and FIVB compliant.

Lightweight aluminum design with white powder coat finish. Adjustable height between 5'6" and 7'11½". 3½" bottom poles compatible with any 3½" ID sleeves (**OBV-100AK** recommended and sold separately). Mercury™ net (professional or competitive size), antenna, and upright padding included.

VINYL PAD COLORS:



RED



NAVY BLUE



FOREST GREEN



BLACK



ROYAL BLUE



GRAY



MAROON



PURPLE



KELLY GREEN



YELLOW



PINK



TAN



ORANGE



LIGHT BLUE



COASTAL COMPETITION VOLLEYBALL SYSTEM

Heavy-duty system designed to withstand coastal winds and weather. Adjustable winch for play at any height!

- 4" square heavy-walled aluminum uprights with additional inside lateral support
- Ground sleeves, installation tool, winch, and weather resistant net included



Inside lateral support



OCC-500N

System	OCC-500
Replacement Net	OCC-500N



OUTDOOR COMPETITION VOLLEYBALL UPRIGHTS

Durable system designed for outdoor competition. Fixed net heights for men's and women's play!

- 3½" galvanized steel uprights with silver powder coat finish
- Quickly attach net with snap buckles
- Available in system and center system models
- 36" ground sleeves, cover caps, and rust-resistant ratchet included
- Net (PVBN-3) recommended and sold separately



System	OCV-900
Center System	OCV-900C



RECREATIONAL OUTDOOR VOLLEYBALL UPRIGHTS

Ideal for volleyball, badminton, or tennis.

- 2¾" galvanized steel uprights
- PVC ground sleeves, top caps, and rust-resistant ratchet winch included
- Net (VBD-3) recommended and sold separately

Ground sleeves are designed to be set even with playing surface. Contact Jaypro Sports for special installation requirements.

Uprights	OS-350
-----------------	--------

TENNIS & PICKLEBALL



RTP-300 RTP-300BK STP-200 STP-200BK



RTP-278

RTP-278BK



PPR10GR

PPR10BK

Tennis: Outdoor

Item #	Post Size	Winch	Color	Net Rail
RTP-278	2-7/8" OD	External	Green	No
RTP-278BK	2-7/8" OD	External	Black	No
TP278BK	2-7/8" OD	Internal	Black	Yes
TP278GR	2-7/8" OD	Internal	Green	Yes
RTP-300	3" OD	Internal	Green	Yes
RTP-300BK	3" OD	Internal	Black	Yes
STP-200	3" SQ	Internal	Green	Yes
STP-200BK	3" SQ	Internal	Black	Yes
TP-125	3-1/2" OD	External	Green	No
TPGS-35	3-1/2" OD	External	Galvanized	No

Tennis: Indoor

Item #	Post Size	Winch	Color	Net Rail
ITS-300	3" OD	Internal	Green	Yes

For more information, scan below or go to:
www.jaypro.com/Tennis



Pickleball: Outdoor

Item #	Post Size	Winch	Color	Net Rail
PPR10GR	2-7/8" OD	External	Green	No
PPR10BK	2-7/8" OD	External	Black	No
PKB278-GR	2-7/8" OD	Internal	Green	Yes
PKB278-BK	2-7/8" OD	Internal	Black	Yes
PKB300-GR	3" OD	Internal	Green	Yes
PKB300-BK	3" OD	Internal	Black	Yes

Pickleball: Indoor

Item #	Post Size	Winch	Color	Net Rail
PPR15GR	2-7/8" OD	External	Green	No
PPR15BK	2-7/8" OD	External	Black	No
PKB3IN-GR	3" OD	Internal	Green	Yes
PKB3IN-BK	3" OD	Internal	Black	Yes

For more information, scan below or go to:
www.jaypro.com/Pickleball



NETS AND ACCESSORIES



TOURNAMENT TENNIS NET

- 3mm braided black polyethylene net
- Top 7 rows double meshed
- 51 oz. double layered multi-stitched heavy-duty vinyl headband
- 18 oz. side pockets with 1/2" fiberglass dowel
- Tapered net bottom and includes center strap
- 41'-7"L x 42"H

TTN-3



COLLEGIATE TENNIS NET

- 3mm twisted black polyethylene net
- 51 oz. multi-stitched heavy-duty vinyl headband
- Synthetic taped sides, tapered net bottom and includes center strap
- 6mm vinyl coated steel cable
- 42'L x 42"H

TPL-5



COUNTRY CLUB TENNIS NET

- 3.5mm braided black polyethylene net
- Top 7 rows double meshed
- 51 oz. double layered reinforced vinyl headband
- 18 oz. side pockets with 1/2" fiberglass dowel
- Tapered net bottom and includes center strap
- 41'-7"L x 42"H

CCPTN42



ECONOMY TENNIS NET

- Lightweight and weather-resistant
- 2mm knotless nylon net with 1½" sq. mesh
- 2" vinyl headband with ¼" dia. nylon cord cable
- Taped side and bottom edges
- 42'L x 42"H

TDP-42



PICKLEBALL NET


- 2.5mm twisted polyethylene, 1¾" square black mesh
- Double mesh over top 5 rows
- Top headband is 2½" white woven polyester, 2½" PVC side fabric and ½" fiberglass dowel rods
- Top cord: 4mm vinyl coated steel cable
- Indoor/outdoor use
- 21'L x 32"H

PT-21N

CENTER ANCHOR

Aluminum anchor with stainless steel drive pin for easy snap assembly.

A-2




FIELD CAGES



6 Pole Layout - DCHS-35BN



4 Pole Layout - SC-25BN



DISCUS CAGE

Durable semi-permanent discus cage with pulley system to set-up/remove net. Ideal for high schools. NFHS compliant. The barrier net wraps around the outside of the poles holding the discus cage in one complete curtain with no breaks. (6) 4" heavy-walled aluminum poles (14'6" tall with 24" offset) with individual swivel pulley hoist system per pole. Black powder coat or mill finish available. Top made of heavy-duty weather treated 1 7/8" #42 nylon mesh black net attached to 1/4" vinyl coated cable for support. Net breaking strength of over 320 lbs. Ground sleeves (DCHS-6S) and barrier net (DCHS-BN) sold separately.

Discus Cage w/Net - No Sleeves

Replacement Cage Net - 55'L x 14'H

Replacement Ground Sleeves - Set of 6

(DCHS-35) + Barrier Net - No Sleeves

Replacement Barrier Net - 63'L x 7'H

DCHS-35

DCHS-35NET

DCHS-6S

DCHS-35BN

DCHS-BN

SHOT CAGE

Barrier net adds an additional layer of protection for athletes, fans, officials and coaches. Accommodates throwing sector at 34.92 degrees. (4) 4" O.D. curved aluminum poles with 2' offset includes individual swivel pulley hoist system per pole. Black powder coat or mill finish. Heavy-duty weather treated 1 7/8" #42 nylon mesh black net. Net breaking strength of over 320 lbs. Ground sleeves (SC-25S) sold separately.

Cage

Ground Sleeves (Set of 4)

(SC-25) + Barrier Net - No Sleeves

SC-25

SC-25S

SC-25BN

TRACK EQUIPMENT



HIGH SCHOOL STARTING BLOCK

Lightweight aluminum construction starting system has 5" wide, 4 position adjustable pedals and a 3" center rail. All-weather spikes included.

TFSB-HS



COLLEGIATE STARTING BLOCK

Highest quality lightweight all aluminum casting starting system with 5 pedal angle adjustments. Pedals will not come off rail during transport. Includes a center rail for carrying, threaded spikes for synthetic surface and threaded spike inserts.

TFSB-C

ELITE HIGH SCHOOL HURDLES



TFH-HS



TFRH-HS

Stackable, aluminum design with spring loaded buttons for easy height adjustment of 30", 33", 36", 39" & 42". Welded base construction for superior strength. NFHS compatible.

Elite Hurdle

TFH-HS

Rocker Hurdle

TFRH-HS

COLLEGIATE HURDLE



Extruded aluminum base with beveled edges make for a sleek and stable easy stack design. Spring-loaded riser adjusts from 30", 33" 36", 39" & 42" and spring-loaded weights easily adjust to correct pullover weight for all heights.

TFH-C



HURDLE CART

Heavy-duty 6-wheel steel cart carries 8-14 hurdles. Unique design helps transport hurdles over curbs and through rough grass or loose gravel. Cart accommodates both high school and collegiate hurdles.

TFH-CART

POLE VAULT

POLE VAULT LANDING SYSTEMS

Uniquely fabricated landing systems with varying densities. Reinforced vinyl coating (22 oz. for high school styles (NFHS complaint) and 18 oz. for collegiate styles (NCAA, NFHS and IAAF complaint) with spike resistant top pad. *Specify vinyl color.*

HIGH SCHOOL SYSTEM

TFP-LSHS



VINYL COLORS:



Color options available



COLLEGIATE SYSTEM

TFP-LSC



HIGH SCHOOL

20' x 21' x 26"

TFP-LSHS

Cover

TFP-LSCHS

Package

TFPVPKG1

Package includes: landing system, top pad, weather cover, standard pads, pole vault standards and crossbar.


COLLEGIATE

22' x 24' x 32"

TFP-LSC

Cover

TFP-LSCC



High School
TFP-STHS

HIGH SCHOOL POLE VAULT STANDARD

Pole standard adjusts from 6' to 18'. Durable rust-resistant steel risers have easy grip handles for height adjustment and "spin t-handles" to lock riser in place. Base with 32" adjustability.

TFP-STHS



TFP-XB


COLLEGIATE POLE VAULT STANDARD

Aluminum uprights with telescoping riser adjusts from 9' to 21'. NCAA, NFHS and IAAF complaint. Uprights are mounted on offset steel carriage that rides on pulley wheels (adjusts from 0-32").

TFP-STC

14' 10" Crossbar

TFP-XB



Collegiate
TFP-STC

HIGH JUMP

HIGH JUMP LANDING SYSTEMS

Three base sections buckle at ends with seams covered by 3" hook-and-loop strips. 2" top pads cover sections. NFHS compliant for High School and NCAA, NFHS and IAAF compliant for Collegiate. *Specify vinyl color when ordering.*

HIGH SCHOOL SYSTEM

TFHJ-SYHS



VINYL COLORS:



HIGH SCHOOL

Straight Front Design

16'6"W x 8'D x 26"H TFHJ-SYHS

Cover TFHJ-SYCHS

Package TFHJPKG1

Package includes: landing system, top pad, weather cover, standard pads, high jump standards and crossbar.

Front Cut-Out Design

16'6"W x 8'D x 26"H TFHJ-SYHSCO

Cover TFHJ-SYHSCV

Package TFHJPKG2

Package includes: landing system, top pad, weather cover, standard pads, high jump standards and crossbar.



HIGH SCHOOL HIGH JUMP STANDARD

Zinc plated water-resistant standards adjust from 2' to 8' in ¼" intervals. 16" base with roll away feature. Metric scale in cm. 62 to 244.

TFHJ-STHS



13' 1/2" Crossbar
TFHJ-XB

COLLEGIATE SYSTEM

TFHJ-SYC



COLLEGIATE

18"W x 10'D x 28"H TFHJ-SYC

Cover TFHJ-SYCC

Package TFHJPKG3

Package includes: landing system, top pad, weather cover, standard pads, high jump standards and crossbar.

COLLEGIATE HIGH JUMP STANDARD

Aluminum uprights with telescoping riser adjusts from 1½' to 9'. Steel roll away base with adjusting leveling screws. Measurements in standard and metric.

TFHJ-STC



TRACK EQUIPMENT



STAINLESS STEEL POLE VAULT BOXES

Pole vault boxes available in heavy gauge steel with white paint finish or smooth finished 12 gauge stainless steel. Optional steel lid available.

Stainless Box	TFP-SS
Stainless Lid	TFP-SL



CAST ALUMINUM POLE VAULT BOX

Thick walled aluminum casting with rounded inside corners for easy rotation of pole in box. NCAA, NFHS and IAAF compliant. Optional lid has textured finish and may be covered with synthetic surface to match runway.


Aluminum Box	TFP-CA
Aluminum Lid	TFP-CAL



OFFICIAL CIRCLES

Shot and discus circles made of 1" x 3/4" x 1/4" aluminum. Four sections with anchoring holes.

Shot	TFSR
Discus	TFDR



WEBBED CIRCLES / RINGS

Discus and shot/hammer rings with welded cross braces for added rigidity. Bolted together before installation to ensure circle stays round.

Shot/Hammer	TFTC-SHC
Discus	TFTC-DC



CAST ALUMINUM TOEBOARD PADS

Depressed pads and level pads are cast aluminum construction and meet all rule specifications.

Depressed Pad	TFTB-ADP
Level Pad	TFTB-ALP



POLY TOEBOARD DEPRESSED PAD

Designed with Linear Low-Density Polyethylene (LLDPE) and UV stabilizer for maximum durability.

TFTB-PLY



8" LONG JUMP TAKE-OFF BOARD

Official 48" x 8" take-off board. 3/4" polyurethane top surface on 1 1/2" x 8" plastic under board.

TFLJ-B



20" LONG/TRIPLE JUMP TAKE-OFF BOARD

Two part poly board with soft texture 3/4" top board attached to a high density 3/4" poly under board.

TFLJ-P20



8" LONG/TRIPLE JUMP TAKE-OFF BOARD TRAY

8" zinc plated steel tray system. Board mounted to steel framework with 6 adjusting bolts.

TFLJ-P8



20" LONG/TRIPLE JUMP TAKE-OFF BOARD TRAY

20" stainless steel tray system with drain holes for permanent installation in synthetic runways.

TFLJ-TR

12" LONG/TRIPLE JUMP TAKE-OFF BOARD SYSTEM

12" tray system with take-off board, 1/2" plywood foul board, and heavy-duty steel lid. Foul board can be replaced with plasticine for meets.



TFLJ-W12L

SAND PIT FORMS & COVERS

Structure is made of specially folded 1/8" aluminum with built in ledge to receive sand pit cover. NCAA, NFHS and IAAF compliant. The sand catcher system with included covers, allows sand to be conveniently stored when the pit is covered. Minimum distance from takeoff board to back of pit is 10 meters. Available in 3 sizes.

Sand Pit Form	23'	TFSP-23
	26'	TFSP-26
	29'	TFSP-29
Sand Pit Cover	23'	TFSPC-23
	26'	TFSPC-26
	29'	TFSPC-29



SEATING

PLAYER BENCHES

Sturdy rust-resistant aluminum bench for athletic fields, public parks, and sports complexes.



For more information, scan or go to:
www.jaypro.com/Bleachers

TIP & ROLL BLEACHER

Lightweight and stable aluminum bleachers tip-and-roll for easy mobility and storage.



POWDER COAT COLORS:



ALL ALUMINUM BLEACHER

Lightweight all aluminum bleachers are perfect for outdoor parks and fields.



BACK-TO-BACK BLEACHER

Place between adjoining fields or indoor courts for spectator viewing from both sides of the bleacher.



OUTDOOR BLEACHER

Heavy-duty outdoor bleacher with dual braces and rear stabilizing bar for increased strength.



ENCLOSED BLEACHER

Heavy-duty vertical guardrail or chain-link enclosed bleacher with dual braces and rear stabilizing bar for increased strength.



- 
- The background of the entire page is a dark blue architectural drawing of a sports facility, likely a basketball court or gymnasium. The drawing shows various lines, dimensions, and structural elements. A pencil is positioned diagonally across the upper portion of the drawing, pointing towards the bottom right. The drawing includes text such as 'FIRST FLOOR' and '20' MALE FITTING STATION'.
- **NEW CONSTRUCTION**
 - **FACILITY UPGRADE**
 - **ENGINEERING**
 - **CUSTOM BUILD**
 - **IN-HOUSE DESIGN**
 - **MANUFACTURING**
 - **INSTALLATION**
 - **ARCHITECT READY**