



Smart Network Rebooter SURGE PROTECTOR



WELCOME TO SMARTH

Welcome to the SmartH Family! Great choice picking up the SmartH Network Rebooter – It's one of our favorite products in the SmartH lineup. The information contained in this brochure explains the features and operation of the SH – NR2.1.Please take a few moments to read this manual. We are excited for you to start enjoying it!

Specifications

Product Name:	Smart Network Rebooter
Model Number:	SH-NR2.1
Style:	Surge Protector
Power Source:	AC 15A
Voltage:	125 Volts
Wattage:	1875 Watts
Surge Protection LED indicator:	Support
Grounded LED indicator:	Support
Colour:	Black
Communication Frequency:	Wifi & Bluetooth
Wireless Standard:	IEEE802.11 b/g/n
USB Output:	5V 2.1A
Indoor:	Indoor On
Working Humidity:	Up to 95%RH

IMPORTANT SAFETYGUARDS

TO REDUCE THE RISK OF ELECTRIC SHOCK – Use only in dry locations and only indoors.

DO NOT plug into another relocate-able power tap.

DO NOT "daisy chain" Network Rebooter (Surge Protector).

DO NOT use with any aquarium equipment.

DO NOT use if properly grounded outlets are not available.

DO NOT install this device if there is not at least 10 meters (30 feet) or more of wire between the electrical outlet and electrical service panel.

DO NOT exceed rated capacity.

This device features an internal protection that will disconnect the surge protective component at the end of its useful life, but will maintain power to the load – now unprotected.

WARRANTY

Read the following terms and conditions carefully before using the SmartH SH – NR2.1 (the "SmartH Product"). By using the SmartH Product, you consent to be bound by the terms and conditions of this Limited Warranty. IF YOU DO NOT AGREE TO THE TERMS AND CONDITIONS OF THIS WARRANTY, YOU SHOULD RETURN THE PRODUCT FOR A REFUND PRIOR TO USING IT.

LIMITED ONE YEAR WARRANTY

We warrant that this SmartH product will be free of defects in materials or workmanship under normal home use for one year from the date of original purchase. This warranty covers manufacturer's defects including mechanical and electrical defects. This warranty is not available to retailers or other commercial purchasers or owners. If your SmartH product should prove to be defective within the warranty period, we will repair it or replace it if necessary. For warranty purposes, please keep your original receipt for the duration of the limited warranty.

THIS WARRANTY DOES NOT COVER ANY SOFTWARE THAT WAS DAMAGED OR NEEDS TO BE REPLACED DUE TO THE FAILURE OF THE SMARTH PRODUCT OR ANY DATA THAT IS LOST AS A RESULT OF THE FAILURE OR THE RESTORATION OF DATA OR RECORDS, OR THE REINSTALLATION OF SOFTWARE.

This Limited Warranty does not apply to any consumable parts, such as batteries or protective coatings, that due to their nature diminish over time, unless failure has occurred due to a defect in materials or workmanship, nor to any cosmetic damage unless failure has occurred due to a defect in materials or workmanship.

This Limited Warranty does not apply to damage caused by: accidents, misuse (including failure to follow product documentation), neglect; disassembly, normal wear and tear, alterations, servicing other than by SMARTH-authorized technicians and external causes such as, but not limited to: liquid damage, exposure to sharp objects, exposure to excessive force, anomalies in the electrical current supplied to the SmartH product, and extreme thermal or environmental conditions. Liquid damage voids this Limited Warranty.

This Limited Warranty does not guarantee that use of the SmartH Product will be uninterrupted or error-free.

The sole and exclusive remedies of the Initial Customer are those provided by this Warranty.

1. This Warranty does not apply unless the SMARTH Product and the connected equipment were connected to properly wired and grounded outlets (including compliance with electrical and safety codes of the most current electrical code), without the use of any adapters or other connectors.


2. The SMARTH Product must have been plugged directly into the power source and the equipment connected to the SMARTH Product must be directly connected in SMARTH SH – NR2.1 Product, not "daisy-chained" together in serial fashion with any extension cords, another Product or device similar to the SMARTH Product, surge suppressor, or power tap. Any such installation voids the Warranty.

3. The SMARTH Product and connected equipment must have been used properly in a suitable and proper environment, in conformance with any applicable license, instruction manual, or warnings.

4. The SMARTH Product must have been used at all times within the limitations on the SMARTH Product's VA capacity.

For more detail Warranty Policy, please refer to https://smarth.ca/service-agreement

1.Set Up Router



The router supports the 2.4GHz WiFi (doesn't support the 5GHz), and is connected to the WiFi network. Please set the parameters of the router before connecting the WiFi network, and record the SSID and password of your WiFi.


2.Turn On Your Smartphone's Bluetooth






Turn on your smartphone's Bluetooth.

Ready to work



Step1:Plug in and Turn on the Surge protection switch, the Red light is on.



Step2:When The Blue Light Is Always On, Press And Hold the reset button For 5 Seconds


Step3:Let the Blue Light Flash(rapid blink)

Install Free App


Download APP: scan the QR code below to download and install. Register and login: open the "MySmartH" APP to register and login according to the prompts.



Customer Support



Connect the Smart Lock to MySmartH App




1. Open "MySmartH" APP, press the'+' in the upper right comer of the main screen;

2. Tap " Go to add "


17:34 🗲		21:53 🕇	
Cancel		×	
Select 2.4 GHz Wi-Fi Network and enter password. If your Wi-Fi is 5GHz, please set it to be 2.4GHz. Common router setting method		Found 1 devices. Added 0 successfully	у.
		Network Rebooter	۲
× Wi-Fi - 5Ghz			
✓ Wi-Fi - 2.4Ghz	🗎 🗢 🚺		
🔶 27shadow	<u> </u>		
A 12345	⊘		
Next	3		

3. Confirm the WIFI user name and password, and then press "Next".



4. When the progress reaches 100%,connection completed, and click "Next".

5.Tap " Done"



Now your Network Rebooter is successfully added to MySmartH app.




Applicable Devices

(Include but not limited to): Routers / Monitoring devices / Wireless AP / PoE switch

Instructions

All 4 ports have (remotely) reboot function. When any Port is in the ON (power supply) state, Press and Hold for 3 seconds. After the Pop-Up box confirms this operation, the port will immediately perform the Shutdown (power off) operation, After 3 minutes, the port will return to the ON(power supply) state by itself.





1.On/Off Button

2.Long press for three seconds to restart the power port.