



**QUALITY IS
OUR NUMBER
ONE PRIORITY**

As a wholly-owned subsidiary of the \$108 Billion dollar per year company Sinomach, we have produced over 10 million portable generators over the past 17 years for the worldwide market. For years we have built private label generators for companies such as Ridgid, Kohler and many others! In 2015 we made the decision to bring our manufacturing expertise to North America directly under the FIRMAN brand.

We currently operate four generator manufacturing facilities and have the ability to produce over 3,000 generators PER DAY! Being the manufacturer means we are vertically integrated. That's a fancy way of saying that every FIRMAN generator is 100% FIRMAN from concept to design to engineering to manufacturing and production. When you take a good look at a FIRMAN gen you will see that it's all FIRMAN including our Automatic voltage regulator, carburetor, FIRMAN Fat Head Engine Block, FIRMAN Power Stream Alternator, Air Cleaner, Valve Cover and even the muffler guard.

At FIRMAN quality is our number one priority. Every new model is tested for 500 hours non-stop to make sure we catch any areas for improvement before production. We test all of our generators in a hot/cold room that simulates both freezing cold winter nights and blistering hot summer days. Testing in a huge, pressurized room allows us to simulate the elevations at which customers might live enabling us to ensure that whether you live at the beach or high in the mountains your FIRMAN generator will always provide the power you need.

All of this testing leads to constant innovation. We feel that it's not enough to be "as-good" as the competition, so we strive to be better in every way that matters to our customers. After conducting extensive research into what our customers really want in a portable generator our conclusions were no surprise. Our findings indicated people want more power, bigger fuel tanks, longer run times and excellent customer support.

We engineered our performance line with these customer desires in-mind by providing independently certified industry-leading power output. We increased our tank sizes to be over 25% bigger than our competition in every category (where they have 3.4 gallon tanks we went with 5 gallons, and on the bigger gens where they use a tiny 6 gallon tank we jumped ahead to 8 gallons!). Bigger tanks means longer run times; 12-14 hours on every gen without refueling! We didn't hesitate to provide an incredible 3 year warranty on all our gens, backed by our skilled service and parts department located in Phoenix, Arizona.

Hybrid Series: Dual Fuel

H03652

GAS: 4550 / 3650 WATT - LPG: 4100 / 3300 WATT
ELECTRIC START GAS OR PROPANE DUAL FUEL PORTABLE GENERATOR
EPA CARB AND cETL CERTIFIED

FIRMAN[®]
POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876136522

GAS STARTING / RUNNING WATTS // 4550 / 3650

LPG STARTING / RUNNING WATTS // 4100 / 3300

VOLTAGE // 120V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // RECOIL

FUEL TANK SIZE // 5.0 GAL

RUN-TIME (GAS) // UP TO 14 HRS (@50% LOAD)

DECIBLES // 67 dB (@7m @50% LOAD)

CARTON L*W*H // 27.6" x 18.1" x 20.5"

GROSS WEIGHT // 128 LBS.

UNIT WEIGHT // 113 LBS.

UNITS PER PALLET // 16


UNITS PER CONTAINER // 256 / 40HQ

CONTROL PANEL

(2) 5-20R 20A-120V

(1) TT-30R 30A-120V RV READY

(1) LS-30R 30A-120V TWIST LOCK



BEST USED FOR



H03652 & H03653 same unit. H03652 RECOIL. H03653 ELECTRIC START

H05752

GAS: 7125 / 5700 WATT - LPG: 7125 / 5700 WATT 30A 120/240V
RECOIL START GAS OR PROPANE DUAL FUEL PORTABLE GENERATOR
EPA AND CARB CERTIFIED

FIRMAN[®]
POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876157527

GAS STARTING / RUNNING WATTS // 7125 / 5700

LPG STARTING / RUNNING WATTS // 7127 / 5700

VOLTAGE // 120 / 240V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // RECOIL

FUEL TANK SIZE // 8.0 GAL

RUN-TIME (GAS) // UP TO 12 HRS (@50% LOAD)

DECIBLES // 74 dB (@7m @50% LOAD)

CARTON L*W*H // 32.1" x 22.2" x 24.4"

GROSS WEIGHT // 195 LBS.

UNIT WEIGHT // 176.5 LBS.

UNITS PER PALLET // 4


UNITS PER CONTAINER // 208 / 40HQ

CONTROL PANEL

(4) 5-20R 20A-120V GFCI

(1) L14-30R 30A-120V/240V TWIST LOCK

(1) LS-30R 30A 120V TWIST LOCK



BEST USED FOR



FIRMAN[®]

POWER EQUIPMENT

H07552

GAS: 9400 / 7500 WATT - LPG: 8450 / 6750 WATT 50A 120/240V
ELECTRIC START GAS OR PROPANE DUAL FUEL PORTABLE GENERATOR
EPA AND CARB CERTIFIED

FIRMAN[®]

POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85361
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876175521

GAS STARTING / RUNNING WATTS // 9400 / 7500

LPG STARTING / RUNNING WATTS // 8450 / 6750

VOLTAGE // 120 / 240V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // ELECTRIC / RECOIL

FUEL TANK SIZE // 8.0 GAL

RUN-TIME (GAS) // UP TO 12 HRS (@50% LOAD)

DECIBELS // 74 dB (@7m @50% LOAD)

CARTON L*W*H // 32.1" x 22.2" x 24.4"

GROSS WEIGHT // 227 LBS.

UNIT WEIGHT // 210 LBS.

UNITS PER PALLET // 4

UNITS PER CONTAINER // 188 / 40HQ

BONUS // COVER

CONTROL PANEL

(2) 5-20R 20A-120V GFCI


(1) 14-50R 50A-120/240V

(1) L14-30R 30A-120/240V TWIST LOCK

(1) L5-30R 30A-120V TWIST LOCK



BEST USED FOR



H08053

GAS: 10000 / 8000 WATT - LPG: 9050 / 7250 WATT 50A 120/240V
ELECTRIC START GAS OR PROPANE DUAL FUEL PORTABLE GENERATOR
EPA AND cETL CERTIFIED

FIRMAN[®]

POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85361
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876180532

GAS STARTING / RUNNING WATTS // 10000 / 8000

LPG STARTING / RUNNING WATTS // 9050 / 7250

VOLTAGE // 120 / 240V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // ELECTRIC / RECOIL

FUEL TANK SIZE // 8.0 GAL

RUN-TIME (GAS) // UP TO 12 HRS (@50% LOAD)

DECIBELS // 74 dB (@7m @50% LOAD)

CARTON L*W*H // 32.1" x 22.2" x 24.4"

GROSS WEIGHT // 234.5 LBS.

UNIT WEIGHT // 212 LBS.

UNITS PER PALLET // 4

UNITS PER CONTAINER // 188 / 40HQ

CONTROL PANEL

(2) 5-20R 20A-120V


(1) 14-50R 50A-120/240V

(1) L14-30R 30A-120/240V TWIST LOCK

(1) L5-30R 30A-120V TWIST LOCK



BEST USED FOR



HO8051 & HO8053 SAME UNIT. HO8051 CARB COMPLIANT CA.

Performance Series: Open Frame



P03501

4450 / 3550 WATT RECOIL START
GAS PORTABLE GENERATOR WITH WHEEL KIT AND COVER
EPA AND cETL CERTIFIED

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876135013
STARTING WATTS // 4450
RUNNING WATTS // 3550
VOLTAGE // 120V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // RECOIL
FUEL TANK SIZE // 5.0 GAL
RUN-TIME // UP TO 14 HRS (@50% LOAD)
DECIBELS // 67 dB (@7m @50% LOAD)
CARTON L*W*H // 27.2" x 18.1" x 19.9"
GROSS WEIGHT // 117 LBS.
UNIT WEIGHT // 108.5 LBS.
UNITS PER PALLET // 16
UNITS PER CONTAINER // 320 / 40HQ

CONTROL PANEL
 (2) 5-20R 20A-120V
 (1) TT-30R 30A-120V RV READY
 (1) L5-30R 30A-120V TWIST LOCK



BEST USED FOR



P03501 & P03502 SAME UNIT. P03502 CARB COMPLIANT CA.


P03605

4550 / 3650 WATT 30A 120/240V RECOIL START
GAS PORTABLE GENERATOR
EPA AND cETL CERTIFIED

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876136058
STARTING WATTS // 4550
RUNNING WATTS // 3650
VOLTAGE // 120 / 240V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // RECOIL
FUEL TANK SIZE // 5.0 GAL
RUN-TIME // UP TO 14 HRS (@50% LOAD)
DECIBELS // 67 dB (@7m @50% LOAD)
CARTON L*W*H // 24" x 18.1" x 19.9"
GROSS WEIGHT // 110 LBS.
UNIT WEIGHT // 101.5 LBS.
UNITS PER PALLET // 16
UNITS PER CONTAINER // 336 / 40HQ

CONTROL PANEL
 (2) 5-20R 20A-120V
 (1) TT-30R 30A-120V RV READY
 (1) L14-30R 30A-120/240V TWIST LOCK



BEST USED FOR



FIRMAN[®] POWER EQUIPMENT

P03611




4550 / 3650 WATT RECOIL START
GAS PORTABLE GENERATOR
EPA CERTIFIED

FIRMAN[®] POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876136119
STARTING WATTS // 4550
RUNNING WATTS // 3650
VOLTAGE // 120V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // RECOIL
FUEL TANK SIZE // 5.0 GAL
RUN-TIME // UP TO 14 HRS (@50% LOAD)
DECIBELS // 67 dB (@7m @50% LOAD)
CARTON L*W*H // 24" x 18.1" x 19.9"
GROSS WEIGHT // 110 LBS.
UNIT WEIGHT // 101.5 LBS.
UNITS PER PALLET // 16
UNITS PER CONTAINER // 336 / 40HQ

CONTROL PANEL
(2) 5-20R 20A-120V
(1) TT-30R 30A-120V RV READY
(1) LS-30R 30A-120V TWIST LOCK



BEST USED FOR



P03611 & P03618 SAME UNIT. USE PART # P03618

P05701


7125 / 5700 WATT 30A 120/240V RECOIL START
GAS PORTABLE GENERATOR
EPA CERTIFIED

FIRMAN[®] POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876157015
STARTING WATTS // 7125
RUNNING WATTS // 5700
VOLTAGE // 120 / 240V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // RECOIL
FUEL TANK SIZE // 8.0 GAL
RUN-TIME // UP TO 13 HRS (@50% LOAD)
DECIBELS // 74 dB (@7m @50% LOAD)
CARTON L*W*H // 31.7" x 21.7" x 24.4"
GROSS WEIGHT // 188.5 LBS.
UNIT WEIGHT // 178 LBS.
UNITS PER PALLET // 4
UNITS PER CONTAINER // 216 / 40HQ

CONTROL PANEL
(4) 5-20R 20A-120V GFCI
(1) L14-30R 30A-120/240V TWIST LOCK
(1) LS-30R 30A-120V TWIST LOCK



BEST USED FOR



FIRMAN[®] POWER EQUIPMENT

P05702


7125 / 5700 WATT 30A 120/240V REMOTE START
GAS PORTABLE GENERATOR
EPA CERTIFIED

FIRMAN[®] POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876157022
STARTING WATTS // 7125
RUNNING WATTS // 5700
VOLTAGE // 120 / 240V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // REMOTE / ELECTRIC / RECOIL
FUEL TANK SIZE // 8.0 GAL
RUN-TIME // UP TO 13 HRS (@50% LOAD)
DECIBLES // 74 dB (@7m @50% LOAD)
CARTON L*W*H // 31.9" x 22.1" x 24.4"
GROSS WEIGHT // 214 LBS.
UNIT WEIGHT // 203 LBS.
UNITS PER PALLET // 4 / 2
UNITS PER CONTAINER // 196 / 40HQ

CONTROL PANEL
(4) 5-20R 20A-120V GFCI
(1) L14-30R 30A-120/240V TWIST LOCK
(1) L5-30R 30A-120V TWIST LOCK



P05702 & P05703 SAME UNIT. P05703 CERTIFIED FOR CANADA ONLY. SELL P05702

P08003


10000 / 8000 WATT 50A 120/240V REMOTE START
GAS PORTABLE GENERATOR
EPA AND CARB CERTIFIED

FIRMAN[®] POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876180037
STARTING WATTS // 10000
RUNNING WATTS // 8000
VOLTAGE // 120 / 240V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // REMOTE / ELECTRIC / RECOIL
FUEL TANK SIZE // 8.0 GAL
RUN-TIME // UP TO 12 HRS (@50% LOAD)
DECIBLES // 74 dB (@7m @50% LOAD)
CARTON L*W*H // 31.9" x 22.1" x 24.4"
GROSS WEIGHT // 230.5 LBS.
UNIT WEIGHT // 208 LBS.
UNITS PER PALLET // 4 / 2
UNITS PER CONTAINER // 188 / 40HQ

CONTROL PANEL
(2) 5-20R 20A-120V GFCI
(1) 14-50R 50A-120/240V
(1) L14-30R 30A-120/240V TWIST LOCK
(1) TT-30R 30A-120V RV READY
(1) L5-30R 30A-120V TWIST LOCK



P08001 & P08003 SAME UNIT. P08001 NO WHEELS. P08003 INCLUDES WHEEL KIT.



Tri Brid Series: Tri Fuel

TO4071: SPEC SHEET NOT AVAILABLE YET

T08071

CAS: 10000 / 8000 WATT - LPG: 9050 / 7250 WATT - NG: 6900 / 5500 WATT
50A 120/240V ELECTRIC START TRI FUEL PORTABLE GENERATOR
EPA AND CARB CERTIFIED



8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876175712

GAS STARTING / RUNNING WATTS // 10000 / 8000

LPG STARTING / RUNNING WATTS // 9050 / 7250

LPG STARTING / RUNNING WATTS // 6900 / 5500

VOLTAGE // 120 / 240V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // ELECTRIC / RECOIL

FUEL TANK SIZE // 8.0 GAL

RUN-TIME (GAS) // UP TO 12 HRS (@50% LOAD)

DECIBELS // 72 dB (@7m @75% LOAD)

CARTON L*W*H // 32.1" x 22.2" x 24.4"

GROSS WEIGHT // 230 LBS.

UNIT WEIGHT // 212 LBS.

UNITS PER PALLET // 4

UNITS PER CONTAINER // 188 / 40HQ

BONUS // HOSE HOLDER

CONTROL PANEL

(2) 5-20R 20A-120V GFCI


(1) 14-50R 50A-120/240V

(1) L14-30R 30A-120V/240V TWIST LOCK

(1) L5-30R 30A 120V TWIST LOCK



BEST USED FOR



Whisper Series: Inverters

W01784

2100 / 1700 WATT RECOIL START
INVERTER PORTABLE GENERATOR WITH ADAPTER AND BUILT-IN PARALLEL KIT
EPA CARB AND CETL CERTIFIED



8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876117842

STARTING WATTS // 2100

RUNNING WATTS // 1700

VOLTAGE // 120V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // RECOIL

FUEL TANK SIZE // 0.9 GAL

RUN-TIME // UP TO 10 HRS (@25% LOAD)

DECIBELS // 54 dB (@7m @25% LOAD)

CARTON L*W*H // 21.7" x 15.0" x 18.5"

GROSS WEIGHT // 54 LBS.

UNIT WEIGHT // 45.9 LBS.

UNITS PER PALLET // 18 / 12

UNITS PER CONTAINER // 632 / 40HQ

CONTROL PANEL


(1) 5-20R 20A-120V

(1) L5-30R 30A-120V TWIST LOCK

(1) L5-30P TO TT-30R 30A-120V

ADAPTER

(1) USB OUTLET 2.1A-5V



BEST USED FOR





WO3081, WO3082, WO3083 SAME UNIT.

WO3081 RECOIL START / WO3082 ELECTRIC START / WO3083 REMOTE START

WO3081

3300 / 3000 WATT RECOIL START
INVERTER PORTABLE GENERATOR
EPA CARB AND cETL CERTIFIED



8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85301
1-844-347-6261

WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876130810

STARTING WATTS // 3300

RUNNING WATTS // 3000

VOLTAGE // 120V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // RECOIL

FUEL TANK SIZE // 1.8 GAL

RUN-TIME // UP TO 10 HRS (@25% LOAD)

DECIBELS // 58 dB (@7m @25% LOAD)

CARTON L*W*H // 26.6" x 18.9" x 19.3"

GROSS WEIGHT // 94 LBS.

UNIT WEIGHT // 84 LBS.

UNITS PER PALLET // 16

UNITS PER CONTAINER // 320 / 40HQ



CONTROL PANEL

(2) 5-20R 20A-120V

(1) TT-30R 30A-120V RV READY

(1) DC OUTLET 8.3A-12V

(1) USB OUTLET 2.1A-5V



BEST USED FOR



WO3082

3300 / 3000 WATT ELECTRIC / RECOIL START
GAS PORTABLE INVERTER GENERATOR
EPA CARB AND cETL CERTIFIED



8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85301
1-844-347-6261

WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876130827

STARTING WATTS // 3300

RUNNING WATTS // 3000

VOLTAGE // 120V

FREQUENCY // 60Hz

ENGINE TYPE // OHV

STARTING SYSTEM // ELECTRIC / RECOIL

FUEL TANK SIZE // 1.8 GAL

RUN-TIME // UP TO 9 HRS (@25% LOAD)

DECIBELS // 58 dB (@7m @25% LOAD)

CARTON L*W*H // 26.6" x 18.9" x 19.3"

GROSS WEIGHT // 109 LBS.

UNIT WEIGHT // 90 LBS.

UNITS PER PALLET // 16

UNITS PER CONTAINER // 320 / 40HQ



CONTROL PANEL

(2) 5-20R 20A-120V

(1) TT-30R 30A-120V RV READY

(1) DC OUTLET 8.3A-12V

(1) USB OUTLET 2.1A-5V



BEST USED FOR



FIRMAN[®] POWER EQUIPMENT

W03083


3300 / 3000 WATT REMOTE START
INVERTER PORTABLE GENERATOR
EPA CARB AND cETL CERTIFIED

FIRMAN[®] POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876130834
STARTING WATTS // 3300
RUNNING WATTS // 3000
VOLTAGE // 120V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // REMOTE / ELECTRIC /
RECOIL
FUEL TANK SIZE // 1.8 GAL
RUN-TIME // UP TO 10 HRS (@25% LOAD)
DECIBLES // 58 dB (@7m @25% LOAD)
CARTON L*W*H // 26.6" x 18.9" x 19.3"
GROSS WEIGHT // 109 LBS.
UNIT WEIGHT // 90 LBS.
UNITS PER PALLET // 16

CONTROL PANEL
(2) 5-20R 20A-120V
(1) TT-30R 30A-120V RV READY
(1) DC OUTLET 8.3A-12V
(1) USB OUTLET 2.1A-5V



BEST USED FOR



W03381, W03382, W03383 SAME UNIT.

W03381 RECOIL START / W03382 ELECTRIC START / W03383 REMOTE START

W03381


3650 / 3300 WATT RECOIL START
INVERTER PORTABLE GENERATOR
EPA CARB AND cETL CERTIFIED

FIRMAN[®] POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876133811
STARTING WATTS // 3650
RUNNING WATTS // 3300
VOLTAGE // 120V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // RECOIL
FUEL TANK VOLUME // 1.8 GAL
RUN-TIME // UP TO 10 HRS (@25% LOAD)
DECIBLES // 58 dB (@7m @25% LOAD)
CARTON L*W*H // 26.6" x 18.9" x 19.3"
GROSS WEIGHT // 97 LBS.
UNIT WEIGHT // 87 LBS.
UNITS PER PALLET // 16
UNITS PER CONTAINER // 320 / 40HQ

CONTROL PANEL
(2) 5-20R 20A-120V
(1) TT-30R 30A-120V RV READY
(1) DC OUTLET 8.3A-12V
(1) USB OUTLET 2.1A-5V



BEST USED FOR



W03382




3650 / 3300 WATT ELECTRIC START
INVERTER PORTABLE GENERATOR
EPA CARB AND cETL CERTIFIED

FIRMAN[®]
POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876133828
STARTING WATTS // 3650
RUNNING WATTS // 3300
VOLTAGE // 120V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // ELECTRIC / RECOIL
FUEL TANK VOLUME // 1.8 GAL
RUN-TIME // UP TO 10 HRS (@25% LOAD)
DECIBLES // 58 dB (@7m @25% LOAD)
CARTON L*W*H // 26.6" x 18.9" x 19.3"
GROSS WEIGHT // 103 LBS.
UNIT WEIGHT // 91 LBS.
UNITS PER PALLET // 16
UNITS PER CONTAINER // 320 / 40HQ

CONTROL PANEL
(2) 5-20R 20A-120V
(1) TT-30R 30A-120V RV READY
(1) DC OUTLET 8.3A-12V
(1) USB OUTLET 2.1A-5V



BEST USED FOR



W03383




3650 / 3300 WATT REMOTE START
INVERTER PORTABLE GENERATOR
EPA CARB AND cETL CERTIFIED

FIRMAN[®]
POWER EQUIPMENT

8716 WEST LUDLOW DR. SUITE #6
PEORIA, AZ 85381
1-844-347-6261
WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876133835
STARTING WATTS // 3650
RUNNING WATTS // 3300
VOLTAGE // 120V
FREQUENCY // 60Hz
ENGINE TYPE // OHV
STARTING SYSTEM // REMOTE / ELECTRIC / RECOIL
FUEL TANK VOLUME // 1.8 GAL
RUN-TIME // UP TO 10 HRS (@25% LOAD)
DECIBLES // 58 dB (@7m @25% LOAD)
CARTON L*W*H // 26.6" x 18.9" x 19.3"
GROSS WEIGHT // 104 LBS.
UNIT WEIGHT // 91 LBS.
UNITS PER PALLET // 16
UNITS PER CONTAINER // 320 / 40HQ

CONTROL PANEL
(2) 5-20R 20A-120V
(1) TT-30R 30A-120V RV READY
(1) DC OUTLET 8.3A-12V
(1) USB OUTLET 2.1A-5V



BEST USED FOR





WHO3041 & WHO3042 SAME UNIT.

WHO3041 RECOIL START / WHO3042 ELECTRIC START

WHO3041


GAS: 3300 / 3000 WATT - LPG: 3000 / 2700 WATT RECOIL START
 DUAL FUEL INVERTER PORTABLE GENERATOR
 EPA CARB AND cETL CERTIFIED



8716 WEST LUDLOW DR. SUITE #6
 PEORIA, AZ 85381
 1-844-347-6261
 WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876130414
GAS STARTING / RUNNING WATTS // 3300 / 3000
LPG STARTING / RUNNING WATTS // 3000 / 2700
 VOLTAGE // 120V
 FREQUENCY // 60Hz
 ENGINE TYPE // OHV
 STARTING SYSTEM // RECOIL
 FUEL TANK VOLUME // 1.8 GAL
 RUN-TIME // UP TO 10 HRS (@25% LOAD)
 DECIBLES // 58 dB (@7m @25% LOAD)
 CARTON L*W*H // 28.7" x 18.9" x 19.3"
 GROSS WEIGHT // 108 LBS.
 UNIT WEIGHT // 90 LBS.
 UNITS PER PALLET // 16
 UNITS PER CONTAINER // 256 / 40HQ

CONTROL PANEL
 (2) 5-20R 20A-120V
 (1) TT-30R 30A-120V RV READY
 (1) DC OUTLET 8.3A-12V
 (1) USB OUTLET 2.1A-5V



BEST USED FOR



WHO3042


GAS: 3300 / 3000 WATT - LPG: 3000 / 2700 WATT ELECTRIC START
 DUAL FUEL INVERTER PORTABLE GENERATOR
 EPA CARB AND cETL CERTIFIED



8716 WEST LUDLOW DR. SUITE #6
 PEORIA, AZ 85381
 1-844-347-6261
 WWW.FIRMANPOWEREQUIPMENT.COM

UPC // 840876130421
GAS STARTING / RUNNING WATTS // 3300 / 3000
LPG STARTING / RUNNING WATTS // 3000 / 2700
 VOLTAGE // 120V
 FREQUENCY // 60Hz
 ENGINE TYPE // OHV
 STARTING SYSTEM // ELECTRIC / RECOIL
 FUEL TANK VOLUME // 1.8 GAL
 RUN-TIME // UP TO 10 HRS (@25% LOAD)
 DECIBLES // 58 dB (@7m @25% LOAD)
 CARTON L*W*H // 28.7" x 18.9" x 19.3"
 GROSS WEIGHT // 108 LBS.
 UNIT WEIGHT // 90 LBS.
 UNITS PER PALLET // 16
 UNITS PER CONTAINER // 256 / 40HQ

CONTROL PANEL
 (2) 5-20R 20A-120V
 (1) TT-30R 30A-120V RV READY
 (1) DC OUTLET 8.3A-12V
 (1) USB OUTLET 2.1A-5V



BEST USED FOR





At FIRMAN, we feel that it's not enough to be "as-good" as the competition, so we strive to be better in every way that matters to our customers. After conducting extensive research into what our customers really want in a portable generator our conclusions were no surprise. Our extensive research indicated you want more power, bigger fuel tanks, longer run times, and excellent customer support. We engineered our generators with these customer desires in-mind by providing independently certified, industry-leading power output. We increased our fuel tank sizes to be over 25% bigger than our competition in every category. Bigger tanks means longer run times; 12-14 hours on every gen without refueling! We also didn't hesitate to provide an incredible 3-year warranty on all our gens, backed by our skilled service and parts department located in Phoenix, Arizona.

