GOVERNMENT OF BERMUDA

Ministry of the Environment & Sports

Department of Environmental Protection APPLICATION TO IMPORT PESTICIDES

(In accordance with the Agriculture Act 1930, Amendments Act 1971)

1.	Applicant:							
2.	2. Pesticide Trade Name and Manufacturer's Number (From Supplier's Catalogue or Website):							
3.	Active Ingredients (as they appear on the label) Percentage (%)							
4.	4. EPA Registration No. (as it appears on the label):							
5.	 5. Proposed Use of Pesticide (Please circle those which apply): (a) Retail /Home Use (b) Golf Course (c) Farm (d) Structural Pest Control (Professional) (e) Commercial Plant Nursery (f) Other (please specify): 							
6.	6. Type of Pesticide (Please circle those which apply): Insecticide Fungicide Herbicide Bactericide Algaecide Nematicide Molluscicide Rodenticide Other:							
7.	Pesticide Formulation (Please circle one of the following): (a) Solid (please specify): powder / granules / block / gel / other: (b) Liquid (c) Aerosol (d) Gas (e) Other:							
A copy of the <u>LABEL</u> and the <u>MATERIAL SAFETY DATA SHEET</u> for this product MUST be provided with this application. A website address with this information may be provided in lieu of this. PRODUCT LABEL – http://www.domyownpestcontrol.com/msds/MSDS%20Pheronet%20Pro-Pest%20CM%20Traps.pdf								
Signature: Date:								

For Department Use Only

	Ia	Ib	II	III	IV
	Extremely Toxic	Highly Toxic	Moderately Toxic	Slightly Toxic	Not Acutely Toxic
*Oral LD50 solid liquid	<5 <20	5-50 <40	50-500	500-5,000	>5,000
*Dermal LD50 solid liquid	<10 <40	10-100 40-400	200-2,000	2,000-20,000	>20,000
Inhalation LC50 mg/l			0.2-2	2-20	>20
Eye Effects at 7 days	Corrosive. Corneal opacity not reversible within 7 days	Corrosive. Corneal opacity not reversible within 7 days	Corneal opacity reversible within 7 days	No corneal opacity. Irritation reversible within 7 days	No irritation
Skin Irritation at 72 hours	Corrosive	Corrosive	Severe irritation at 72 hours	Moderate irritation at 72 hours	Mild or slight irritation at 72 hours
Signal Word (on label)	DANGER/POISON	DANGER/POISON	WARNING	CAUTION	CAUTION

*LD50 for adult rat (mg/kg body weight)	
---	--

e. Developmental or Reproductive Toxin:

Endocrine Disruptor: Acute Aquatic Toxicity:

50 1	ioi aduit	rat (mg/kg body weight)							
A.	Oral	LD 50:		Derma	al LD 50:				
В. 1	RESTR	CTED USE PESTICIDE: Yes	s/No _						
C.	C. Solubility in Water:								
	Persistence in the Environment:								
E.	Environmental Considerations:								
F.	RESTRICTIONS:								
G. P.A.N. Summary Toxicity Information:									
	a.	PAN Bad Actor Chemical:							
	b.	Acute Toxicity:							
	c.	Carcinogen: Carcinogenic I	Likely	Suggestive	Inadequate Info	Not Likely			
	d.	Cholinesterase Inhibitor:							

Action: Position: Signature: Date: _____