

Sales, Service, Installations, Parts Since 1987 604-980-8889 tollfree1-833-980-8889 sales@alpinecanada.com



36" ELISE DUAL FUEL RANGE

MODEL: SA-AEL361DF-COLOUR



In the re-imagining of the classic Elise design, AGA took its cues from the modern farmhouse movement itself. Rustic yet refined, the Elise blends old and new in masterful ways, both fresh and timeless, with just a hint of the exquisite.

Complimented by stunning new cruciform knobs with knurling, shipped standard in Brushed Nickel, but also available as after-market options in four additional versatile hardware finishes (Polished Chrome, Polished Brass, Polished Copper, Brushed Brass and Black Anodized Aluminum), the re-imagined AGA Elise confidently steps into the spotlight along side its classic AGA siblings.



BRUSHED NICKEL

STANDARD



POLISHED CHROME

SA-P072922PCH








BRUSHED BRASS

SA-P072918BBR



POLISHED BRASS SA-P072920PBR

SPECIFICATIONS



· Shipping weight (lbs): 390lbs (includes range, crate & pallet)

WARRANTY

 $\cdot\,2$ Year Warranty on parts and labor with exception of cosmetic damage

FINISHES

Fawn (0688)

NOTE: Colors not in stock could have a 4-12 week lead time (check for availability).


Ranges manufactured using Soho colors are only available with stainless steel fascia.

CLASSIC COLOR COLLECTION



Salcombe Blue (0693)

Cranberry (0658)



Piccadilly Red (0667)



Sales, Service, Installations, Parts Since 1987 604-980-8889 tollfree1-833-980-8889 sales@alpinecanada.com



36" ELISE DUAL FUEL RANGE

| General Properties | |
|---|---|
| Total Oven Capacity | 4.5 cu. ft. |
| Usable Oven Space | 28" W x 14" D x 14 ½" H |
| Cooking Mode | Multi-function Oven with 7 Cooking Modes |
| Cleaning Type | EasyClean™ Enamel |
| Controls | Knobs on fascia |
| Sealed Burners | Yes |
| Cooktop Performance | |
| Cooktop Dimensions | 35 ½" W x 21 ¾" D |
| Number of Brass Burners | 5 |
| Power of Left Front Burner | 12,000 BTU High; 2,400 BTU Low |
| Power of Back Left Burner BTU | 12,000 BTU High; 2,400 BTU Low |
| Power of Center Burner BTU | 17,000 BTU High; 3,400 BTU Low |
| Power of Front Right Burner BTU | 6,000 BTU High; 1,200 BTU Low |
| Power of Back Right Burner BTU | 12,000 BTU High; 2,400 BTU Low |
| Electrical Details | |
| Circuit Breaker (A) | 40A |
| Volts (V) | 240V |
| Frequency (Hz) | 60Hz |
| Plug Type | 4-prong NEMA 14-50P |
| Power Cord Length | 50" |
| Energy Source | Electric Oven and Gas Cooktop |
| Gas Type | Natural Gas with LP Conversion Kit included |
| Alternative Gas Type | Liquid Propane |
| Dimensions & Weights | |
| Appliance Dimensions | 35 ½" W x 27 5%" D x 36 1/16" H |
| Depth with Door Open | 44 5/16" |
| Weight | 306 lbs. |
| Shipping Weight | 390 lbs. |
| Package Dimensions | 49 ¹ / ₄ " W x 31" D x 46 ¹ / ₂ " H |
| Accessories Included | |
| 2 x Telescopic rack with runners 1 pastry tray 4 grates with burner heads | Toe kick, Anti-tip device, Handra 1 LP Conversion Kit |

OVEN FEATURES

- Multifunction oven with 7 settings including true European dual-convection cooking, fan-assisted baking, browning, thaw & serve, convection broiling, warming and conventional cooking
 - · Large 4.5 cu. ft. oven
 - · Two robust telescopic glide-out racks
 - Dual broiler system
 - · Includes cookware accessories
 - · One Pastry Tray

COOKTOP FEATURES

- 5 sealed brass burners provide for easy clean-up and prevent messy spills from reaching the oven or internal components
 - Powerful 17,000 BTU center burner is ideal for rapid boiling, wok cooking and large pots
 - · Three 12.000 BTU burners
 - · One 6,000 BTU burner can be turned down to a low 1.200 BTU simmer
 - Each burner is equipped with thermocouple safety mechanism
- · Continuous cast iron cooktop to smoothly slide cookware across burners without spillage
 - Locking mechanism secures grates in place during cooking
 - · Grates are easy to remove for cleaning
 - · Matte finish cast iron grates are easy to clean and won't discolor
- Stunning new cruciform knobs with knurling, available in a selection of versatile hardware finishes
- Convenient storage drawer stores cookware and even oven racks







36" ELISE DUAL FUEL RANGE

| Installation Clearance Dimensions | | |
|--|---|--|
| A - Gap between side of appliance and adjacent vertical surface ABOVE cooktop level | 4 1/2 " | |
| B - Gap between side of appliance and adjacent vertical surface BELOW cooktop level | ³ / ₁₆ " (U.S.) ¹ / ₂ " (Canada) | |
| C - Gap between cooktop level and any horizontal combustible surface | 31 1/2 " | |
| D - Maximum depth of cabinets installed above the top surface cooking sections | 13 " | |
| E - Minimum distance between horizontal surfaces less than dimension C | 35 ½" (U.S.) 36 3/8" (Canada) | |
| F - Minmum distance between horizontal cabinets and worktop surfaces adjacent to range | 18 " | |

