## STORM WATER POLLUTION PREVENTION

## AN ILLUSTRATED SERIES TO HELP PREVENT STORM WATER POLLUTION

©2015 Scott Environmental Services, San Clemente, CA 92673		(949) 454-1625	#SWIL-RWM55
Company Name:	Date:		

## **End of the Day: Site Clean Up**

In almost all work environments, whether they are in the office, working with foods, or on a construction site, at the end of the day workers are required to clean up their work space. This is an important aspect on a construction site, where some hazards should not be left exposed overnight. Combined with overall housekeeping, a closing checklist at the end of each day can ensure the construction site stays clean and safe.

The CGP (Construction General Permit) states that at the end of **each day** and before predicted rain events



several measures should be taken or in place. Other measures are recommended for improved site housekeeping.

CGP Required Actions	Recommended Actions	
All stockpiles (active or inactive) are bermed and	Site cleanliness should be inspected, materials	
covered if there is a possibility of rain.	should be organized.	
All stockpiles (active or inactive) are bermed.	Consolidate trash and clean up the site.	
All dumpsters or trash bins are covered with	Gravel bags/Fiber rolls are placed across driveways	
container covers or tarps.	and curbs.	
All equipment and vehicles are stored properly in	All tools are returned to their respective storage	
the proper staging area.	areas and stored safely. (Not leaning, or	
	precariously placed.)	
All vehicles or machinery (regardless of any		
apparent leaks) have drip pans underneath them		
to catch oil or run off if it has rained.		
All stockpiled materials are elevated off the		
ground. (often on wooden planks or pallets)		
If rain is predicted to occur, activities for the next		
day will need to be re-scheduled. Concrete pours		
and fertilizer applications cannot occur within 48		
hours of a rain predicted rain event.		
Concrete washouts are covered.		
All closed storage areas are secure and locked.		