



**Toyota LC200 2015-Present Runflat
Specifications
Assembly PN# LC200RF-DT**

Web: www.dimensiontek.com

Tel.: 614-638-2854

E-mail : info@dimensiontek.com

406 E Johnstown Rd. Gahanna, OH 43230

Cage: 7HX48

Runflat Assembly Components

- ❑ 18" Runflat, FINABEL 20.A.5
- ❑ 18"x 8", One Piece Forged Alloy Wheel, ISO/DOT
- ❑ LT265/65R18 123Q All-Terrain Tire , DOT
- ❑ Assembly rated to 3307 lb/1500kg

Runflat Assembly Specifications

Runflat Specification Met: 18"

- FINABEL 20.A.5, travel a total distance of 31mi/50km on the road (desirable: 46mi/75km), without tires coming off rims or starting to burn, and without its properties of steering maneuverability, stability or speed being seriously affected under the following conditions:
 - 2mi/3km at maximum speed (escape speed),
 - 6mi/10km at uniform speed of 31mph/50km/h,
 - The rest of the distance at a uniform speed of 16mph/25km/h
 - Runflat rated: 3307 lb/1500kg



Runflat Assembly Specifications

Wheel Specifications:

- 18"x8" Five Lug One Piece Forged Alloy Wheel.
- DOT Approved, Conforming to ISO MFG. standards.
- Rated to 3417 lb/1550kg



Runflat Assembly Specifications

Tire Specifications:

- Kenda Klever All-Terrain Tire - LT265/65R18 E 122Q
- Approval: DOT
- Ply: 10
- Load Rating: 122 3307 lb/1500kg
- Speed Rating: Q 99mph/159km/h
- Optional BFG KO2 LT265/65R18



Runflat Assembly Specifications

Assembly Estimated Size/Weight Each

- Size: 31.5"x 10.7" / 800mm x 272mm
- Weight: 112 lb./ 51kg



Dimension**tek**

Web: www.dimensiontek.com

Tel.: 614-638-2854

E-mail: info@dimensiontek.com

406 E Johnstown Rd. Gahanna, OH 43230

Cage: 7HX48