

Index of Subjects

- Abdomen, 198, 201-5, 207-8, 221, 232, 269
- Abdominal flattening, 193, 198
fat depots, 197
- Academic debate on human evolution, 116
establishment, 115-6, 118; hair-splitting, 134; response on AAT, 120
- Acheulians, 30
- Adaptation, 17, 91, 134-7, 145, 187, 194, 280, 311, 325, 331, 338
aquatic, 41-2, 75, 86, 92, 105, 179-80, 237-8, 252, 255, 261-3, 267, 283-7, 325-6, 331, 335, 339-40; bare-skin-and-sweat, 336, 338; cooling, 340; cultural, 280, 306; cultural water, 122, 281, 317, 326; human, 339; of cetaceans and pinnipeds, 284-5; of polar bear, 285; of sea-otter, 285; of sirenians, 285; postural, 231; respiratory, 237, 242-4, 338; savannah, 333-5; submersion, 288; tidal, 311
- Adaptationist programme, 133-5, 139
- Adaptive characteristics, 161
response, 242
- Adipocyte(s), 15, 197
biochemical properties, 197, 201, 206-7; volume, 197
- Adipose tissue, 15, 184, 193-216, 239, 259-60, 269; *see also* fat
abundance, 194-5, 202-4, 208-11, 269; accumulation in the older, 193; birds, 197; breeding season expansion males, 208; children, 195, 202; comparative anatomy, 193-5, 197-8; conductivity, 205; dimension measurements, 194-5; disproportionate growth, 195; distribution, 193, 197-204, 209, 211-16; energy store function, 205; experimental studies, 193-4; function, 193-4, 205-9; increase, 193; insulation function, 193, 205-8; pregnancy expansion, 204, 209; prehistoric abundance, 195-6; protection function, 193, 205, 209; shifts in anatomy/function, 193-4; support function, 205; thermal insulation, 193, 206; wild animals, 196-7
- Adipose tissue depots, 194, 197-208, 228, 337
anatomical origin, 197; discreteness, 197; homology, 197; intermuscular, 201; in obese people, 201; metabolic differences, 197; site-specific differences, 197-8, 212; species difference, 197; superficial, 193-4, 199, 201-2, 206-7
- Adolescence, 216
- Advocacy, 331
- Aegean Sea, 313, 321
- Aegir, 321-2
- Aerial respiration, 238
- Aerodynamics, 13, 221
- Afar hominids, 17, 29, 76
locality (AL), 3, 24-8, 31, 33, 76, 86, 101, 340

- Affinity with water, 115, 121, 318
- Africa, 16–17, 23–5, 30–1, 37, 39, 129, 144, 229, 286, 297, 309, 313, 334, 336
- African ancestry, 332
- apes, 83, 289; coast, 78, 181, 225; hominoids, 75, 77, 80, 84, 101, 103; (tectonic) plate, 24–6, 31; Rift Valley, 19, 26–8, 32, 36–8, 41, 51–3, 63, 66, 69, 70, 144; savannah, 16, 127, 135, 229, 338
- African Genesis*, 128
- Africans, 255, 257–61, 333, 335
- Agriculture, 15, 29, 313
- Agaiumbu (lake-dwelling) tribe, 123
- Aggression, 122
- AIDS, 16
- Ainu, 334
- Air breathing, 165, 310
- chemical composition, 316; compression, 316–17; currents, 13, 232; exposure, 311; flow, 230, 232, 241–2; layer trapped by coat, 179; 205–6, 231, 285; moistness, 336; pressure in lungs, 180; sac, 268; temperature, 227, 229, 248
- Airways, 14–15, 164, 238, 241–2, 267–8, 270, 279, 338
- closing in diving mammals, 240–2, 284; complaints, 318; cooling, 242; diameter reduction (temporarily), 241–2; evolution, 271; out of water/waterfree, 84, 164–5, 238, 240–2, 258, 267, 269; submersion, 239
- Algae, 44, 311–2
- Albert Basin (Western Rift), 131
- Alignment of human body hair/hair tracts, 221, 232
- Allen's Rule, 84, 91
- Allergic mucous membranes, 318
- Allopatry, 17, 37, 62
- Alveoli, 270–1
- Ama divers, 240, 248, 258, 304
- Amphibians, 7, 205, 266, 283, 291
- god Ea, 320
- Anableps anableps*, 309
- Anagenesis, 36, 62
- Analogy, 127–8, 230, 291
- Ancestor australopithecines, 101, 144, 274
- chimpanzees, 17, 175; hominids, 6, 11, 39, 195, 211, 221, 239, 266, 334, 341; human, 16, 19, 30, 82, 90, 145, 190, 193–5, 267–9, 295, 332; of pinnipeds, 285; of polar bear, 285; vertebrates, 265; of whales, 283; possible, 24, 106; pre-mammalian, 269–70, 273
- Anchor chain severing, 315
- Ancient Egypt, 313, 318–20
- Greece, 313–14, 319; Romans/Rome, 313–14; writings, 308
- Angle, basicranial, 15
- spine/hindlimbs, 18, 20, 98, 295
- Anorexia, 194
- Antelope, 179–80
- Anterior extremities/forelimbs, 144, 147, 162, 284–5
- Anthropoid apes, 174–5
- early, 11
- Anthropoids, 7, 80
- Aorta ascendens, 291–2
- Ape(s), 7, 11, 17, 23, 26–7, 29–30, 57, 66, 112, 127, 131, 144, 150–1, 195, 250, 255, 277, 289–90, 334
- captive, 195, 337
- Ape/hominid split, 17, 19–20, 23, 28, 30, 41, 77, 129, 131, 286
- Aphrodite, 321
- Apnoea, 247, 249, 251
- Apocrine glands, 13, 20, 336
- reduction of, 20
- Appendages marine mammals, 224–5, 284
- Aqualungs, 317
- Aquanauts, 316
- Aquatic ancestor, 133, 142, 228, 255, 265, 307, 339
- adaptation, 42, 104, 224, 242, 267, 283–7, 288, 302, 331, 335, 339; adaptation disadvantage, 224–6, 228, 302; analogies, 129; activity, 137; ape, 18, 28, 39, 130, 178, 180, 223, 229, 237, 241–3, 255, 261, 281, 283, 286–7, 311, 318, 322–5; ape babies, 299–305; ape mothers, 299–305; auditory apparatus, 284; environment, 6, 97, 123, 238, 240, 244, 296–8, 316; habitat, 65, 237, 242, 280; life(style), 6–7, 17, 133, 164, 221, 223, 234, 294, 310, 333; man, 306–27; mammals, 3, 17, 20, 79, 86, 95, 174, 185, 190, 193–4, 205–6; 223, 226, 255–7, 260–1, 291–2, 311, 335, 337, 339, non-ape, 263–81; phase, 3–4, 7, 20, 23, 123, 127, 133, 136, 162, 164, 170, 229, 234, 239–40, 252,

- 259, 283, 294, 296–8, 299, 307,
318–19, 331–2; permanently, 310,
325; species, 17, 150, 174, 238, 250;
vision, 309
- Aquatic Ape hypothesis, 174–5, 178,
180–1, 221, 223
rejection, 181
- Aquatic Ape, The*, 5, 116, 121–2
- Aquatic Ape Theory (AAT), 4–9, 16–17,
21, 36, 39, 78, 115–24, 127–31,
133–9, 142–3, 145, 161, 164, 168,
170, 193–4, 205, 263, 283, 285–6,
288, 290–1, 293–5, 296, 306–7, 325,
331–3, 337, 342–3
absence of adequate refutation, 115–25;
gaps and parsimony, 170; AA
theorists, 119, 228–30, 255, 283, 336
- Arabian (tectonic) plate, 24–6, 31
- Arborealists, 127, 157
- Archaic longings, 318–19
- Architheutis*, 322
- Argonauts, 314, 321
- Aristotelian 'ladder of life' concept, 129
- Arm, 7, 29, 89, 91–2, 103–5, 168, 260–1,
338
- Artefacts, 195, 208
- Artiodactyls, 231
- Asia, 16, 105, 144, 332
- Asians, 334
- Aspiration, 270, 279
of water, 271–2
- Asphyxia, 238, 243
- Athletes, 184, 260
- Atlantic, the, 23–4
- Atlantis, 323
- Aurignacian, 175
- Australia(ns), 314, 334
- Australopithecines, 15, 28, 75, 78, 81, 84,
87, 91–4, 102–5, 117, 119, 144–8,
150, 153, 156–8, 161, 182, 228, 286,
334
gait, 75, 93, 117
- Australopithecus*, 17, 32, 63, 70, 75–6, 101,
112, 144, 156, 267, 332, 336
- Australopithecus afarensis*, 20, 28–30, 75–8,
86, 89, 98, 104, 119, 138–9, 170,
332–3, 340
bipedalism of, 30, 104
- Autonomic nervous system, 292, 338
- Axioma, 118, 124
- Babirusa, 17
- Baboon (*Papio*), 9, 11, 13–16, 36–7, 41,
48, 55–9, 62–3, 66, 69, 71, 83, 197,
201, 214, 266
marker, 16, 295; (retro)virus, 16
- Baby, 14–15, 180, 210, 227–8, 251, 280,
335
hairless, 18; summit metabolism, 228;
thermogenic capacity, 228
- Babylonians, 308, 320
- Back-to-the ocean/womb associations,
277
- Badger (*Meles meles*), 202–3, 207, 216
- Baracuda, 309
- Barnacles, 312
- Bathing, 3, 8–9, 179, 239, 278, 280, 318
- Bathyscaphe/sphere, 317
- Bats, 15
- Beach, 43, 49, 122, 311–12
- Beagle, The*, 308
- Behaviour, 17, 30, 36, 57, 122–3, 195,
215, 267, 276–7, 291, 331
- Beaver, 8, 11, 90, 179, 188, 229, 250
- Bending (moments), 148–9, 156–60
- Bergmann's Rule, 78
- Bi-acetabular diameter, 93
- Biological blunder, 187
debate, 138; roles, 147, 150, 156, 162,
169, 258
- Biomechanics, 161, 164
- Bipedalism, 9–12, 18–20, 29, 42, 67, 69,
90, 93, 102, 115–18, 122, 124, 138–9,
156–7, 162–4, 174–5, 183, 209, 214,
231, 288, 331–4
adaptation to, 30, 81, 98, 295, 333;
evolution, 117, 234; of pre-*afarensis*,
18, 104
- Bipedal hominid, 221
locomotion, 18, 104, 138, 145, 175,
312; pre-adaptations, 139; walking,
157, 161, 175, 181
- Birds, 205, 291, 319, 333, 340
- Birth, 10, 15, 41, 221, 251, 285, 302
canal, 212; under water, 243, 284–5
- Bite forces, 150, 153, 161
- Blacks, 6, 184, 239, 255, 257–61
- Blind Watchmaker, The*, 331
- Blood, 16, 18–19, 265, 272, 278, 288, 309
circulation, 225, 247, 292, 336; flow,
241, 247–8, 292; pressure decrease,
291; supply during diving, 292;
thickening, 336
- Blubber, 41, 65, 178–9, 206, 224, 284,
303
absence of, 285

- Body density, 95, 238, 258-9, 267-9
 composition, 197-8, 202, 211-12, 215, 255, 258, 260; hair, 20, 136-9, 175, 221, 230, 331, 334, 338; heat, 165, 223-234, 284, 336; mass, 224, 228, 238, 260-1, 284; morphology, 258; Paleolithic man, 175, 195, 202-3; salts, 336; shape, 143, 145, 147, 176, 195, 225, 255, 258, 261, 284-5; size, *see* Size; streamline, 221, 260; surface (ratio), 11, 223, 252, 269, 284; temperature, 14, 185-6; 190, 294, 336; temperature maintenance, 179, 284, 294, 338; weight, 10, 78, 147, 162-3, 239; weight reduction in water, 239
- Bones, 18, 28, 78, 147
 thickened, 82, 94, 105
- Boundary layer of air, 229
 of fluid, 223-4
- Brachiation, 12, 91, 93, 103, 105, 175, 181
- Bradycardia, 137, 241-2, 247-56, 291-2
- Brain, 7, 9-10, 79-84, 103, 161, 241, 247, 252, 276, 291-2, 332-3
 australopithecine, 148; coevolution, 150; cooling, 82, 186, 242; damage, 273; enlargement, 79, 117, 127, 221; heat-sensitivity, 79, 230; metabolism, 270; miniaturisation, 79, 81, 127; stem, 237, 242, 277; volume, 79-81, 150
- Breast, 15, 200-1, 203, 211-12, 215, 299-301, 337-8
 feeding, 210, 299-301, 305; shape, 299-301
- Breath-holding, 137, 238, 243-4, 247-8, 338
 abilities, 237-8, 244, 250; time, 244, 248-9, 251, 253, 303; voluntary, 237, 239, 243, 250-1
- Breathing, 9, 234, 241-3, 260, 284
 control, 20, 237-9, 242-4, 338-9; interval, 286; mouth, 14; reflexes, 241, 248; tube, 315-16
- Broca's area, 79, 81, 105
- Bronchioles, 240-1
- Broncho-constriction, 237, 241, 339
 experimental, 241
- Bronze Age, 312
- Bulbus olfactorius, 7
- Buoyancy, 17, 153, 225, 228, 237-8, 240, 242-3, 255, 258-60, 267-9, 277, 305, 310
 aids, 238-9; primate, 239
- Bushmen, 302-3, 332, 319
- Buttock, 15, 194, 200, 203, 211, 214-15, 299, 302-3, 337-8
- Byssus filaments, 311, 315
- Cadaver analysis, 195
- Caisson disease, 286, 309
- Camel, 12, 183, 187-90, 336
- Canoe, oldest, 313
- Canons of epistemology, 332
- Cap[tain Nemo, 316
- Capybara, 174-5
- Carbon dioxide, 242-3, 276, 288
 drive, 243; pressure, 240
- Cardiac adaptation to diving, 290
 arrest, 226, 291; morphology, 291; topography, 292
- Cardiovascular (experimental) changes, 241
- Carnivores, 80, 179, 187, 197-200, 204, 206, 269, 285
- Carotid rete, 12, 334
- Catarrhines, *see* Old World monkeys
- Cattle, 187, 291-2, 314
- Cerebral cortex, 237
- Cetacea (ns), 8, 75, 82, 87, 95, 174, 178, 185, 204, 206, 224-5, 229, 293-5, 291
- Challenger, The*, 308
- Channel swimmer, 180, 184, 258
- Chapelle-aux-Saints, 83
- Chest (volume), 180, 238, 242-4
- Children, 6-7, 98
- Chimpanzee, 3, 16, 37, 41, 53, 55, 58-9, 61-2, 80, 89, 92, 101, 148, 162, 175, 214, 228, 264, 288-9, 299, 334 (*see also Pan*)
- Choanae, 270
- Chronology, 101, 145, 161, 164
- Climatological changes, 70, 296-8
- Circadian cycles, 36, 59-60, 69, 191
- Cladogenesis, 37, 41, 62
- Cliffe, 36, 321
- Climbing, 97, 99, 149, 156, 168
- Clothing, 178
- Coarctatio aortae, 92, 292
- Coasts, 41, 42, 49-51, 57, 61-3, 66-7, 70-1, 229, 308, 311-2
 sandy, 43, 49, 311
- Coastal ape, 61, 66-70
 population, 326; productivity, 296-8
- Cognitive abilities, 150

- Cold adapted racial groups, 225–6
 exposure, 225, 247; receptors
 (triggering), 240, 247, 252, 338; water
 block, 225
 Collective unconscious, 319
 Colour camouflage, 12
 Communication (vocal), 17, 59, 65, 123
 Compression, 148
 Consensus, 117, 124, 319, 331–2
 lack, 115, 117, 124
 Continental drift, 24, 51
 shelf, 311
 Convection, 13, 232
 currents, 221, 232–3
 Cooling, 18, 179, 270, 293, 309, 317,
 334–5
 evaporative, 230; strategies, 12, 230
 Copulation, 8, 102
 Coral, 296–8, 315
 conditions, 296–8
 Core, 224, 228
 temperature, 206, 223, 225–6, 258, 290
 Counterflow current, 224–5
 system, 284, 289
 Courtship, 193, 208–9
 Cradle of manking, 25, 261
 Cranial capacity, 79–81
 endocast, 79, 102; shape, 82, 152
 Crawl, 274, 280, 338
 Creation Science, 128, 139
 myths, 120, 320, 331
 Crete, 313
 Cro-magnon man, 178
 Crocodile, 19, 39, 67, 75, 84, 174, 181,
 339
 Crustaceans, 30, 39, 42, 49, 75, 288, 312,
 339
 Cultural development, 306, 313, 319
 relationship with sea, 325
 Cutaneous sweat glands, 230–1
 Cystic fibrosis, 19

 Danakil Alps, 23–6, 32–3, 307
 Depression, 25–6, 32–3, 37, 51–2, 67,
 69–70, 119, 340; Island, 27–8, 30–1,
 295, 297, 307, 340; Horst, 25–7, 31,
 297; Strait, 26–7, 31
 Decompression, 95, 309, 317
 sickness, 309, 325
 Deer, 180, 199
 Dehydration, 14, 187, 336
 Deities, 320–1
 Dental apes, 145
 Dentition, 144–5, 150–1
 Depilation (artificial), 12, 136, 230
Descent of Man, The, 9
Descent of Woman, The 5, 115–17, 120–1,
 302, 306
 Desiccation, 27
 Desman, 179
 Devonian, 264, 266, 272, 278
 Dexterity, 10, 225
 Diet, *see* Food
 Digits, 10, 198
 Directional stability, 225
 Diurnal differences, 59, 190, 310
 Dive, free/skin, 317, 238
 pre-hyperventilation, 243; pre-
 preparation, 243, 248, 252
 Divers, coral, 304, 315, 326
 deep, 164–5, 285–8; fighting, 315–17,
 326; Indonesian, 252–3; occasional,
 251, 291; professional, 83, 240,
 248, 250–1, 258, 291, 304, 315,
 326; tropical, 252–3
 Diving, 17, 36, 44, 75, 81–4, 87, 95,
 104–5, 179–80, 223, 238, 240, 250,
 266, 306, 309, 314–18, 338–9
 adaptations, 237, 243, 252; bradycardia,
 241, 247–56, 291–2; capacities, 122,
 253, 284; commercial, 238, 243, 315,
 326; deep, 252, 284, 309, 314, 325;
 depth, 286; equipment, 308–9,
 316–17, 326; evolution, 238; fatalities,
 277, 315–16, 326; frequency, 286;
 interval, 240, 248; mammals, 17,
 240–1, 247, 250; physiology, 238;
 post-nausea, 309; primate, 180;
 productive, 243, 315; response, 241,
 331, 338; save, 243, 317; scuba, 317;
 seal pups, 291
 Diving reflex, 65, 67, 137, 164, 237,
 241–4, 247–53, 291, 294, 303, 339
 adaptive value, 252; evolutionary origin,
 251; temperature dependence, 252–3
 Diving time, 238, 250, 285–6, 310, 315,
 339
 dolphins/pinnipeds/whales, 286;
 humans, 286
 DNA, 16
 Dogs, 95, 162, 187–8, 268, 284, 286, 291,
 314
 Dolphin, 17, 79, 185, 188, 284–6
 evolution, 284
 Domestication, 81, 313
 Dormouse (*Glis glis*), 207

- Drag, 167, 169, 223, 257, 261
 Drawing, 175, 312–3
 Bushmen, 319; prehistoric, 195, 208, 302, 319–20
 Drinking, 187, 189
 Drowned cities, 323, 326
 Drowning, 243, 252, 263–7, 280–1, 326, 339
 evolutionary history, 265; of offspring, 229; near, 252; proneness, 80, 266, 276–7
 Dry season, 336
 Dryopithecines, 53
 Dugong, 15, 44, 284, 289
 Dutch Association of Physical Anthropology, 306

 Ear, 7, 179–80
 ache after diving, 286; external (loss), 179, 285–6; blood supply, 286; drums, 315; exostoses, 83, 105–6; perforation, 315, 326; pressure, 286
 East Africa, 144, 181, 255, 296
 fossils, 127, 135, 144
 East African Hominid Origins School (EAHOS), 127–8
 Eccrine glands, 13, 19–20
 (non)volar, 13, 319; sweating, 14, 188, 190, 294–5
 Echinodermata, 312
 Echolocation, 59, 284
 Ecological environment, 17
 pressures, 255; viability, 226
 Ecology, 195, 267, 223, 340
 Ecosystems, 36, 42, 312
 Elephant, 87–88, 183, 190, 335
 Enamel of teeth, 101
 Endothermic species, 185, 270
 Endurance running, 10, 184
 Energetic costs, 11, 79, 210–11, 223–5, 257–8, 273
 of wading, 257
 Energy, 161, 165, 168–9, 258
 hominid budget, 225–6; output, 11, 259; saving, 186, 239; storage for reproduction, 193, 210–11
 Environmental changes, 123, 136, 280
 Epigamic marker, 11
 Epiglottis, 14
 Epistemology, 332, 342
 Equilibrium, 9–10, 18
 Erect posture, 3, 183–4, 274, 279
 Erythrocytes, 288
 Eskimo, 203, 208, 314
 Ethnic factor, 6, 184, 239, 250, 258, 260–1
 Ethiopia, 37, 77, 332, 340
 Ethiopian escarpments, 27–8, 31–3
 Ethogram, 53, 63
 Ethosystem, 61, 71
 Eurasia, 25, 129
 Eurasian (tectonic) plate, 24
 European Sociobiological Society (ESS), 306
 Europe, 144
 Eutherian mammals, 225–6
 Evaporative cooling, 221, 230–1
 cutaneous, 230; respiratory, 230–1
 Evidence, fossil, 105, 139
 geological, 23; missing, 139; molecular, 101, 103; palaeontologic, 30, 101, 136
 Evolution, 19, 30, 115, 134–6, 139, 150, 161, 164, 194, 266, 269, 319, 336, 340
 aerial respiration, 238, 283; aquatic mammals, 283–287; convergent, 17, 19–21, 273; hominid, 61, 134–5; human, 3, 6, 16, 21, 30, 133, 144, 175, 221, 229, 319, 336; speech, 17, 79, 81, 339; parallel, 21
 Evolutionarily Stable Strategy (ESS), 41–2, 67
 Evolutionary agenda, 122, 133
 basis of mores, 19
 changes in adipose tissue, 194
 history, 99, 133, 145, 193, 223, 264, 283, 286; hypothesis, 238; theorists, 6, 115, 118, 193, 283; theory, 36–7, 62–3, 119, 332; theory outsiders, 135, 139; tree, 77
 Exercise capacity, 194, 255, 258–9, 260
 expiration, 242
 Extremities, 165, 225, 284
 temperature, 224
 Eye, aerial, 309
 salinity adaptation, 284

 Fables, 326
 Face cooling, 242, 247
 immersion, 241–2, 244, 247–50, 338–9; mask, 241, 315–6
 Facial cold receptors, 247
 expression, 240
 Faeces, 188
 Falsifiability, 332
 Fat, 3, 15, 184, 224, 239, 259–60, 269; *see*

- also adipose tissue
 density, 82, 95; depots, 194, 228, 337;
 see also adipose tissue depots; depots
 poikilothermic vertebrates, 205;
 depots sex differences, 200, 239, 299,
 302–5, 337; distribution, 337;
 insulation, 193–4, 228, 302; internal,
 203; loss and infertility, 194; non-
 seasonal deposits, 20; stores, 15;
 subcutaneous, 3, 6, 179, 337;
 superficial, 203; thickness, 338
 Fata Morgana, 323
 Fatness humans, 204
 young women, 193, 202–4;
 measurement, 200
 Fears for the sea, 319
 Feeding strategies, 284
 Feminism, 120, 124
 Femur, 85, 93, 101, 198
 Fertility, 210, 213
 hour-glass figure, 214, 303
 Finger, 30, 145, 225
 manipulative ability, 225; sensitivity, 225
 Fire, 27, 123
 Fish, 7, 39, 42, 51, 75, 205, 283, 306,
 311–2, 319, 339
 Fishing, 318–20; see also diving
 Fitness, 134, 339
 Flexibility, 10
 Flippers/fin paws, 284–5
 Floating devices, 266–7, 306–7, 313
 Flood basalt, 26–7, 33
 Fluid (flow), 168, 229
 Foetus, 10, 221
 Food (diet), 11, 18, 27–30, 122, 145, 150,
 223, 265, 269, 294, 310, 333
 animal proteins, 127; chain, 44, cooked,
 27; sea, 17, 36, 39, 79, 295, 307–8,
 310, 314, 336; resources, 6, 17, 226,
 307, 310, 312, 340–1
 Foot, 6, 98–100, 102, 145–7, 156, 159,
 168, 198, 274, 333
 enslavement of the, 10; of *Proconsul*,
 147; webbed, 179, 285
 Foot (OH-8), 160
 Footprints (fossilised), 6, 30, 156, 332
 Foraging, 11, 13, 164, 179, 300, 313–14,
 333
 by wading, 69, 223, 265, 285, 287;
 male, 18, 182; nocturnal, 69, 229; on
 phytoplankton, 286; on the seabed,
 95, 225, 252
 Foramen magnum, 89, 153
 Force, 147–8, 152, 168
 Forest, 27, 127, 142, 145, 175, 187, 267,
 296, 337
 canopy, 16, 39, 61; dwellers, 118,
 habitat, 17, 23, 39; savannah
 transition, 37, 118
 Fort Ternon, 24
 Fossil(s), 15, 19, 28–9, 33, 37, 119, 142,
 146–7, 153, 194, 267
 evidence, 15, 20, 138–9; fauna, 19, 339;
 ‘first family’, 29; gap, 20, 28, 138,
 145, 182, 281, 340; hominid, 28, 32,
 76, 118; pre/protohominid, 28, 130;
 record, 23, 75, 99, 129, 142–3,
 228–9, 331; swamp algae, 19
 Founder effect, 295
 Four-eyed (aerial and aquatic) system, 309
 Freshwater environments, 145, 223
 tropical, 239; wetlands, 307
 Function, 145, 161, 164
 Functional adaptation, 148
 residual capacity, 260
 Fur, 12, 165, 174, 178–9, 193, 268, 285,
 302
 bearers, 179, 285; loss, 284–5, 293–5
 Fur seal (*Arctocephalus australis*), 185, 188,
 190, 292
 Fusiform body shape, 225

 Ganges, 130, 318
 Gas exchange, 238, 243
 Gazelle, 186
 Gasp response, 339
 Genes/environment issue, 123
 Genetic divergence, 17
 drift, 295; pressure, 261
 Genitals (female), 7, 288, 302
 Geological changes, 24–33, 283
 evidence, 129, 131; record, 127, 131
 Gerunuks, 183
 Gibbons, 39, 58, 61, 76, 83–4, 144, 175,
 181, 266, 268
 Giant lobster, 322
 octopus (*Architheutis*), 322
 Gills, 283, 310
 Glands aprocrine, 13, 20, 336
 cutaneous, 230–1; eccrine, 13, 19–20,
 336; epitrichial, 13; sebaceous, 20
 Glaucus, 323
 Glenoud fossa, 91, 104
 Glycolytic enzymes, 197
 Gorilla (*Gorilla*), 16, 37, 41, 55, 57–8, 62,
 75, 89, 101, 103, 160–2, 175, 214,

- 222, 288–9, 334
 /man chimpanzee split, 101
 Gravity, centre of, 152–4, 162, 165,
 205, 269, 310
 vertical, 18, 153, 156, 162
 Greece, 312
 Greenland, 314, 321
 Gregory Rift Valley, 130
 Grooming, 122, 179, 318–19
 Guinea-pig, 198–200, 268, 289
 Gulf of Aden, 24, 26, 38, 52, 67, 70
- Habitat, 6, 17, 20, 37, 291
 littoral, 311–12, 325; marine, 306;
 forest, 27, 337; reef, 297; savannah, 12,
 17, 267
 Hadar, 28, 32, 75, 101–2, 104, 332
 Haemoglobin dissociation curve, 288
 Hair, 3, 7, 12–13, 15, 85, 103, 167, 183,
 277, 334–5
 aquatic mother, 299, 302–3; colour,
 334; density, 162, 230, 334;
 distribution, 234, 335; early hominid,
 177; follicles, 13, 221; length, 334–6;
 loss/reduction, 9, 11–13, 15, 20, 41,
 174, 212, 221–34, 334–5;
 realignment, 221, 223; sparsity, 221,
 234; terminal, 175, 181; vestigial, 175
- Hairless baby, 18
 mammals, 335; species, 17
 Hairlessness, 6, 20, 115–18, 124, 136–9,
 174–5, 178–80, 193, 279, 288
 evolution, 65, 183, 231; (feature-
 specific) explanation, 118, 124, 230
- Hair tracts, 221–3, 232
 alignment, 221, 231; direction, 7,
 175–8, 229, 234; foetus, 232,
 orientation, 221–34; patterns, 232
- Hamadryads, 11; *see* savannah baboons
 Hamster (*Phodopus sungorus*), 202, 207,
 336
 fat sex difference, 202; fertility, 202;
 increase superficial fat depots, 202;
 lipid synthesis, 207
- Hand, 85, 92, 103, 147, 168, 198, 274
 blood supply, 225; freeing of, 10, 12,
 333; grip, 29; of ape, 10; of monkey,
 10; of *Proconsul*, 147; webbed, 7
- Handhuse, 150
 Harbour-seal experiment, 241–2, 250
 Harem-forming mammals, 208
 Head, 18, 153, 208, 247
 aquatic adaptation, 84–5, 285
- Heart, 241, 291–2
 auxiliary, 291; pathology, 290–3; rate,
 180, 249–50, 291; rate reduction
 (experimental), 241, 247, 250
- Heat, 12, 191, 334
 accumulation, 284; dissipation, 230–1;
 endogenous production, 223, 284;
 insulator, 179; load, 231;
 mid/noon/day's, 11, 333; regulator,
 19; retention, 205; stroke, 14, 186;
 transfer, 223; trap, 335
- Heat loss (body), 165, 174, 179, 205, 224,
 230, 269, 289–90, 317, 325–6, 333–6
 evaporative, 230; in whales, 284; rate,
 224, 230; reduction, 224
- Hedgehog (*Erinaceus europaeus*), 185, 207,
 337
- Heel bone, 98
 Heather Bleather, 323
 Herbivores, 87
 Hercules, 314
 Hernia, inguinal, 10
 Heterothermy, 224–5
 Hibernators, 15, 207, 337
- Hind limb, 94–8, 144–7, 156–7, 161–7,
 183, 190, 207
 loss of, 284–5; dominated, 162–3; of
Proconsul, 147
- Hindu, 318
 Hip, 156, 168, 193, 261, 299
 Hippopotamus, 6–7, 30, 39, 75, 87, 91,
 174, 179, 184–6, 206, 224, 229, 285
- Historians, 315
 Hogger (Central Sahara), 319
 Holocene, 26
 Home-base living, 333
 Homeothermy, 223
 Home ranging, 36, 57, 66–7
- Hominid ancestor, 6, 9, 11, 29–30, 280,
 334
 evolution, 15, 23, 61, 75, 143, 145, 151,
 155, 175, 194, 214, 252, 306, 331;
 females, 12, 333; fossils, 28, 32, 76;
 hair, 234; males, 333; skeletal
 anatomy, 134
- Hominids, 10, 13–15, 19–20, 23, 28, 30,
 118, 129, 131, 133, 136, 221, 223,
 228, 231, 234, 237–9, 266, 336, 338
 early, 78, 104, 120, 148, 181, 226–30,
 259, 312, 332–3, 336, 340
- Hominisation, 152, 169
 Hominoids, 23, 39, 75, 80, 144
 Hominoid locations, 129

- speciation, 23
Homo, 7, 11–12, 16, 19–20, 24, 30, 63, 70, 86, 158, 228, 237, 268
 early, 75, 79, 181, 228, 253; *erectus*, 16, 32, 75–112, 144, 146, 161, 313, 336; *habilis*, 32, 76, 82, 86, 91–2, 99, 117, 119, 228, 336; *neanderthalensis*, 76, 106; *see also* Neanderthal man; *sapiens*, 9, 11, 16, 30, 89, 195, 228, 237, 252, 259, 270, 312
 Homology, 128, 195
 Humans/man, 3, 7, 10, 15, 17, 21, 83, 99, 101, 150, 160, 178, 186, 190, 194, 221, 225, 255, 261, 264–6, 268, 275–6, 288–9, 291–2, 317, 334, 338
 Human adaptation, 339
 affinity with water, 122–4, 169, 265, 280, 294; aquatic potentials, 226; nose shape, 240
 Human evolution, 3, 6, 16, 133, 142, 144, 175, 191, 193, 221, 229, 319, 336
 1972 consensus, 117, 121; forgeries, 116; research, 116–17, 120; theorists, 118, 121, 124, 299
 Humerus, 82, 91, 95, 103, 198
 Hunting, 10–11, 70, 79, 117, 150, 153, 182, 185, 237, 319
 Hunting-dog, 183, 188
 Hunter-gatherers, 70, 195, 257
 Hydrodynamic adaptation, 223–4
 advantages, 221, 223, profile, 224
 Hydrophilia, 122–4, 169, 265, 280, 294
 Hydrophobia, 134, 251, 265, 295
 Hyena, 334
 Hydrostatic pressure, 238
 Hymen, 289
 Hypercapnia, 238
 Hyperthermia, 224, 229–30, 303
 Hyperhydrosis, 190
 Hyperventilation, 243, 248, 276
 Hypothermia, 224, 226, 270, 277, 326
 Hypothesis, 134, 164, 170
 bare-skin-and-sweat, 336; testing, 332; thermoregulatory, 230–1; weapon-carrying, 10
 Hypothyroidism, 97
 Hypotrichosis corpus, 190; *see* nakedness
 Hypoxia, 238, 241, 243, 277
 Ice Age, 195, 298
 Iceland, 314
 Identifiability at skeletal level, 119
 Ilium, 18, 101, 200
Iliad, 315
 Innermost thoughts, 319
 Immersion, 194, 206, 225–8, 242–3, 250, 265, 270, 286
 ritual, 123, 318–19
 Impulse transmission, 225
 Inbreeding, 59
 Incus bone, 102
 India, 130
 Indian Ocean, 181, 315
 Indonesia, 252
 Indus, 130
 Infant, 12, 15, 41, 62, 227–8, 240, 280
 dependency, 18, 213; homothermy, 228; sudden death syndrome, 14; warming of, 229
 Insectivores, 179, 197, 268, 274
 Instability of body, 18
 Inspiration, 242, 244, 248, 269–70
 Insulation, 15, 17, 194, 205–7, 224, 229, 255, 260, 277, 284, 303, 335, 338
 Intelligence, 81, 135
 Interbreeding, 17
 Intervertebral disc, 10
Intra vitam remodelling, 147
 Invertebrates, 44, 311
 Iraq, southern, 30
 Island, 17, 23, 25, 39, 181, 253, 320
 biological, 27; evolution, 63, 295, 307; geographical, 27; migration to, 313
 Isolation, geographic, 17, 119
 intellectual, 121
 Jackal, 334
 Jason, 314
 Java, 313
 Jelly fish, 309
 Joint, 147–9, 156, 169, 274–6
 metatarso-phalangeal, 159
 Just So Story, 133, 138–9
 Kamasian pluvial, 130
 Kanapoi humerus, 76–7, 91
 Kangaroo, 89, 183, 188–9
 Kayak, 319
 Kenya, 42, 130, 336
Kenyapithecus, 130
 Kidney, 7, 19, 187, 189
 salinity adaptation 284
 Kiik Koba skeleton/child, 91
 Kinetic energy, 161
 Kiwi, 257

- Knee, 96, 104, 156, 165
 bipedal posture, 193, 200; joint, 156, 165
- KNM-ER 813, 99
 1470 skull, 77, 86; 1481 knee, 97
- KNM-WT 15000 skeleton, 77, 93
 17000 skull, 77, 86
- Knuckle-walking, 91-2, 103, 175
- Koobi Fora (footprints), 28, 76-7, 99
- Kraken, the, 322
- Kronos, 320
- Labia majora/minora, 289
- Lactation, 210, 212, 337
- Lactic acid, 247
- Lacustrine sediments/strata, 130-1
- Laetoli site, 28, 76, 98, 104, 156, 332
 footprints, 30, 98
- Lagoons, 36, 39, 42-6, 50, 61, 66-9, 75
- Lake, 28-9, 75, 82, 122, 130, 139, 145, 313, 341
 dwelling tribe, 123; shore environment, 30, 229, 336, 339
- Lake Turkana, 28, 76, 339
- Lake Victoria, 144
- Land bridge, 23, 183, 313
 life advantage, 229
- Lanugo, 221
- Laryngeal descent, 14-15, 17, 20
- Larynx, 14-15, 17, 79, 164, 240-1, 170
- Lava, 26-8, 39
- Laws of growth, 134
 of pressure, 316
- Lean body mass, 259
- Legends, 306-7, 318-23, 326
- Legs, 11, 18, 29-30, 93-4, 119, 139, 175, 232, 257, 261, 338
- Leitmotiv, 320
- Lemur, 59, 148, 266
- Leopard, 174, 181
- Lesser apes, 144-5
- Leviathan, 322
- Lifestyle, arboreal, 157
 aquatic 17, 164, 234
- Limbs, 91-2, 96, 101, 144-5, 179, 222, 225, 228, 273, 276
 arteries, 284, 289; movements, 94, 243, 274; musculature, 94, 123; proportions, 137-9, 165, 193, 198, 228; reduction, 174, 178-9, 224
- Lipid stores, 205
 turnover, 197, 207
- Locomotion, 142, 147, 165, 273-7
- aquatic ape, 258; bipedal, *see* bipedalism; in water, 18, 223, 255-62, 273, 284, 286, 314; on land, 18, 224, 231; pinniped, 178, 285, 292; quadrupedal, 147; 175; semi-arboreal/terrestrial, 142
- Lordosis, 153-5
- Loss of body hair, *see* Hair loss
 of body heat, *see* Heat loss; of Peking Man/Mikulov Castle material, 116; of sternum, 284; of tail, 41
- Lucy, 13, 29, 75, 89-93, 96, 98, 102-5, 138, 161, 332, 340
 gait, 30, 117; foot, 29; skeleton, 138
- Lucy in Disguise*, 29
- Lukeino, 131
- Lumbar region, 10
 spine, 153
- Lumbo-sacral angle, 93, 104
- Lungs, 14, 17, 89, 95, 165, 180, 242, 268, 273, 309-10, 339
 breathing, 283; capacity (total), 260; collapsing/inflation, 248, 284, 326
- Lung volume, 237, 239, 241-2, 259-60, 288
 ethnic difference, 239; marine species, 239, 286; selective difference, 239; sex difference, 239
- Macaca* monkeys/Macaque, 53-4, 93, 180, 197, 243, 251, 275
- Madagascar, 39, 181
- Maelstrom, 322
- Makapansgat, 28
- Malfunction, skeletal, 18
 vascular, 18
- Malaria, 16
- Mammal, 162, 201, 211, 240, 270
 aquatic, 17, 174, 178, 224; amphibious, 229; cursorial, 41, 162, 200; (deep)diving, 82, 285-7, 288; marine, 41, 44, 224-5, 241; quadruped, 198, 200; semi-aquatic, 17, 174, 179; terrestrial, 9, 13-15, 79, 133, 224, 241; wild, 196-8, 202, 204
- Mammalian norm, 19
 site-specific pattern fat depots, 197
- Mammary glands, 211-12, 284
- Man-ape difference, 288
- Man-chimpanzee split, 101
- Manatee species, 44, 284
- Mangrove, 36, 39-44, 49-50, 104
- Maternal investment, 15

- Mare nostrum*, 314
- Marine biologist, 3, 36, 317, 337
- ecosystems, 39, 42, 71, 307; (shore)
 - environment, 223, 283, 306, 340;
 - food resources, 17, 83, 252, 296–8;
 - geochemistry, 310; history, 312;
 - immortals/mystic creatures, 310, 323;
 - invasion, 326; knowledge, 308, 326;
 - mammals, 59, 87, 184, 205, 225, 247, 251, 288–9; sediments, 130, 284;
 - stations, 308; wetlands, 36, 42
- Maritime forces, 313
- voyages, 314
- Marsh(es) 6, 29, 340
- dwellers, 29–30, 119, 124;
 - freshwater/lakeshore, 340; fossil-ape (*Oreopithecus*), 18–9; hunting, 340;
 - sea-shore, 340; waders, 36, 119, 124, 164–6, 340
- Marsupials, 179, 183, 187
- Mating behaviour, 8
- humans, 193; pinnipeds, 178; polar bear, 285; sea-otter, 285; selective, 337
- Mechanical function, 147, 165, 169–70
- stress, 147
- Mediterranean Sea, 24–6, 67, 283, 294, 313
- proto-, 24
- Medullary mechanisms, 243
- stenosis, 94
- Membrane composition, 225
- Menarche, 212
- Meniscus, 97, 104
- Menstruation, 215
- Mental disorganisation, 309
- inheritance, 319
- Meridional ape, 11
- Mermaids, -men, 322–3
- Mermaid, The Little*, 323
- Mesodon, 6
- Messinian (latest Miocene), 24–7
- Metabolic changes (experimental), 241
- cost, 231, 243; disorders, 195; gas exchange, 242; rate, 79, 225–6, 270
- Metabolic heat, 227, 231
- dissipation, 229; production, 223
- Metabolism, 225–6, 259
- anaerobic, 247; basal, 79; lethal limit, 224; summit, 224, 226; reduction, 252
- Metapodia(ls), 147, 169
- Metatarsals, 160
- Meysida, 131
- Microplate, 25–6, 31
- Middle Ages, 308
- Migration, 313–14
- Milk, 122, 210–11, 284–5, 299
- Minos, 313
- Miocene, 24–6, 33, 41–2, 51, 72, 129–30, 137, 144–6, 150–1, 264, 286, 296–8, 307
- apes, 127, 131, 144, 148, 307; aquatic ape, 31, 283, 296–8, 318, 325; drought period, 296–8; progenitors, 293, 326
- Miocene-Pliocene boundary, 24, 26
- apes 31, 333
- Model hominid, 233
- Modern fashion, 178
- Mitochondrial Eve, 30
- Molecular phylogeny, 129
- Mole-rat, 183, 185, 190
- Monkey, 39, 57, 75, 84, 87, 89, 105, 147, 150, 197–8, 204, 214, 250, 263–7, 274, 289
- cercopithecine, 195
- Monogamy, 70, 122–3, 333
- Monogamous mammals, 11
- Monotremes, 179
- Monte Circeo skull, 86
- Morphogenetic mechanism, 147
- Moslems, 318
- Motor habitats, 157
- Motor habits, 168, 273, 276
- Moustier skull, 86
- Mouth, 79, 269, 310
- breathing, 14, 270, 279
- Mucous glands, 7
- Murex*, 315
- Muscle (various), 7, 79, 81, 153, 198, 200–1, 208
- activity, 185, 226, 228, 247, 284, 304; contraction speed, 185, 225; force, 153, 165, 260
- Musk-rat, 250, 292
- Mussel, 340
- Myths, 306–7, 318–23, 326
- Nachola, 130
- Naked Ape, The*, 5
- Naked ape, 181
- hominids, 221; skin, 3, 12, 233–4, 229–32
- Nakedness, 12, 183, 190, 302; *see also* Hairlessness
- human near, 174; misconception, 230

- Nasal cartilage, 7, 86–7
 chambers, 12, 88; influx of water, 87,
 238–40; mucosa, 240, 318;
 musculature, 240; obstruction, 240;
 passage, 14–15, 17; resistance, 240;
 swelling, 318
- Nasalis larvatus*, see Proboscis monkey
- Nasopharynx, 237, 240, 242
- Natural convection, 232–4
 selection, 134–5, 139, 216, 331, 337
- Nature of scientific argument, 331
- Nature-nurture dichotomy, 280–1
- Navigation, 308, 314
- Neanderthal man, 75–112, 129, 144, 146,
 161
- Netherlands, the, 307, 323
- Neocortex, 150
- Neo-Darwinian thinking, 145
- Neolithic man, 319
- Neonatal period, 12
- Neonate/newborn babies, 7, 15, 228, 241
- Neontology, 129
- Neoteny, 135
- Neptune, 320
- Nereus/Nereids, 320
- Neuromuscular system, 225
- New World monkey (Platyrrhines), 4, 7,
 53–4, 80, 266
- Niche, 41, 306, 340
- Nitrogen-intoxication, 309, 325
- Nixen (Wave maidens), 321
- Njord, 320
- Non-volar eccrines, 13
- Noonday heat, 11
 apes, 18
- Norsemen, 314, 322
- North Atlantic, 239
- North Sea, 325
- Nose, 85–7, 104–5, 237, 242, 310
 aquatic adaptation, 84–8; closing of seals,
 240; waterfree, 164–5, 267, 269; see
 also airways
- Nostrils, 65, 84, 165, 179–80, 269–70
 diving animals, 240, 284
- Nubian (tectonic) plate, 31
- Nutrient stores, 209
- Nutritional status, 204
- Nyanga Rift, 131
- Obese people, 201
 mammals, 202–4
- Obesity, prehistoric, 195–6
 sex difference, 202
- Obsidian (volcanic glass), 313
- Occipital/marginal sinus, 81
- Oceans, 307–11, 310
 'back-to-the' association, 318; currents,
 308; depth, 308; exploitation, 317,
 326; myths, 320; primeval, 320
- Oceanauts, 317
- Oceanography, 308
- Oceanographic institutes, 308
 physics, 306
- Octopus, giant (*Architheutis*), 322
- Odysseus/Odyssey, 314–5, 321
- Oesophagus, 20, 240
- Offspring, 12, 214
- Old World, 23, 130
 monkeys (Catarrhines), 4, 39, 41, 53–4,
 57, 61, 78, 80, 266
- Olduvai Gorge, 28, 117, 160
 site (OH), 76; OH–8 foot, 99, 156;
 OH–7 hand, 92; OH–62 skeleton, 77,
 91, 119; OH–10 toe bone, 99
- Olfaction, 14, 87
- Olfactory organ, 7, 88, 240
- Oligocene, 24, 270, 274
- Omentum, 216
- Omo River/Valley, 28
 L–40–19 ulna, 103
- On Becoming Human*, 120
- Ontogeny, human, 15
- Optimality, 37, 61, 70
- Orange Free State, 319
- Orang-utan (*Pongo pygmaeus*), 55–6, 58,
 61, 80, 83, 91, 94, 97, 104, 162, 334
- Oreopithecus*, 19, 130, 199
- Orientation of hair (tracts), 221, 232
- Orpheus, 321
- Orthograde posture, 153, 168
- Osmolality, 271–2
- Osmotic pressure, 180
- Otokimi (sea goddess), 231
- Otter species, 42, 179
 freshwater (*Lutra lutra*), 285; sea
 (*Enhydra lutris*), 41, 61, 78, 87, 105,
 248, 285–6
- Otter (water) shrew (*Potamogale*), 7, 179
- Outsider of (hard) science, 121, 124
- Overheating, 185, 187, 284, 336
- Overpopulation, 314, 326
- Oxygen level, 276–7, 312
 conservation, 247, 251; consumption
 reduction, 241, 251, 277;
 deficiency/depletion, 252, 273, 288,
 291, 339; dissociation curve, 288;

- poisoning, 309; (net) uptake, 256–7, 309; supply, 286
- Oysters, 340
- Pachyderms, 20
- Pacific, 23, 308, 314
- Paddling, 94, 243–4
- Pairbond, 18
- Pakistan, 130
- Palaeolithic, 144, 146, 178, 195–6
- Palaeontological establishment, 116–9, 281
- Palaeontology, 20–1, 274, 283
- Palate, 14
- Pan*, 75, 80, 92, 100–3; *see also* chimpanzee
- P. troglodytes*, 53, 80, 148, 228
- Panda, giant, 105
- Papyrus rafts, 313
- Paradise, 321
- Paralyses after diving, 308
- Parental care, 213
- Parenthood, 216
- Parsimony, 143, 170
- Patas monkey, 9, 12–13
- Patella, 85, 97, 156
- Paunch, 198, 201, 208, 214, 216
- Pearl fishing, 315
- Pebble beach, 311
- stones/tools, 27, 92, 105
- Pegasus, 320
- Pelvis, 10, 18–19, 82, 85, 93–4, 102, 145, 154–5, 157, 161, 198, 212, 214, 302, 332
- angle, 10, 93; obstetric factors, 93–4; reorganisation, 119; shape humans, 198
- Pendulum, 161
- Penguin, 333
- Penis length, 289
- non-protruding, 284
- Permanent aquatic life, 284
- Phalanx, 99, 103, 147–9, 169
- Pharynx spasm, 19
- Philosophy of science, post-Kuhnian, 121
- Phonation, 242–3
- Phonatory breathing pattern, 242
- Phylogeny, 255, 264, 266, 270, 280–1
- Physiological adaptation, 180, 225, 253, 288
- Phytoplankton, 311
- Pig, 206, 268, 291–2
- Pigmentation, 6
- Pilo-erection, 12, 177–8
- Pittdown Man, 116
- Pinna nobilis*, 315
- Pinnipeds/ia, 41, 75, 82, 92, 99, 178, 185, 204, 206, 224–5, 229, 285, 290–1; *see also*, seal, sea-lion, walrus
- body size, 285; cardiac features, 291; diving capacities, 291; ears, 285; fin function, 285; plexus of veins, 284
- Plankton, 310
- Plantigradism, 6
- Platycephaly, 83, 105
- Platypus, 174
- Platyrrhines, 4, 7, 53–4, 80, 266
- Pleistocene, 42, 51, 70–1, 146, 195, 264
- Pliocene, 26–7, 31, 37, 39, 42, 51, 62, 64, 71–2, 117, 127, 133, 137, 145–6, 264
- drought, 37, 127; hominids, 121
- Plio-Pleistocene, 27, 130–1, 135
- Pluvial Theory, 127–8, 130
- Pneu, 164
- Pneumatisation of the skull, 84, 86–8, 104
- Polar bear (*Thalarctos maritimus*), 174, 206–7, 210, 285
- Pollen analysis, 29
- Polydipsia (thirst), 190
- Polynesians, 314
- Pongids, 119, 145, 154, 156
- Pongid-hominid period, 340
- Pongo pygmaeus*, *see* Orang-utan
- Popliteal, 200, 202
- Porpoise, 79, 284, 319
- Poseidon, 320
- Position in water horizontal, prone, vertical, 223, 310, 325
- Posture, 18, 147, 153, 198
- Potential, 161
- Potomogale*, 7
- Power stroke, 168
- grip, 29, 149
- Preadaptation, 134, 138–9, 231, 295
- Pre-*afarensis* period, 340
- Precision (hand) grip, 3, 29–30
- Predation/-tors, 27–9, 37, 57, 62–4, 67, 69, 71, 164, 174, 181, 213, 291, 295, 305, 333–4
- Pregnancy, 204, 210, 212, 337
- Pre-hominid, 174–5
- fossils, 130
- Pressure, abdominal, 242, 244
- (intra)thoracic, 244, 248; under, 316; upward, 310; pelvic 244
- Prey species, 334
- Primates, 3, 9, 12, 15–17, 19–20, 36, 42,

- 80, 150, 162, 165, 168, 180, 182,
193, 195-7, 200, 210, 221, 224, 251,
265, 274, 312, 334, 337-8
behaviour, 36; classification, 80; extant,
36; leapers, 162; marsh-wading, 119;
mothers, 12; sensory specialisation,
229; swimming, 36, 137; vision, 229
Primeval ocean, 265
Proboscis monkey (*Nasalis larvatus*), 40, 42,
53, 55, 57, 66, 75, 86-8, 104, 137
Proconsul, 144, 148
Prognostic value, 143
Prometheus Bound, 313
Pronograde posture, 153-4, 168
Propelling forelimb, 167
Proportion, 161, 163, 211
 apelike, 228; limb-body, 180
Propulsion, 167-9, 225, 274-5
Prosimians, 16, 53-4, 61, 265-6, 289
Proteus, 320
Pro(to) hominids, 119, 124, 283, 307
Proto Gulf of Aden, 25
 Mediterranean, 24; Red Sea, 24-5
Psychic weeping, 19
Psychoanalysts, 265, 277-8
Puberty, 203-4
Pubertal increase adipose tissue, 202-4
Pubic area, 13
Pulse rate reduction, 247-50, 291
Puppies, 241, 291
Pygmy chimpanzee (*Bonobo*), *see*
 Chimpanzee or *Pan*
- Quadruped, 7, 10, 89-90, 127, 147, 156,
198, 200, 231
Quadrupedal(ism), 9, 11, 147, 175, 333
Quaternary deposits, 26, 33
- Rabbits, 184, 286
Radiation, solar, 11, 162, 183, 229, 231-2,
317, 334
 ultraviolet, 12, 334-5
Radius, 85, 91-2
Rainfall, 39, 49, 297
Ran (Aegir's wife), 321-2
Ramapithecus, 32, 101, 117
Rape, 122, 124
Realms of speculation, 121
Recovery stroke, 167-8
Red Sea, 24-6, 33, 36-8, 42, 51-3, 63,
66-7, 70-1, 314-15
 proto-, 24-5; Series, 25-6, 32-3
Reefs, 43-4, 49, 67, 296-8, 321
 destruction, 297-8; fringing, 312, 325;
 productivity, 296
Reflex, 237, 240
 apnoea, 241; closure of human airways,
 338; early infant, 15; inspiratory drive,
 243-4; lacrimation/tears, 19
Regional heterothermy, 225
Releasing mechanism, 175, 178
Religion, 306-7
Renaissance, 308
Reproduction, 212-14, 216
 advantage, 333
Reproductive fitness, 214-15
Reptiles, 205
Respiration, 14, 17, 238, 241-3, 277
Respiratory adaptations, 238
 breaking point, 243; control, 17, 243,
 338; diving reflex, *see* Diving reflex;
 drive, 244, 339; function, 237-44,
 260, 338; rate, 239, 279, 286; volume,
 286
Resting metabolism level, 225
Rete (vascular network), 12, 224, 284
Retrovirus, 16
Rhesus monkey, 214, *see also* *Macaca*
Rhinitis, 318
Rhinceros, 174, 178-9, 183, 190, 335
Rib, 89, 101, 104
Rift Valley, *see* African Rift Valley
Rites, 313, 318
River, 28-9, 39, 75, 78, 122, 145, 313,
319, 341
 shore, 105, 229
River dolphin, 17
RNA genomes, 16
Rock painting, 319
 shores, 43, 49, 50, 66
Rodents, 179, 187, 197-8, 204
Roosting, 36, 57, 59, 60, 66, 69, 71
Rouquayrol-Denayrouze apparatus, 317
Running (bipedal, endurance), 9-10
Rusinga Island, 144, 147
- Sacrum, 93, 200
Sahara, 319
Sailing boats, 313
Sailors, 292, 313, 325
 drowned, -ing, 321, 323; guardian
 Kompura, 320; Phoenician, 314
Saline solution, 19
Salinity, 42, 44, 239, 259, 284, 298, 308,
310, 312
Salt depletion, 14

- deposits/sediments, 24, 26; equilibrium, 19; marshes, 36, 42, 49
- Salt water crocodile (*Crocodylus porosus*), *see* crocodile
- Samburou, 131
- Sand(y) beaches, 43, 49
- Saunas, 122
- Savannah, 9, 11, 13–14, 36–7, 41, 53, 63–5, 70–1, 78, 104, 118, 122, 135–6, 145, 169, 182, 185, 191, 229, 296–8, 334–5
- adaptation, 182, 333; arguments, 338; baboon (hamadryads), 11, 333; dwellers, 104, 118, 183; environment, 12, 15, 134, 142, 186, 190; hominid, 339; mammals, 187, 190, 230; primate, 12, 18, 333; species, 11, 186, 295, 334
- Savannah hypotheses, 135
- Savannah (origins) Theory (S.T.), 20, 37, 115, 118, 120, 124, 136, 142, 293–5, 336, 340
- axiomatic assumption, 118; empirical evaluation, 118; explanatory adequacy, 118
- Scala naturae, 129
- Scapula, 91, 104, 198
- Scavengers, 153
- Scenario, 23, 62, 128
- adaptionist's, 134–6; alternative (AAT)/water, 16, 64, 103, 119, 143, 307; conventional/savannah/standard, 6, 9, 16, 21, 64, 71, 143; early, 130, 229–30; Danakil, 23–33, 307; Lovejoy's, 333; savannah, 143
- Science, 117, 121, 318, 332
- Scientific blunder, 316, 326
- establishment, 117, 120, 342; value, 134
- Scylla and Charybdis, 321
- Sea, 131, 307–11, 315, 318–9
- biological deserts of, 310; chemical composition, 310; cycle of drying and refilling, 24–6; cow, 6, 82, 95, 284, 286, 300; dual nature of, 326; fauna, 311; fear/mistrust of, 319–21, 325; flooding, 23; food, *see* Food; gods, 320–1; level, 17, 39, 308, 321; level decline, 17, 24–6, 283, 296–8, 340; level fluctuation, 27, 36, 63, 297, 307; lion, 15, 79, 92, 99–100, 185, 188, 190, 285–6, 292, 335; longing for, 322; mammals, 3, 186, 189, 283–7, 290, 310–11, 337; monsters, 320–2, 325; otter (*Enhydra lutris*), 41, 61, 78, 87, 105, 248, 285–6; people, 252–3; physical barriers of, 307–18, 326; reptiles, 311; rules, 313, 320; shores, 145, 164; surface, 252, 308, 311; temperature, 310; treasures, 315; tropical, 239, 252, 259; urchins, 312, 325; voyage, 314;
- water (ingested), 19
- Sea Fever*, 318
- Seafloor spreading, 24
- Seal, 15, 81–2, 206, 240–4, 289, 292, 319, 339
- Elephant, 174, 178; Common (*Phoca vitulina vitulina*), 290–2; Fur (*Arctocephalus australis*), 185, 188, 190, 292; Fur (*Callorhinus ursinus*), 206; True, 285–6
- Sebaceous glands, 20
- Secondary sexual characteristics, 117, 193, 215
- Secretion, 13
- Sediments, 25, 33
- ignimbrite, 130; lacustrine, 130–1; marine, 130, 284; outflow, 296–7
- Sedimentary environments, 130, 131
- Selection pressure, 10, 36–7, 118–19, 128, 137–8, 143, 162, 223–4, 229, 231, 238, 255–7, 283, 294–5, 297, 333
- for agility in water, 340
- Selective advantage, 223, 238, 244
- Semi-aquatic (Miocene) phase, 312
- lifestyle/way of living, 307
- Sensory capabilities, 150, 240
- Sex difference, 211–12, 299
- abundance adipose tissue, 202–4, 208–11, 269; behaviour, 183; buttocks, 214; distribution adipose tissue, 202–4, 211–16; fat depots, 200, 239, 299, 302–5, 337; obesity, 215–16; pubertal increase adipose tissue, 202–4
- Sexist, 333
- Sex organs, 10
- Sexual behaviour, 215
- dimorphism, 299–305; maturity, 41, 215; selection, 212–15, 300; status young women, 193
- Shade-seeking, 231
- Shanidar-I skull, 83
- Shark, 67, 136–9, 181, 309
- Sheep, 12, 187, 189, 230–1, 241, 268
- Shells, 318

- Shellfish, 339
 eating, 78, 82, 87, 91–2, 106
- Shipping, 221, 313–14
- Ship, fighting, 313
 transport, 313; wrecks, 321, 326
- Shoreline, 66, 312, 314
- Shoulder, 89–91, 101, 104, 168, 175–8,
 198, 232, 260–1
 bipedal posture, 193
- SIDS (cot deaths), 14
- Sicklecells, 16
- Sinking force, 239, 243
- Sinuatral node, 292
- Sinuses skull, 81, 84, 87, 104, 240, 318
- Sirenia(ns)/Sirenids, 8, 41, 82, 95, 174,
 178, 186, 224–5, 284
 evolution, 284–5
- Sirens/Wave maidens, 321
- Siwalik Hills, 24, 130, 144
- Size (body), 78, 150, 161, 213, 221, 225,
 228, 260, 284–5
 increase, 78, 284; reduction, 81, 223–4;
 large, 225, 284; small, 228
- Skeletal changes, 198
 proportions
- Skeleton, 18, 89, 144, 208, 228
 gracilisation, 81
- Skin, 3, 7, 13, 187, 223–4
 adaptation to water, 224; bare/naked, 3,
 221, 223, 335; 'bare and sweat'
 adaptation, 336, 338; cancer, 334–5;
 colour protection, 335; conductance,
 223; diver, 238, 248; pigmentation,
 335; porous, 337; scratching, 335;
 slipperiness, 335; temperature fur seal,
 206; of whales, 284
- Skinning, 3
- Skinfold thickness, 194, 200, 210
- Skull, 82, 150, 161
 density, 82–8; 105; habiline, 119; shape,
 144–5
- Sleep(ing), 57, 59, 63, 66, 67, 70
 in/near water, 284–5
- Sloth, 82, 91, 185
- Snorkel, -ler, 243, 317
- Social (kin) grouping, 57–8, 71
 organisation, 57–8, 63, 66, 122, 150,
 195, 214–15, 333; fitness, 214; status
 young women, 58, 193
- Socio-cultural background, 258
- Soft palate, 240–1; tissue, 135
- Sonar, 59, 61
- South Africa, 37, 117, 119, 144
- Sparsity, 221
- Speciation, 23, 119–20, 135–6
 theory, 115
- Speech, 9, 79, 237, 242, 244
 evolution, 17, 339
- Species number, 311
- Spider-monkey, 91, 93, 97
- Spinal column, 10
- Spine (skeletal), 10, 85, 89
 (external), 311
- Sports, 184, 258
- Sponge diving, 314
- Squeeze, 318
- Stability, directional, 225
 of oceans, 310
- Starvation, 208, 211
- Steatopygia, 214, 303
- Sterkfontein, 28
- Stimulus value, 143
- Stone Age, 6, 302–3
- Stone artefact manufacturing, 117
- Stork, 257
- Storms, 308, 311, 325
- Strait of Gibraltar, 314
- Streamlining, 83, 87–9, 137, 208, 223,
 229, 255, 260–1, 284–5, 302
- Stress, 10, 149, 159, 248
- Stroke volume, 248
- Sts 5 pelvis, 117
- Subcutaneous adipose tissue, 15, 197–208,
 255, 258, 284
 fat, 17, 82, 89, 95, 97, 118, 123, 183–4,
 190–1, 206, 228–9, 260–1, 331,
 337–8; insulation, 205–6, 225, 337
- Submergence, 237–8, 241, 244, 265,
 317–18
 time, 186, 247–8
- Suckling, 204, 210, 285
- Suffocation (diving risk), 316
- Sunbathing pinnipeds, 285
- Sun-burn, 317, 333
 heat, 183, 294–5; light/shine, 11, 162,
 310; *see also* solar radiation;
 protection, 302; worshipping, 319
- Supra-orbital torus, 83
- Surface area, 231
 area to volume ratio, 221, 224, 228;
 cooling, 179; to capacity ratio, 179
- Survival aquatic species, 258
 of the fittest, 135; in water, 223, 228,
 237, 244, 255, 263, 273, 280, 284,
 294, , 303; on savannah, 37; time
 in water, 258

Index of Subjects

- Swallowing, 240
- Sweat, 12, 19, 187, 191, 230, 335-6
cooling, 12-13, 19; density, 230;
eccrine, 14; glands, 230-1, 336; *see also*
glands; hypotonic, 19; non-volar, 19
- Sweating, 13-4, 230, 294, 331, 337
benefits, 187-8, 294, 336; disadvantages,
187-9, 294, 336
- Swimmers, African, 258-261
elite, 258, 260; long/short-distance, 95,
184, 258; natural, 180, 243; shallow-
water, 164-5, 238
- Swimming, 7, 18, 36, 44, 53, 57, 66-7,
75, 87, 99, 104-5, 122, 136-7, 175,
179, 205, 208, 223, 255, 258-61,
263-81, 314, 317, 338-9
ability to learn, 180, 260, 266, 341;
adaptation, 237, 252; babies, 180,
280; efficiency, 243; hominid, 167;
pool, 122, 239, 258; seal pups, 291;
skills, 122; stroke (rhythm), 243, 276,
280; style, 139
- Sympatry, 37, 62
- Synthesisers, 135
- Systems of arguments, 332
- Tail, 13, 144, 179, 274, 279
- Tailless(ness), 42, 61-2, 71, 279
- Talus, 99
- Taphonomy, 129
- Taung, 28
skull, 77, 86, 102, 182
- Tears (psychic; reflex), 19-20, 191, 295
- Tectonic activity, 23, 25, 33
- Temperature, body, 317
fluctuations, 310; environment, 136,
223, 227-30, 244; local reduction, 24;
lower critical, 223, 226-7; night-time,
338; range, 178; seawater surface,
229, 284; tropical, 179
- Termiting, 61, 66
- Terra Amata, 78
- Terrestrial life, 221, 283, 297-8, 310, 318
locomotion, 231; mammal, 14, 187,
193, 250, 255, 261, 285-6, 289, 314;
primates, 105, 193; productivity, 296
- Territory, 57
- Tertiary deposits, 26, 32
- Testability, 143
- Testable hypotheses, 164, 170
- Theory, 120, 319
direct habitat shift, 37, 64; drought, 128;
eco-ethological, 36; insulation, 205;
mainstream theorising, 120;
meridional, 182; pluvial, 127-8, 130;
(un)orthodox descent, 64
- Theoretical presuppositions (erroneous),
116-17
- Thera, 323
- Thermal conductance/conductivity,
223-4, 226, 228, 230, 284, 309
acclimation, 225; insulation, 193, 205;
neutrality, 223; zone, 223
- Thermogenic capacity, 226, 228
sweat(ing), 13
- Thermoregulation, 9, 13-14, 19, 185-6,
221-34, 255, 258, 288
- Thermoregulatory adaptations, 221, 226,
230
advantage, 231; grounds, 221;
hypothesis, 229-32; metabolism,
226; panting, 14; problems, 223, 229,
294; strategy, 224; glands, 20
- Thetys sea, 283
- Thigh, 337-8
- Thorax, 89, 91, 208
flattening, 193, 198, 200, 292
- Thorns, 335
- Throat, 14
- Tibia, 82, 85, 94, 101
torsion, 98, 104
- Tiburón, 322
- Tide, 44, 49, 59, 61, 69, 308, 311-12
- Tidal currents, 312
- Time dimension/scale, 24, 127, 129, 264
- Toeing-off, 98, 104
- Toes, 29-30, 156, 159
webbed-like, 7
- Tongue, 14
- Tools, 10, 27
using, 36, 50, 66, 70, 79, 92, 266
- Topi, 334
- Trachea, 14
- Traditions, 318-19
- Transitional (evolutionary) period, 223,
232
- Transition ape to man, 129
- Treadmill exercise, 243
- Tree-climbers, 333
- Tree-shrews (*Tupaia glis*), 266, 275
- Trinil fossils, 95-6
- Tropical Day/Night, 12
- Tropics, 335
- Trunk, 81, 144-7, 153-4, 165, 168, 198,
221-2, 232
- Turkana, 28, 336

- Turtle, fossils, 19, 339
Twenty Thousand Leagues under the Sea, 316
- Ulna, 82, 91, 103
 Underwater (human) communities, 317
 exercise, 243; exploration, 306, 317;
 fishing/hunting, 315; laboratories,
 317; metal deposits, 317; oilfields,
 317; world, 308, 316-7
 Underwood, 179
 Ungulates, 179, 182, 187, 198, 230, 283,
 291, 334
 Upright (body/trunk) posture, 153-4, 156
 sitting, 162
 Upper Pleistocene, 313
 Urethra dugong, 289
 Urine (concentration), 188-9, 191
 Uvula, 15
- Vagility, 57, 59, 66-7
 Vagina, 280, 289
 Valkenburg Aquatic Ape meeting, 115,
 306, 342
 Value, explanative, 143
 integrative, 143; prognostic, 143;
 selective, 223; stimulus value, 143
 Valgus knee, 96-7, 104
 position, 156, 158
 Varicose veins, 10
Varieties of Realism, 332
 Varuna (fish-god), 320
 Vascular system, 10
 Vasoconstriction, 225, 247
 Ventilatory drive, 237, 242
 Venus statuettes, 6
 Vertebrae, 10, 85, 89, 154, 161
 Ventilation, 244, 260, 270
 Vento-ventral copulation, 65, 118
 Vertebrates, 274, 311
 Vervet monkey, 11, 334
 Vikings, 308, 314, 316
 Viral gene sequences, 16
 Virginité female divers, 315
 Virus, baboon, 16
 Viscera, 10, 18
 Visibility, 309
 Vision, 309
 Vital capacity, 239
 Vocal communication, 17
 Vocalisation, 14, 17, 50, 59, 61, 71, 88-9,
 150
 Volar eccrines, 13
- Volcaniaction, 25-7
 Voluntary control respiration, 338
 Vortices, 321
- Wading, 3, 18, 30, 75, 99, 256-8, 283
 ape, 18, 36, 67, 237
 Walking, 9-10, 18, 29, 208, 256, 276
 australopithicene, 117; in water, 256-7;
 on land, 165, 256-7
 Wallowing (in water), 122, 179
 Walrus, 79, 82, 178, 285-6
 War, 79, 313, 315-16
 Second World, 117, 317
 Washing, 122, 318
 Water, activities ability, 238
 archaic longings, 318; barrier (hymen),
 289; buffalo, 179; capacity, 284;
 circulation, 310; closeness to, 30;
 current, 167; dependence, 187-90;
 economics, 187-91; flow, 167, 175;
 inhaling, 243; level, 165, 166; long-
 term exposure to, 226; loss, 188-91;
 mammals, 7-8, 335; movement, 223,
 310; opossum, 174; physiological
 requirements, 318; polo, 310;
 pressure, 89, 238, 308, 315, 317, 325;
 rat, 17; refuge area, 180; resistance,
 165, 168; snakes, 309; shallow-life,
 238; shortage, 187-90, 336;
 temperature, 225-7, 248, 252, 259,
 284, 294; treading, 239, 331, 339;
 turbulence, 167, 257, 261
Waterbabies, The, 323
 Waves, 49-50, 308, 320-1
 action, 307, 311; maidens, 321
 Weapon carrying, 10, 70
 Webbing (interdigital), 3, 7, 284
 Weddell seal (*Leptonychotes weddelli*), 137,
 247, 250
 Weeping, 19, 20
 Weight, body, 10, 15, 17, 168
 force, 163
 Wernicke's area, 81
 Western world, 314
 rift, 131
 Wetlands, 36, 39, 42-3, 49, 51, 61, 66, 69,
 307, 340
 Wetsuit, 206, 317
 Whales, (Cetacea), 6, 15, 82, 95, 206,
 283-5, 291, 322
 Baleen (*Mysticeti*), 283; diving
 depth/time, 286; evolution, 283-4;
 Fin (*Balaenopteridae*), 206, 286; fossils,

Index of Subjects

369

- 284; Sper (*Physeter catodon*), 79, 286;
toothed (*Odontoceti*), 79, 283; True
(*Balaenidae*), 286; primeval
(*Archaeoceti*), 283; stranding, 284
- Whites, 6, 239, 259–60
- Wild dog, 334
- Willendorf Venus, 337
- Woodland, 41, 135, 142, 145
- Written tradition, 277–8, 312
- Yellow Sea, 238
- Zambesi, 38, 63
- Zeitgeist, 120, 127
- Zeus, 320
- Zhoukoudian fossils, 83, 97

DR MACHTELD ROEDE is a senior lecturer in the Department of Medical Philosophy and Health Ethics, State University of Limburg, Maastricht, Netherlands.

DR JAN WIND is an ENT surgeon at the Gooi-Noord Hospital, and lectures at the Free University and the Royal Tropical Institute, both in Amsterdam. He is founder of the European Sociobiological Society and of the Language Origins Society.

DR JOHN PATRICK is Professor of Physiology at the Aga Khan Medical College in Karachi.

DR VERNON REYNOLDS is University Lecturer in Physical Anthropology in the Department of Biological Anthropology, University of Oxford.

jacket design by BARFIELD ASSOCIATES

ISBN 0 285 630334

**SOUVENIR
PRESS**



*Books by ELAINE MORGAN on
THE AQUATIC APE THEORY*

THE SCARS OF EVOLUTION

What Our Bodies Tell Us about Human Origins

Lively, informative and controversial, this new book sets out to explore the riddle of our origins by showing that our many unique features cannot be reconciled with the traditional Savannah Theory. Only the Aquatic Ape Theory explains why we have developed bipedalism, hairlessness, larger brains and the power of speech, and why we have so many apparent flaws in our physiological make-up.

THE AQUATIC APE

A Theory of Human Evolution

This first full discussion of Sir Alister Hardy's Aquatic Ape Theory, setting out the argument in detail, was originally published in 1980 with the blessing of Hardy himself. It is now available in a paperback edition.

THE DESCENT OF WOMAN

This pioneering book was the first to argue, intelligently and irrefutably, the equal role of women in our long developmental history. Its influence has been profound and lasting, and it remains the key book in any discussion of women's place in society. Available in paperback.

ISBN 0-285-63033-4

