

6214A FRANKFORD AVE.BALTIMORE, MD 21206, USA











ABOUT US

TeckWrap originally began as a vision and passion of Charles Heidenreich from Baltimore in the USA, and it started developing fast since then. Up until now, TeckWrap has built up a professional dealership network around the globe.

Our mission is to offer customers a wide variety of quality, affordable, and durable vinyl films worldwide. And we have warehouses in different spots, including the USA, Germany, Russia, and China, to make sure that our products can reach clients' hands

within the minimum time.

Every single year, TeckWrap actively participates in various relevant fairs around the globe, including SEMA (based in the US) and FESPA, gathering international wrapping masters and wrapper groups. More than that, TeckWrap has spread its wings over different festivals and shows, including the ISA, Wrapscon, and Wrapping World, presenting unique and trending films.

Throughout those opportunities, TeckWrap continues meeting up with old and new clients by presenting, demonstrating wrap shows, explaining the process of film wrapping to customers. And some have been loyal enough to become one of our partners.

And this is one of the most valuable experiences for TeckWrap. Our mission is to work with distributors and customers, making peaceful and beneficial cooperation. Most of all, we grow together in this way. These experiences build up strong relationships with our partners. And helping each other friendly is what we especially value.

In comparison with other brands, TeckWrap might seem smaller. However, this is exactly why Teck-Wrap can always be flexible and efficient. We act as we think, and we seize every chance to reach out to every possibility to give our customers a unique and tremen-

dous experience.

Bear our mission in mind; we are also devoted to keeping up with new trends so that customers can always find what they need with us. We offer vinyl films with an average three-year lifecycle and maintain a strategy of launching brand new designs every quarter as we believe color-change films are fashion products.

The market tends to change quickly.

When TeckWrap first started, we had our first product line with the 180 series, where the colors of products are simple yet attractive. It is an ideal choice for partial application. Later on, we have our 190 series explicitly developed for full car wrapping, which has been growing and growing, as well as drawing interest from clients around the globe since it first launched the chrome and metallic products in 2015.

In the coming future, TeckWrap will continue developing its network, and in the meantime, focusing on expanding in printing media and paint protection film. Even more, we will be establishing more warehouses around the world so that we can always be available

to our partners and closer to our customers.

TeckWrap is genuinely excited to offer you limitless possibilities to create fashionable, stylish exterior designs with different colors and finishes. Get in touch and feel the difference today.



COLOR SWATCHES AND TOOLS



COLOR SWATCH SET



180 SERIES



190 SERIES



PPF290 SAMPLE PACK



SHORT SLEEVE T-SHIRT



NEW COLOR SAMPLES PACK

Please visit www.teckwrap.com for product specifications and installation instructions.





With a collection of 36 colors, this series stands for different spirits and emotions. Meanwhile, it looks fresh and compelling with a textured finish. Take your pick, and your favorite wrap will do the talking before someone tries to figure out what kind of person you are.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm

Type of film: High grade polymeric multilayered calendared vinyl film with air release

channels

Adhesive: Solvent polyacrylate

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in

original package, away from direct sunlight, clean and dry place

Avg. indoor life: 4 years when followed rules of application and usage

Avg. outdoor life: 3 years when followed rules of application and use

Post-heating temperature: 110°C flat surfaces, 130°C curves, and overlaps



190 SERIES



DEEP BLUE SKU: RB02-HD



ASSIONATE PURPLE
SKU: RB04-HD



ACID LIME SKU: RB07-HD

SKU: RB09-HD



SKU: RB08-HD



DARK PLATINUM SKU: RB12-HD



190 SERIES



COLUMBIA BLUE SKU: RB15-HD




SKU: RB16-HD



DEEP ORANGE SKU: RB19-HD



MIDNIGHT PURPLE SKU: RB20-HD



SKU: RB22-HD




SKU: RB25-HD





190 SERIES





ARCTIC SILVER SKU: RB27-HD



VIBRANT NICKEL SKU: RB28-HD



GRAU PEARL SKU: RB30-HD



SILVER FERN SKU: RB31-HD





190 SERIES



DOLOMITE SILVER SKU: RB33-HD



WILDERNESS GREEN SKU: RB35-HD



PALLADIAN BLUE SKU: RB36-HD



SKU: RB37-HD



SKU: HM07-HD





190 SERIES

















190 SERIES



ANTIQUE GREEN SKU: HM16-HD





GLOSS ELECTRIC BLUE SKU: MT03-HD



SKU: SL01-HD









RAINBOW DRIFT METALLIC

With a collection of five stunning colors, TeckWrap offers you this series of color shifting vinyl wrap (Rainbow Drift), which gives your vehicle a unique, stylish finish. As a proud supplier, TeckWrap has plenty of film selections that have good conformability and durability. The better thing is, these vinyl wraps from TeckWrap are all in high quality but reasonable and affordable prices.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm

Type of film: High grade polymeric multilayered calendared vinyl film with air release channels

Width & Length: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)

Adhesive: Solvent polyacrylate

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Avg. indoor life: 4 years when followed rules of application and usage

Avg. outdoor life: 3 years when followed rules of application and use


Post-heating temperature: 110°C flat surfaces, 130°C curves, and overlaps

Aftercare: PH neutral, Avoid wax or solvents



COLOR SHIFT METALLIC

190 SERIES



GLOSSY IBIZA SUNSET SKU: RD02G




MATTE PURPLE INDIGO MALACHITE SKU: RD07



BRONZE CHERRY SKU: DS03M



SKU: RD02-HD







COLOR SHIFT METALLIC

190 SERIES







GREEN GALAXY SKU: RD15-HD









COLOR SHIFT METALLIC

190 SERIES







ER SUNSET MATTE SKU: DS03M-HD





SUPER GLITTER

This series offers you a collection of three colors. Each of them gives you a stunning finish, where colorful sparkles are shinning all over the film. Pick your favorite color now, and turn your car into something elegant today!

BASIC SPECIFICATIONS

The thickness of film: 0.15mm

Type of film: High grade polymeric calendered vinyl film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use



SUPER GLITTER

190 SERIES

















WILD HEATHER SKU: DS05-HD



SKU: DS06-HD



SUPER GLITTER









CHAMELEON METALLIC



CHAMELEON METALLIC

Chameleon Metallic gives you a perfect finish with a lustrous and metallic appearance in a selection of three essential colors. But more than that, with varied colors in one, as you look from different angles. Pick your favorite now, and you will not regret it for sure.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm

Type of film: High grade polymeric calendered vinyl film with air release channels

Adhesive: Henkel solvent based acrylic adhesive

Storing period: 2 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%,

in original package, away from direct sun light, clean and dry place

Indoor life: 4 years when followed rules of application and use **Outdoor life:** 2 years when followed rules of application and use



CHAMELEON METALLIC

190 SERIES





SKU: CK892G





TeckWrap offers you this series of matte metallic vinyl wrap with the eggshell finish, which gives your vehicle a subtle look of metallic steel with a flat finish. And with TeckWrap, there is a wide variety for you to choose from. Pick one today and feel the difference!

BASIC SPECIFICATIONS

The thickness of the film: 0.16mm

Type of film: High grade polymeric calendared vinyl film with air release channels

Adhesive: Henkel solvent-based acrylic adhesive


Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%,

in original package, away from direct sunlight, clean and dry place


Indoor life: 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use




190 SERIES



SATIN PERL WHITE SKU: ECH01



GUNSMOKE GREY SKU: ECH02



CHARCOAL GREY SKU: ECH03



SKU: ECH15




SKU: ECH16



BOND GOLD SKU: ECH17





OXFORD BLUE SKU: ECH18



FOREST GREEN SKU: ECH19



SKU: ECH21



CHERRY BLOSSOM PINK
SKU: ECH22



Thinking about getting something lustrous like metal but not so glossy? Then matte metallic is your choice! It gives you a subtle look of metallic steel with a flat finish. And with TeckWrap, there is a wide variety for you to choose from. Pick one today and feel the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Pressure sensitive high-grade polymeric vinyl film with air release channels

Glue: Henkel solvent-based adhesive

Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%,

in original package, away from direct sunlight, clean and dry place

Indoor life: 5 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use

Post heating: 100 Celcius



190 SERIES









WHITE CHAMELEONS

With a collection of ten gloss and matte colors, you will get a super distinctive finish with this series, where it is partly shady with extraordinary luster. It is THE head-turner among all the running cars on the road. Pick one and enjoy the view!

BASIC SPECIFICATIONS

The thickness of film: 0.15mm

Type of film: High grade polymeric calendared vinyl film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package,

away from direct sun light, clean and dry place

Indoor life: 4 years when followed rules of application and use **Outdoor life:** 2 years when followed rules of application and use

Post-heating: 100°C; cure time: 48 hours



WHITE CHAMELEONS

190 SERIES



WHITE SATIN SKU: CK903



WHITE PEARL SKU: CK522-HD



CREAMROSE PEARL SKU: CK523-HD



LIGHT BLUE PEARL SKU: CK524-HD



GOLD PEARL SKU: CK525-HD



LAVENDER PEARL SKU: CK526-HD





GLOSS GLITTER & DIAMOND

Looks fascinating! The finish shines just like a diamond! Even better, it is not hard to apply. Get your favorite color, and turn your car into the most stunning diamond on the road!

BASIC SPECIFICATIONS

TThe thickness of film: 0.16mm

Type of film: Medium grade polymeric multilayered calendered film with air release channels

Adhesive: Henkel solvent-based acrylic adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package,

away from direct sunlight, clean and dry place

Indoor life: 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use

Post heating: 90°C




GLOSS GLITTER

190 SERIES



MATTE AURORA WHITE SKU: DCH02



AURORA WHITE SKU: DCH02-HD



SKU: CK202-HD



DIAMOND WHITE SKU: CK801N



SKU: CK801-HD









180/190 SERIES

HIGH GLOSS

With up to 19 different colors in this series, each of them creates an eye-catching and classic outfit for your car, shinning like nothing you have ever seen! Pick your favorite, get changed, and add charm to your car now!

BASIC SPECIFICATIONS

The thickness of the film: 0.11mm HD: 0.15mm

Type of film: Medium grade polymeric calendered film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use **Outdoor life:** 2 years when followed rules of application and use

Postheating: 100 Celcius HD: 95 Celcius



180 SERIES



BLACK SKU: CG01



SKU: CG01-HD



SUPER WHITE SKU: CG02-HD



SKU: CG03-HD



SKU: CG06-HD



SKU: CG11-HD



180 SERIES





SLATE GREY SKU: CG16-HD



MILLENNIAL PINK SKU: CG19-HD



CHINA BLUE

SKU: CG22-HD





180/190 SERIES









KHAKI GREEN SKU: CG29-HD



FRENCH OLIVE SKU: CG31-HD







190 SERIES

















190 SERIES




YACHT BLUE SKU: CG28-HD



PALE CELADON SKU: CG30-HD



LA PALMA GREEN SKU: CG35-HD



SKU: CG36-HD



SKU: CG37-HD



SKU: CG38-HD



190 SERIES



MONSOON GREEN SKU: CG39-HD



TANGERINE ORANGE SKU: CG40-HD



GECKO GREEN SKU: CG41-HD



GRAPE GREEN SKU: CG42-HD



LOUVRE YELLOW SKU: CG43-HD



SUNRAY YELLOW SKU: CG44-HD



190 SERIES



AMBERWAVE SKU: CG45-HD



SAHARA BEIGE SKU: CG46-HD



VINTAGE GREY SKU: CG47-HD



TRUE NARDO GREY SKU: CG27-HD



STRAWBERRY MILK SKU: CG50-HD



SKU: CG51-HD



190 SERIES



LEATHER BEIGE SKU: CG52-HD



COOL BLUE SKU: CG53-HD



PAPAYA ORANGE SKU: CG54-HD



SKU: CG55-HD



FLAMINGO PINK SKU: CG56-HD



VIBRANT BLUE SKU: CG57-HD



It is not too glossy but with modest lustrous. With its subtle solid look, you will have a perfect distinctive flat finish. With TeckWrap, you have a wide range of selection to choose from. Take your pick and enjoy the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Medium grade polymeric calendered film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use




180 SERIES



BLACK SKU: CM01M



WHITE SKU: CM02




MILITARY GREEN SKU: CM09



SKU: CM01-MS



SKU: TC01



PINIENGRUEN PEARL SKU: TC02





180 SERIES



DEEP BLACK SKU: SCM01



DEEP BLACK SKU: SCM01-R




MANDARIN ORANGE SKU: SCM24



LIZARD GREY SKU: SCM23-R



SKU: SCM26-R



SOUR APPLE SKU: SCM35





180 SERIES







MIST BLUE SKU: SCM37



MIRROR CHROME

Reflective and lustrous, your car will be drawing people's eyes, because Mirror Chrome looks so much more aesthetic and attractive. More than just the mirroring effect, with TeckWrap, you have a whole collection of 17 colors to choose from. Make your choice, and start lighting up the road!

BASIC SPECIFICATIONS

The thickness of film: 0.19mm

Type of film: Hybrid vinyl film (silver coating) with air release channels **Adhesive:** Henkel solvent based low initial tack adhesive, white and grey

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use

Outdoor life: 1-2 years when followed rules of application and use. Durability depends on the surface and climate zone.



MIRROR CHROME

180 SERIES



WHITE GOLD SKU: CHM01-HD



YELLOW GOLD SKU: CHM02-HD




CHERRY RED SKU: CHM04-HD



SKU: CHM03-HD



SKU: CHM09-HD



SKU: CHM10-HD



MIRROR CHROME

180 SERIES





SKU: CHM17-HD



180 SERIES

SATIN CHROME

Also known as a semi-gloss or luster film, the appearance of Satin Chrome is halfway between matte and gloss, a perfect choice for those who want something posh and elegant. And with a collection of 10 colors to choose from, your car is going to be the most eye-catching thing running on the road. So why not take your pick with us now?

BASIC SPECIFICATIONS

The thickness of film: 0.10mm

Type of film: Polymeric vinyl film (silver coating) with new air release channels

Glue: Henkel solvent based adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use **Outdoor life:** 2 years when followed rules of application and use

Post-heating: 90 Celcius. Cure time: 48 hours




SATIN CHROME


180 SERIES







VELVET BLUE SKU: VCH402-S



EMERALD GREEN SKU: VCH405-S



SKU: VCH406-S



SKU: VCH408-S



GUNMETAL GREY SKU: VCH410-S





SATIN CHROME

180 SERIES







ROSE GOLD SKU: VCH414-S




SUPER SILVER SAGE SKU: VCH411-S



SKU: VCH403-S



SKU: VCH404-S



SKU: VCH412-S







180 SERIES

NEO CHROME

Mystic chrome represents its product name. It creates some mystic, like in a wonderland. With each of the five colors of neochrome, you will have different ideas about five fairylands. It is recommended for partial wrapping on your car. With another film which is relatively more solid on other surfaces, it makes a well balanced distinctive outfit.

BASIC SPECIFICATIONS

The thickness of film: 0.11mm

Type of film: PET film with new air release channels

Glue: Henkel solvent based moderate adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: Up to 3 years when followed rules of application and use

Outdoor life: Up to 1-2 years when followed rules of application and use




NEO CHROME

180 SERIES










AMMOLITE GEM SKU: MCH02







FROZEN BERRY SKU: MCH08

COBALT OCEAN SKU: MCH09

Roll Size: 1.52m*18m (1.66yd* 19,6yd)

Please visit www.teckwrap.com for product specifications and installation instructions.



GLOSS ALUMINUM

Humble but elegant, Gloss Aluminum provides you a collection of 28 colors. Nothing pretentious, but with nothing less, its glory cannot be hidden. With this series, you will be able to create a perfectly stylish outfit for your loving car. Try this out and enjoy the upmarket.

BASIC SPECIFICATIONS

TThe thickness of film: 0.12mm

Width & Length: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)

Adhesive: solvent polyacrylate. TeckWrap high-tech adhesive is save for car paint and has low or moderate initial tack ensuring easy installation.

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, in a clean and dry place.

Indoor life: 4 years.

Outdoor life: 3 years when followed rules of application and usage. Mentioned periods are enough for a car wrapping film.

Post-heating: 100°C for flat surfaces and 120°C for curves and overlaps. We recommend a steam vacuum or IRR heater for installation.

Aftercare: PH neutral products. Avoid hot wax or solvents.



GLOSS ALUMINUM

180 SERIES



TRUE BLOOD SKU: GALO1R-HD



BLUE GEM SKU: GAL02-HD



CANDY PURPLE SKU: GALO3-HD



SKU: GALO6-HD





Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.





GLOSS ALUMINUM

180 SERIES



SPACE BLUE SKU: GAL14-HD



ROYAL BLUE SKU: GAL19-HD



PINK GOLD SKU: GAL23-HD



SKU: GAL26-HD



Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.



Silky and lustrous, the beauty of Satin Metallic is rather quiet and low-key. Self-restraint with graceful bearing, each of the five colors in this series will provide you a somewhat different taste. Try it on and feel the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Pressure sensitive high-grade polymeric vinyl film with air release channels

Glue: Henkel solvent-based adhesive

Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%,


in original package, away from direct sunlight, clean and dry place

Indoor life: 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use


Post heating: 100 Celcius




190 SERIES



DARK GREY SILK SKU: HM01




BLACK SILVER SKU: HM02-R



SAGE SILK SKU: HM03



AUBERGINE SILK SKU: HM06




GREEN BLACK SILK SKU: HM07




GREENFINCH GOLD SKU: HM09




190 SERIES




BURNT MAROON SKU: SMT02




MINERAL GREY SKU: SMT01



VENETIAN VIOLET SKU: SMT03



BOYSENBERRY BLACK SKU: SMT04




GREEN MANTLE SKU: SMT05




APOLLO GREY SKU: SMT06




190 SERIES



RASANT BLUE SKU: SMT07




ADMIRAL BLUE SKU: SMT08




ONYX GREY SKU: SMT09



SOLAR ORANGE SKU: SMT10



SURF BLUE SKU: SMT11




PARADISE GREEN
SKU: SMT12







190 SERIES




PINE GREEN SKU: SMT13




LAWN GREEN SKU: SMT14




FLAME RED SKU: SMT15



COPPER ORANGE SKU: SMT17



OXIDE RED SKU: SMT18



JEWEL GREEN SKU: SMT16



SATIN METALLIC

190 SERIES





Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)
Please visit www.teckwrap.com for product specifications and installation instructions.



180 SERIES

With a collection of different styles, TeckWrap offers you this series of camouflage vinyl wraps that give your vehicle a stylish finish with a genuine look. As a proud supplier, TeckWrap has plenty of film selections that have good conformability and durability. The material is stretchable enough to wrap every edge and recessed area easily. Designed for interior and exterior applications.

BASIC SPECIFICATIONS

The thickness of film: 0.14mm

Type of film: High grade polymeric calendared vinyl film with air release channels

Adhesive: Solvent-based adhesive, transparent, origin: Taiwan

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original

package, away from direct sunlight, clean and dry place

Indoor life: 2 years when followed rules of application and use **Outdoor life:** 1 year when followed rules of application and use

Post-heating: 80 Celsius. Cure time 48 hours



180 SERIES




METALLIC COTTON SKU: BM05



STERLING SILVER
SKU: BM06



GHOST BLACK SKU: RCF09



CERAMIC CARBON SKU: RCF03



MATTE CERAMIC CARBON SKU: RCF03M





GLOSS FORGED CARBON SKU: RCF08


Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)
Please visit www.teckwrap.com for product specifications and installation instructions.



180 SERIES







Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)
Please visit www.teckwrap.com for product specifications and installation instructions.





170 SERIES

PAINT PROTECTION

Designed for protecting your loving car, we have a collection of four and three styles (including gloss PVC, matte PVC, PVC with top-coating, and TPU) for you to choose from. Take your pick and boost up the long term durability of the appearance of your car, and enjoy your rides with no more worries!

BASIC SPECIFICATIONS

Shelf-life: 1 year from production date (save LOT number)

Application: on a wet surface

Warranty: 5 years from production date. The product is warranted to be free of defects in the material. In case of product defects communicated in mentioned period, TeckWrap will consider and determine the existence of the defect and further decide at its sole discretion, to either replace defective product without charge or compensate it with money in such amount, as TeckWrap deems reasonable.

Topcoating features: solvent and stain resistance, resistance to heavy metals, resistance to scratches, self-healing




PAINT PROTECTION

170 SERIES



GLOSS SKU: PPF290-G75



BLACK GLOSS SKU: PPF290-BLK



SKU: PPF290-S75



GLOSS SKU: PPF290-E65

SKU: PPF290-E65

Roll Size: 1.52m*15m (60"* 591", 5ft*49ft, 1.6yd* 16yd)
Please visit www.teckwrap.com for product specifications and installation instructions.





WINDOW FILM

Heat rejection, improve comfortability and reducing energy consumption. The temperature of air conditioning might not be able to suit all passengers' needs. With the window film, 35-65% of solar heat is blocked, and you can easily balance the inner climate, as well as decrease the consumption from air conditioning, which can save your fuel, too.

Perfect clarity, provide interruption-free and safe ride. You can still clearly see what you need without getting blinded by the sunlight or any disturbing dazzles, which can ensure perfect safety for your drive.


Fade reduction, keep your car new by blocking harsh sunshine and protecting interiors. Exposing your car in the sun on a long-term basis can cause the vinyl and leather to discolor, which can easily result in cracking and warping.

UV prevention, avoid harms from UVA and UVB rays. Perfectly protect you from 99% cancer causing ultraviolet rays, which can darken, burn and age your skin, even lead to skin cancer.

Weather-proof material, prolong life-span. With layers made of quality promising material, our window film can last for the long term, and in the meantime, guard you along the way as long as you need.



WINDOW FILM







SKU: MT65





170 SERIES

PRINTABLE FILM

Printing Polymeric Film has been developed for professional digitally printed car wrap applications. It features an excellent performance and durability.

- Bubble free installation with advanced air release technology
- •• Modern adhesive with medium initial tack
- For fleet graphics and vehicle wrapping
- •• High conformability
- •• Great durability and long-lasting lifespan
- Safe adhesive for easy removal with no residue

BASIC SPECIFICATIONS

Color: White

Finish: Gloss or matte + Laminate

Thickness of film: 0.005±0.01mm / basic weight: 100±10g/m2

Glue: White removable acrylic adhesive

Temperature range: - 5∼80°C

Release liner: 140g single PE coated release liner with air drains **Package:** Roll width 152 or 137 cm, length 30 m, weight 16-17 kg



PRINTABLE FILM





Roll Size: 1.52m*30m (5*98ft, 1.6*33yd)

Please visit www.teckwrap.com for product specifications and installation instructions.