

## GENERAL RULES OF 2024 REQUIRED AND ENFORCED IN ALL CLASSES

SEE LAST PAGE FOR JEEP CHALLENGE RULES

### General Operation Rules:


1. NO PASSENGERS.
2. ALL VEHICLES MUST HAVE SUITABLE HOOK UP POINT. IF YOU DO NOT HAVE A HOOK UP POINT YOU WILL NOT BE ALLOWED TO RUN. **BUMPERS ARE NOT A HOOKUP POINT!**
3. TRACK OFFICIALS HAVE THE RIGHT TO TURN AWAY UNSAFE VEHICLES.
4. THE TRACK OFFICIALS WORD IS FINAL.
5. TRUCK MAY COMPETE IN MULTIPLE CLASSES IF ELIGIBLE, BUT MAY ONLY PLACE IN ONE.
6. MINIMUM OF FIVE TRUCKS IN UNLIMITED CLASS FOR FULL PAYOUT.
7. MINIMUM OF EIGHT TRUCKS PER D.O.T. CLASS FOR FULL PAYOUT.

### Safety Rules FOR ALL DOT CLASSES:

1. **FIRE JACKET REQUIRED.** FULL SUIT RECOMMENDED
2. ROLL CAGE
3. HELMET AND NECK BRACE.
4. 4 POINT HARNESS REQUIRED.
5. FIRE EXTINGUISHERS.
6. ONE TEAM MEMBER ALLOWED AT STARTING LINE WITH TRUCK AND DRIVER.
7. NO RACING UNDER THE INFLUENCE AT ANY TIME.
8. ALL TRUCKS MUST HAVE A DRIVE SHAFT SAFETY LOOP
9. BATTERY CUT OF SWITCH REQUIRED. MUST BE LOCATED AT REAR OF TRUCK IN EASY REACH

**Roll Cage Requirements:**

The rear braces will not be required and the lateral supports can be replaced with an x in the back loop. Roll cage may be tied into vehicle cab, but we would rather see it tied into the frame.



## CLASS RULES OF 2024 REQUIRED AND ENFORCED (1 of 2)

### Small Block (0-36")

1. 0-36" DOT Tires.
2. No Sheet metal intakes. Aftermarket throttle body and OEM injection allowed. Single Carb and Cast Iron small blocks only.
3. Factory style suspension. No three or four links (Unless OEM for frame and body). Minimum of one leaf spring per side attached to the frame at one end required in the rear
4. Factory style frame
5. Full body required. Factory firewall in factory location. Fenders can be cut for tire clearance.
6. Wheel base must be inline with fender wells.
7. Front Windshield, dash and door panels required.
8. Full roll cage required

### Small Tire (0-38.5")

1. 0-38.5" DOT Tires.
2. No Sheet metal intakes. Throttle body and OEM injection allowed. Single Carb and Cast Iron blocks only. 10.5" max deck height, stock bore spacing. Small and big blocks are allowed. No Hemispherical pro stock heads allowed.
3. Factory style suspension. No three or four links (Unless OEM for frame and body). Minimum of one leaf spring per side attached to the frame at one end required in the rear
4. Factory style frame
5. Full body required. Factory firewall in factory location. Fenders can be cut for tire clearance.
6. Wheel base must be inline with fender wells.
7. Front Windshield, dash and door panels required.
8. Full roll cage required

### Big Tire (0-44")

1. 0-44" DOT Tires.
2. Single Carb. 10.5" max deck height, stock bore spacing. Aluminum small and big blocks allowed. No Hemispherical pro stock heads allowed.
3. Factory Style Frame.
4. Full body. Factory firewall in factory location. Firewall can be modified for valve cover clearance. Fenders can be cut up for clearance.
5. Wheel base must be inline with fender wells.
6. Front Windshield, dash and door panels required.
7. Full roll cage required

## CLASS RULES OF 2024 REQUIRED AND ENFORCED (2 of 2)

### V-Tread Class

1. Must have been born a agricultural tire

### Unlimited

1. No Rails

### March 2024 Palmetto Jeep Challenge

1. Ideally no tire size exceeded 38.5 (Contact us if larger, we will determine if it meets the scope of this challenge)
2. Minor engine modification is allowed but bottom up builds are more than likely not allowed. Class is designed for jeeps with factory Jeep engine

### Important Note:

- Blatant attempt to circumvent ANY of these rules will be up to the tech officials decision

### This would not pass for jeep challenge



### This would pass

