

Laminate Wooden Flooring

Classic

Designer Wooden Flooring

www.lamiwood.in



Classic

Designer Wooden Flooring

LAMIWOOD®



#8316 Teak

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#9108-13 Wild Pecan

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#2506 Spanish Oak

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#87206 Magestic Grey

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#109 Birch

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#10157 Astoria Walnut

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#26279 Brazilian Cherry

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.



Classic

Designer Wooden Flooring

LAMIWOOD®



#6280 Accacia

- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48 sqft.




Classsic


Designer Wooden Flooring

Technical Specifications:

1. Top Layer : Highly anti abrasive protective overlay is made of second hardest substance in the world after diamond
2. Melamine impregnated decorative film protects the floor from UV rays and fading.
3. HDF : Superior water resistant high density fibre board protects the floor from water spillage and contributes to a stronger locking.
4. Balancing layer of the same thickness as the decorative film makes sure that the product is dimensionally stable.
5. Super-Click-State of art locking technology makes sure that the product is in good shape even after regular wear and tear.



- Dimension : 1215 x 192 x 8mm
- Packing : 8 Planks / 1Box = 20.48sqft.
- Level of Use : En13329
- Abrasion Resistant : En133329, annex E Ac4
- Impact Resistant : En13329, annex F Ic2
- Reaction to Fire : DIN4102 T1 . B1
- Dynamic Coefficient Friction : En13892 m2 0.3
- Formaldehyde Emission: According to E1 Standards.



1215 x 192 x 8mm

laminato parkett

