

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
424256	3.7	1000	4.2	43.0	56.0
504243	3.7	1000	5.0	42.5	43.5
514047	3.7	1000	5.1	40.5	47.5
534740	3.7	1000	5.3	47.5	40.5
583246	3.7	1000	5.8	32.0	46.0
603450	3.7	1000	6.0	34.0	50.0
623448	3.7	1000	6.2	34.5	48.5
653640	3.7	1000	6.5	36.5	40.5
802844	3.7	1000	8.0	28.5	44.5
803434	3.7	1000	8.0	34.0	34.0
103035	3.7	1000	10.0	30.5	35.5
404261	3.7	1070	4.0	42.5	61.5
483356	3.7	1100	4.8	33.0	56.0
802056	3.85	1100	8.0	20.5	56.5
783048	3.7	1150	7.8	30.0	48.0
503759	3.7	1150	5.0	37.5	59.5
634439	3.7	1150	6.3	44.5	39.5
852065	3.7	1150	8.5	20.5	65.5
504050	3.7	1170	5.0	40.5	50.5
304380	3.7	1180	3.2	43.5	80.5
544046	3.7	1200	5.4	40.5	46.5
653450	3.7	1200	6.5	34.5	50.5
803045	3.7	1200	8.0	30.5	45.5
424763	3.7	1250	4.2	47.5	63.5
653450G	3.7	1250	6.5	34.5	50.5
761893	3.7	1300	7.6	18.5	93.5
783448	3.7	1300	7.8	34.5	48.5
583759	3.7	1350	5.8	37.0	59.0
804038	3.7	1350	8.0	40.5	38.5
404265	3.7	1370	4.0	42.0	65.0
593562	3.7	1400	5.9	35.5	62.5
654441	3.7	1400	6.5	44.5	41.5
863343	3.7	1400	8.6	33.5	43.5
123040	3.7	1400	12.0	30.0	40.0
952540	3.7	1425	9.5	25.5	40.5
373872	3.85	1450	3.8	38.5	72.5
255875	3.85	1500	2.5	58.0	75.0
405068	3.7	1500	4.0	50.0	68.0
505452	3.7	1500	5.0	54.5	52.5
535056	3.7	1500	5.3	50.5	56.5
544258	3.7	1500	5.4	42.5	58.5
554856	3.7	1500	5.5	48.5	56.5
604052	3.7	1500	6.0	40.5	52.5
903542	3.7	1500	9.0	35.5	42.5
453686	3.7	1550	4.5	36.5	86.5
354271	3.85	1600	3.5	42.0	71.0
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
654260	3.7	1700	6.5	42.5	60.5
903545	3.7	1750	9.0	35.0	45.0
104242	3.7	1750	10.0	42.5	42.5
514657	3.85	1800	5.1	46.0	57.0
534863	3.7	1800	5.3	48.0	63.0
694055	3.7	1800	6.9	40.5	55.5
804050	3.7	1800	8.0	40.5	50.5
833459	3.7	1800	8.3	34.0	59.0
103450	3.7	1800	10.0	34.0	50.0
345282	3.7	1850	3.6	52.5	82.5
634256	3.7	1850	6.3	42.0	56.0
4160100	3.85	1900	4.1	60.0	100.0
664551	3.7	1900	6.6	45.5	51.5
913947	3.7	1900	9.1	39.5	47.5
973053	3.85	1900	9.7	30.0	53.0
103450	3.7	1900	10.0	34.5	50.5
426652	3.7	1950	4.2	66.5	52.5
326076	3.85	2000	3.2	60.0	76.0
505060	3.7	2000	5.0	50.0	60.0
546081	3.85	2000	5.4	60.0	81.0
554860	3.7	2000	5.5	48.0	60.0
555068	3.7	2000	5.5	50.5	68.5
555161	3.7	2000	5.5	51.5	61.5
584368	3.7	2000	5.8	43.0	68.0
613773	3.7	2000	6.1	37.0	73.0
705048	3.7	2000	7.0	50.5	48.5
803270	3.7	2000	8.0	32.5	70.5
803560	3.7	2000	8.0	35.5	60.5
803562	3.7	2000	8.0	35.5	62.5
5741112	3.85	2050	5.7	41.0	112.0
256599	3.85	2100	2.7	65.0	99.0
553971	3.7	2100	5.5	39.0	71.0
613381	3.7	2100	6.1	33.0	81.0
653768	3.7	2100	6.5	37.0	68.0
385085	3.7	2100	3.8	50.5	85.5
355894	3.7	2200	3.6	58.5	94.5
405486	3.7	2200	4.0	54.5	86.5
505080	3.7	2200	5.0	50.5	80.5
565068	3.7	2200	5.6	50.5	68.5
614071	3.7	2200	6.1	40.0	71.0
614174	3.7	2200	6.1	41.0	74.0
643496	3.7	2200	6.4	34.5	96.5
654060	3.7	2200	6.5	40.0	60.0
655052	3.7	2200	6.5	50.5	52.5
774261	3.7	2240	7.7	42.5	61.5
804357	3.7	2250	8.0	43.5	57.5
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
2065136	3.85	2300	2.2	65.0	136.0
317090	3.7	2300	3.1	70.0	90.0
635651	3.7	2350	6.3	56.5	51.5
784860	3.7	2400	7.8	48.5	60.5
308283	3.7	2500	3.0	82.0	83.0
326983	3.7	2500	3.2	69.0	83.0
753775	3.7	2500	7.5	37.5	75.5
755152	3.7	2500	7.5	51.0	52.0
803365	3.85	2500	8.0	33.0	65.0
326889	3.85	2600	3.2	68.0	89.0
465880	3.7	2600	4.6	58.0	80.0
104844	3.7	2600	10.0	48.0	44.0
113459	3.7	2600	11.0	34.0	59.0
804169	3.7	2600	8.0	41.0	69.0
824069	3.7	2600	8.2	40.5	69.5
854166	3.7	2600	8.5	41.5	66.5
604289	3.7	2750	6.0	42.5	89.5
114050	3.7	2700	11.0	40.5	50.5
4055105	3.7	2800	4.0	51.0	105.0
703986	3.7	2800	7.0	39.0	86.0
914256	3.7	2800	9.1	42.0	56.0
3649135	3.7	2850	3.7	49.5	135.5
103868	3.7	2900	10.0	38.0	68.0
307098	3.85	3000	3.0	70.0	98.0
356485	3.85	3000	3.5	64.0	85.0
366983	3.85	3000	3.6	69.0	83.0
3852158	3.7	3000	3.8	52.0	158.0
405779	3.85	3000	4.0	57.0	79.0
4153104	3.7	3000	4.1	53.0	104.0
505095	3.7	3000	5.0	50.0	95.0
526462	3.7	3000	5.2	64.0	62.0
654378	3.7	3000	6.5	43.0	78.0
705179	3.7	3000	7.0	51.0	79.0
734868	3.7	3000	7.3	48.0	68.0
756054	3.7	3000	7.5	60.0	54.0
904759	3.7	3000	9.0	47.5	59.5
984065	3.7	3000	9.8	40.0	65.0
104065	3.7	3000	10.0	40.5	65.5
585085	3.7	3100	5.8	50.5	85.5
595370	3.85	3150	5.9	53.0	70.0
833976	3.7	3200	8.3	39.0	76.0
4540160	3.7	3300	4.5	40.5	160.5
104848	3.7	3350	10.0	48.5	48.5
2910596	3.7	3500	2.9	105.0	96.0
605092	3.7	3500	6.0	50.5	92.5
627064	3.7	3500	6.2	70.0	64.0
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
487390	3.7	3650	4.8	73.5	90.5
3176125	3.7	3700	3.1	76.0	125.0
645097	3.7	3700	6.4	50.5	97.5
3766125	3.7	3800	3.7	66.0	125.0
397384	3.85	3800	3.9	73.0	84.0
426884	3.85	3800	4.2	68.0	84.0
103496	3.7	3800	10.0	34.5	96.5
576091	3.7	3800	5.7	60.5	91.5
805085	3.7	3800	8.0	50.5	85.5
655471	3.85	3850	6.5	54.0	71.0
3766110	3.85	3900	3.7	66.0	110.0
8042100	3.7	3900	8.0	42.0	100.0
25100115	3.85	4000	2.7	100.0	115.0
2778140	3.85	4000	2.7	78.0	140.0
309595	3.85	4000	3.0	95.0	95.0
3172120	3.85	4000	3.1	72.0	120.0
31100100	3.85	4000	3.3	100.0	100.0
3852158	3.7	4000	3.8	52.0	158.0
4065120	3.7	4000	4.0	65.0	120.0
4065123	3.7	4000	4.0	65.0	123.0
4553102	3.85	4000	4.5	53.0	102.0
525584	3.85	4000	5.2	55.0	84.0
606090	3.7	4000	6.0	60.0	90.0
617470	3.7	4000	6.1	74.0	70.0
676091	3.7	4000	6.7	60.5	91.5
7050100	3.7	4000	7.0	50.0	100.0
735665	3.85	4000	7.3	56.0	65.0
805085	3.7	4000	8.0	50.0	85.0
824677	3.7	4000	8.2	46.0	77.0
104669	3.7	4000	10.0	46.0	69.0
104956	3.85	4000	10.0	49.5	56.5
2873124	3.85	4050	2.8	73.0	124.0
466889	3.85	4050	4.6	68.0	89.0
555192	3.85	4050	5.5	51.0	92.0
2771144	3.85	4100	2.7	71.0	144.0
5057100	3.7	4100	5.0	57.0	100.0
706091	3.7	4100	7.0	60.5	91.0
5846104	3.7	4200	5.8	46.0	104.0
6441102	3.85	4200	6.4	41.0	102.0
6558110	3.7	4200	6.5	58.5	110.0
907070	3.7	4200	9.0	70.5	70.5
2575147	3.85	4300	2.5	75.0	147.0
5045116	3.85	4400	5.0	45.0	116.0
635973	3.85	4430	6.3	59.0	73.0
3863116	3.85	4500	3.8	63.0	116.0
6345135	3.7	4500	6.3	45.0	135.0
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
805880	3.7	4500	8.0	58.0	80.0
855165	3.85	4500	8.5	51.0	65.0
606597	3.7	4600	6.0	65.0	97.0
645097	3.7	3700	6.4	50.5	97.5
894672	3.85	4800	8.9	46.0	72.0
985472	3.7	4800	9.8	54.5	72.5
28110130	3.7	5000	2.8	110.0	130.0
31100100	3.85	5000	3.1	100.0	100.0
30100145	3.7	5000	3.0	100.0	145.0
4080100	3.85	5000	4.0	80.0	100.0
4765112	3.7	5000	4.7	65.0	112.0
489670	3.85	5000	4.8	96.0	70.0
5562106	3.7	5000	5.5	62.0	106.0
5758105	3.7	5000	5.7	58.0	105.0
596597	3.7	5000	5.9	65.0	97.0
755673	3.85	5000	7.5	56.0	73.0
757076	3.7	5000	7.5	70.0	76.0
7855100	3.7	5000	7.8	55.0	100.0
806090	3.7	5000	8.0	60.0	90.0
844985	3.7	5000	8.4	49.0	85.0
845872	3.85	5000	8.4	58.0	72.0
955465	3.85	5000	9.5	54.5	65.0
984785D	3.7	5000	9.8	47.5	85.5
105283	3.7	5000	10.0	52.0	83.0
115577	3.7	5000	11.0	55.5	77.0
105085	3.7	5000	10.0	50.5	85.0
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Please use the above information as a guide only, it is subject to change.  
 Dimensions are for bare cells only, without additional protection parts.  
 The above Lithium Ion Polymer ( LiPo) prismatic cells can be supplied assembled into single cell or multi-cell packs complete with protection circuit module (PCM). Other models are available.  
 Please contact us for further details.

