



**Arrow
Products Inc.**

945 N. Larch Ave. • Elmhurst, IL 60126

Phone 630-607-1910

Email arrow@arrowproducts.net

Fax 630-607-1901

NYLON FITTINGS



**WEAR RESISTANT
HEAT RESISTANT
CORROSION RESISTANT
CHEMICAL RESISTANT
LIGHT WEIGHT
HIGH STRENGTH
LOW COST**



**Arrow
Products Inc.**

945 N. Larch Ave. • Elmhurst, IL 60126

Phone 630-607-1910

Email arrow@arrowproducts.net

Fax 630-607-1901

TERMS AND CONDITIONS

PRICING

All prices are subject to change without notice. Orders will be invoiced at prevailing prices at time of shipment.

ORDERING

Orders accepted by phone, fax or e-mail. Please order by part number.
A \$5 handling fee will added to all orders less than \$35 net.

PLEASE CONTACT US FOR BLACK POLYPROPYLENE OPTIONS.

CLAIMS

All claims as to prices, terms, or service must be made within 15 days of invoice date.

RETURNS

Shipping errors must be reported to us within 10 days and returned with our RGA # and a copy of the order.
All other returns for credit must be made within 90 days and must be approved by Arrow Products, Inc.
Returns must be freight prepaid and be accompanied by a RGA # and a copy of the invoice.
There will be a minimum of 20% restocking charge deducted from credit. Parts returned must be in as-new condition (parts must be free of dirt, tape, and sealants).

NO RETURNS ACCEPTED AFTER 90 DAYS.

SHIPPING

UPS shipments are shipped prepaid with charges added to invoice unless customer supplies a freight collect number. Truck shipments ship freight collect. Drop shipments are accepted.

WARRANTY

Arrow Products, Inc. warrants the products described herein, to the initial purchaser only, to be free from defects and workmanship for a period of 90 days from the date of shipment by Arrow Products, Inc., under normal use and service. Arrow Products, Inc.'s sole obligation under this warranty is limited to product replacement. Arrow Products will upon return of the product and examination of the product, replace the failed product only when upon examination by Arrow if it is found the product was stored, maintained, installed, and operated in accordance with the terms, conditions and recommendation for use. This warranty shall not apply to any product that has been subject to abuse, negligence, accident, misapplication or to any product that has been altered. Arrow Products, Inc. does not warrant the suitability of any raw material or fitting for any specific purpose or application. We recommend customer testing be performed to verify the material and fitting qualities for their specific applications. This warranty constitutes Arrow Products sole obligation to damages, whether direct, incidental, or consequential, resulting from the use or performance of the product.



PRODUCT INDEX

GARDEN HOSE FITTINGS

- 4 MGHT X Barb Adapter
- 4 Coupling
- 4 Nut
- 4 Washer
- 4 Barb Stem
- 4 Closed End Cap
- 4 MGHT X FGHT Adapter
- 4 MGHT X FPT Adapter
- 4 FGHT X MPT Adapter
- 4 FGHT X FPT Adapter
- 4 MGHT X MPT Adapter

ELBOWS

- 5 FPT X FPT
- 5 FPT X Barb
- 5 MPT X Barb
- 5 Barb X Barb
- 5 MPT X FPT (Street Elbow)

ADAPTERS

- 6 Female (FPT X Barb)
- 6 Female Swivel (FPT X Barb)
- 6 Male (MPT X Barb)
- 6 Mender (Barb X Barb)

TEES

- 7 Female (FPT X Barb)
- 7 Male (MPT X Barb)
- 7 Barbed (Barb X Barb)

ADDITIONAL NYLON FITTINGS

- 8 Hex Plug (MPT)
- 8 Hex Nipple (MPT X MPT)
- 8 Coupling (FPT X FPT)
- 8 Cap (FPT)
- 8 Bushing (MPT X FPT)

COMPRESSION FITTINGS

- 9 Female Connector (Tube X FPT)
- 9 Male Connector (Tube X MPT)
- 9 Male Elbow (Tube X MPT)
- 9 Elbow (Tube X Tube)
- 9 Nylon Insert Fitting (Tube)
- 9 Nut (Tube)
- 9 Tee (Tube X Tube X Tube)
- 10 Union (Tube X Tube)

AG FITTINGS

- 10 Nipple (AG X MPT)
- 10 Adapter (AG X Barb)
- 10 Elbow (AG X Barb)
- 10 Tee (AG X Barb X Barb)
- 10 Cross (AG X Barb X Barb X Barb)

CAM & GROOVE (QUICK DISCONNECTS)

- 11 Part A (Male X FPT)
- 11 Part B (Female X MPT)
- 11 Part C (Female X Barb)
- 12 Part D (Female X FPT)
- 12 Part E (Male X Barb)
- 12 Part F (Male X MPT)
- 13 Part DC (Dust Cap)
- 13 Part DP (Dust Plug)
- 13 Gaskets

PVC TUBING

- 14 Clear Braided

PVC HOSE / ACCESSORIES

- 15 Suction Hose
- 15 Discharge Hose
- 15 Strainers
- 16 Safety Locks
- 16 Ball Valves

MISCELLANEOUS

- 17 Safety Bumps
- 18 Merchandiser



GARDEN HOSE FITTINGS

MGHT X BARB ADAPTER



PRODUCT NO.	MGHT	BARB	MIN./MASTER PACK
GHB-3414	3/4"	1/4"	10/100
GHB-3438	3/4"	3/8"	10/100
GHB-3412	3/4"	1/2"	10/100
GHB-3458	3/4"	5/8"	10/100
GHB-3434	3/4"	3/4"	10/100

COUPLING



PRODUCT NO.	FGHT	BARB	MIN./MASTER PACK
GHS-1400	3/4"	1/4"	10/100
GHS-3800	3/4"	3/8"	10/100
GHS-1200	3/4"	1/2"	10/100
GHS-5800	3/4"	5/8"	10/100
GHS-3400	3/4"	3/4"	10/100

NUT



PRODUCT NO.	SIZE	MIN./MASTER PACK
GHN-3400	3/4"	10/100

WASHER



PRODUCT NO.	SIZE	MIN./MASTER PACK
GHW-3400	3/4"	10/100

BARB (STEM ONLY)



PRODUCT NO.	BARB	MIN./MASTER PACK
STE-M1200	1/2"	10/100
STE-M3800	3/8"	10/100
STE-M5800	5/8"	10/100

CLOSED END CAP



PRODUCT NO.	FGHT	MIN./MASTER PACK
GHC-3400	3/4"	10/100

MGHT X FGHT ADAPTER



PRODUCT NO.	MGHT	FGHT	MIN./MASTER PACK
GHA-3434	3/4"	3/4"	10/100

MGHT X FPT ADAPTER




PRODUCT NO.	MGHT	FPT	MIN./MASTER PACK
GHD-3412	3/4"	1/2"	10/100
GHD-3434	3/4"	3/4"	10/100

FGHT X MPT ADAPTER



PRODUCT NO.	FGHT	MPT	MIN./MASTER PACK
GHF-3434	3/4"	3/4"	10/100

FGHT X FPT ADAPTER



PRODUCT NO.	FGHT	FPT	MIN./MASTER PACK
GHG-3412	3/4"	1/2"	10/100

MGHT X MPT ADAPTER



PRODUCT NO.	MGHT	MPT	MIN./MASTER PACK
GHP-3438	3/4"	3/8"	10/100
GHP-3412	3/4"	1/2"	10/100
GHP-3434	3/4"	3/4"	10/100



ELBOWS



FPT X FPT

PRODUCT NO.	FPT	FPT	MIN./MASTER PACK
ELA-1212	1/2"	1/2"	10/100
ELA-3434	3/4"	3/4"	10/100
ELA-1010	1"	1"	10/100
ELA-1250	1-1/4"	1-1/4"	5/100
ELA-1500	1-1/2"	1-1/2"	5/100
ELA-2000	2"	2"	5/100



MPT X BARB

PRODUCT NO.	MPT	BARB	MIN./MASTER PACK
ELB-1836	1/8"	3/16"	10/100
ELB-1814	1/8"	1/4"	10/100
ELB-1838	1/8"	3/8"	10/100
ELB-1414	1/4"	1/4"	10/100
ELB-1456	1/4"	5/16"	10/100
ELB-1438	1/4"	3/8"	10/100
ELB-1412	1/4"	1/2"	10/100
ELB-3814	3/8"	1/4"	10/100
ELB-3838	3/8"	3/8"	10/100
ELB-1418	1/4"	1/8"	10/100
ELB-1436	1/4"	3/16"	10/100
ELB-3812	3/8"	1/2"	10/100
ELB-3858	3/8"	5/8"	10/100
ELB-1214	1/2"	1/4"	10/100
ELB-1238	1/2"	3/8"	10/100
ELB-1212	1/2"	1/2"	10/100
ELB-1258	1/2"	5/8"	10/100
ELB-1234	1/2"	3/4"	10/100
ELB-1210	1/2"	1"	10/100
ELB-3414	3/4"	1/4"	10/100
ELB-3412	3/4"	1/2"	10/100
ELB-3458	3/4"	5/8"	10/100
ELB-3434	3/4"	3/4"	10/100
ELB-3410	3/4"	1"	10/100
ELB-1012	1"	1/2"	10/100
ELB-1034	1"	3/4"	10/100
ELB-1010	1"	1"	10/100
ELB-1434	1-1/4"	3/4"	5/100
ELB-1141	1-1/4"	1"	5/100
ELB-1140	1-1/4"	1-1/4"	5/100
ELB-1415	1-1/4"	1-1/2"	5/100
ELB-1500	1-1/2"	1-1/2"	5/100
ELB-2000	2"	2"	5/100



FPT X BARB

PRODUCT NO.	FPT	BARB	MIN./MASTER PACK
ELF-1438	1/4"	3/8"	10/100
ELF-3812	3/8"	1/2"	10/100
ELF-1238	1/2"	3/8"	10/100
ELF-3412	3/4"	1/2"	10/100
ELF-3434	3/4"	3/4"	10/100
ELF-3458	3/4"	5/8"	10/100



BARB X BARB

PRODUCT NO.	BARB	BARB	MIN./MASTER PACK
ELH-1414	1/4"	1/4"	10/100
ELH-3838	3/8"	3/8"	10/100
ELH-1214	1/2"	1/4"	10/100
ELH-1238	1/2"	3/8"	10/100
ELH-1212	1/2"	1/2"	10/100
ELH-5800	5/8"	5/8"	10/100
ELH-3434	3/4"	3/4"	10/100
ELH-1000	1"	1"	10/100
ELH-1250	1-1/4"	1-1/4"	5/100
ELH-1500	1-1/2"	1-1/2"	5/100
ELH-2000	2"	2"	5/100



**MPT X FPT
(STREET ELBOW)**

PRODUCT NO.	MPT	FPT	MIN./MASTER PACK
ELS-0250	1/4"	1/4"	10/100
ELS-0380	3/8"	3/8"	10/100
ELS-0500	1/2"	1/2"	10/100
ELS-0750	3/4"	3/4"	10/100
ELS-1000	1"	1"	10/100
ELS-1250	1-1/4"	1-1/4"	5/100
ELS-1500	1-1/2"	1-1/2"	5/100
ELS-2000	2"	2"	5/100



ADAPTERS

MENDER



PRODUCT NO.	BARB	BARB	MIN./MASTER PACK
NHM-1800	1/8"	1/8"	10/100
NHM-1836	1/8"	3/16"	10/100
NHM-3160	3/16"	3/16"	10/100
NHM-1418	1/4"	1/8"	10/100
NHM-1436	1/4"	3/16"	10/100
NHM-1400	1/4"	1/4"	10/100
NHM-5160	5/16"	5/16"	10/100
NHM-3814	3/8"	1/4"	10/100
NHM-3800	3/8"	3/8"	10/100
NHM-1214	1/2"	1/4"	10/100
NHM-1238	1/2"	3/8"	10/100
NHM-1200	1/2"	1/2"	10/100
NHM-1258	1/2"	5/8"	10/100
NHM-5838	5/8"	3/8"	10/100
NHM-5800	5/8"	5/8"	10/100
NHM-3412	3/4"	1/2"	10/100
NHM-3400	3/4"	3/4"	10/100
NHM-1000	1"	1"	10/100
NHM-1250	1-1/4"	1-1/4"	10/100
NHM-1500	1-1/2"	1-1/2"	10/100
NHM-2000	2"	2"	10/100

MALE



PRODUCT NO.	MPT	BARB	MIN./MASTER PACK
MHB-1836	1/8"	3/16"	10/100
MHB-1814	1/8"	1/4"	10/100
MHB-1856	1/8"	5/16"	10/100
MHB-1838	1/8"	3/8"	10/100
MHB-1436	1/4"	3/16"	10/100
MHB-1414	1/4"	1/4"	10/100
MHB-1456	1/4"	5/16"	10/100
MHB-1438	1/4"	3/8"	10/100
MHB-1412	1/4"	1/2"	10/100
MHB-3814	3/8"	1/4"	10/100
MHB-3838	3/8"	3/8"	10/100
MHB-3812	3/8"	1/2"	10/100
MHB-3858	3/8"	5/8"	10/100
MHB-1214	1/2"	1/4"	10/100
MHB-1238	1/2"	3/8"	10/100
MHB-1212	1/2"	1/2"	10/100
MHB-1258	1/2"	5/8"	10/100
MHB-1234	1/2"	3/4"	10/100
MHB-1210	1/2"	1"	10/100
MHB-3414	3/4"	1/4"	10/100
MHB-3438	3/4"	3/8"	10/100
MHB-3412	3/4"	1/2"	10/100
MHB-3458	3/4"	5/8"	10/100
MHB-3434	3/4"	3/4"	10/100
MHB-3410	3/4"	1"	10/100
MHB-1034	1"	3/4"	10/100
MHB-1010	1"	1"	10/100
MHB-1014	1"	1-1/4"	5/100
MHB-1434	1-1/4"	3/4"	5/100
MHB-1141	1-1/4"	1"	5/100
MHB-1140	1-1/4"	1-1/4"	5/100
MHB-1415	1-1/4"	1-1/2"	5/100
MHB-1514	1-1/2"	1-1/4"	5/100
MHB-1500	1-1/2"	1-1/2"	5/100
MHB-2000	2"	2"	5/100

FEMALE



PRODUCT NO.	FPT	BARB	MIN./MASTER PACK
FHB-1414	1/4"	1/4"	10/100
FHB-1438	1/4"	3/8"	10/100
FHB-1214	1/2"	1/4"	10/100
FHB-1238	1/2"	3/8"	10/100
FHB-1212	1/2"	1/2"	10/100
FHB-3412	3/4"	1/2"	10/100
FHB-3434	3/4"	3/4"	10/100
FHB-3458	3/4"	5/8"	10/100

**FEMALE WITH
SWIVEL HEX NUT**



PRODUCT NO.	FPT	BARB	MIN./MASTER PACK
FSN-1414	1/4"	1/4"	10/100
FSN-3838	3/8"	3/8"	10/100
FSN-1214	1/2"	1/4"	10/100
FSN-1212	1/2"	1/2"	10/100



TEES



FEMALE

PRODUCT NO.	BRANCH (FPT 1)	RUN (FPT 2 & 3)	MIN./MASTER PACK
TFP-1400	1/4"	1/4"	10/100
TFP-1200	1/2"	1/2"	10/100
TFP-3400	3/4"	3/4"	10/100
TFP-1000	1"	1"	10/100
TFP-1250	1-1/4"	1-1/4"	5/100
TFP-1500	1-1/2"	1-1/2"	5/100
TFP-2000	2"	2"	5/100



MALE

PRODUCT NO.	BRANCH (MPT)	RUN (BARB 1 & 2)	MIN./MASTER PACK.
TMH-1814	1/8"	1/4"	10/100
TMH-1414	1/4"	1/4"	10/100
TMH-1438	1/4"	3/8"	10/100
TMH-1412	1/4"	1/2"	10/100
TMH-3814	3/8"	1/4"	10/100
TMH-3800	3/8"	3/8"	10/100
TMH-3812	3/8"	1/2"	10/100
TMH-1238	1/2"	3/8"	10/100
TMH-1212	1/2"	1/2"	10/100
TMH-3400	3/4"	3/4"	10/100
TMH-3410	3/4"	1"	10/100



BARBED

PRODUCT NO.	BRANCH (BARB 1)	RUN (BARB 2 & 3)	MIN./MASTER PACK
THB-1800	1/8"	1/8"	10/100
THB-3160	3/16"	3/16"	10/100
THB-3638	3/16"	3/8"	10/100
THB-1400	1/4"	1/4"	10/100
THB-1438	1/4"	3/8"	10/100
THB-1412	1/4"	1/2"	10/100
THB-1458	1/4"	5/8"	10/100
THB-5160	5/16"	5/16"	10/100
THB-3814	3/8"	1/4"	10/100
THB-3800	3/8"	3/8"	10/100
THB-3812	3/8"	1/2"	10/100
THB-3858	3/8"	5/8"	10/100
THB-1238	1/2"	3/8"	10/100
THB-1200	1/2"	1/2"	10/100
THB-1258	1/2"	5/8"	10/100
THB-1234	1/2"	3/4"	10/100
THB-5800	5/8"	5/8"	10/100
THB-3412	3/4"	1/2"	10/100
THB-3400	3/4"	3/4"	10/100
THB-1000	1"	1"	5/100
THB-1250	1-1/4"	1-1/4"	5/100
THB-1500	1-1/2"	1-1/2"	5/100
THB-2000	2"	2"	5/100



ADDITIONAL NYLON FITTINGS

HEX NIPPLE



PRODUCT NO.	MPT	MPT	MIN./MASTER PACK
MPT-1800	1/8"	1/8"	10/100
MPT-1418	1/4"	1/8"	10/100
MPT-1400	1/4"	1/4"	10/100
MPT-3818	3/8"	1/8"	10/100
MPT-3814	3/8"	1/4"	10/100
MPT-3800	3/8"	3/8"	10/100
MPT-1218	1/2"	1/8"	10/100
MPT-1214	1/2"	1/4"	10/100
MPT-1238	1/2"	3/8"	10/100
MPT-1200	1/2"	1/2"	10/100
MPT-3438	3/4"	3/8"	10/100
MPT-3412	3/4"	1/2"	10/100
MPT-3400	3/4"	3/4"	10/100
MPT-1000	1"	1"	10/100
MPT-1250	1-1/4"	1-1/4"	5/100
MPT-1500	1-1/2"	1-1/2"	5/100
MPT-2000	2"	2"	5/100

HEX PLUG



PRODUCT NO.	MPT	MIN./MASTER PACK
HPM-1800	1/8"	10/100
HPM-1400	1/4"	10/100
HPM-3800	3/8"	10/100
HPM-1200	1/2"	10/100
HPM-3400	3/4"	10/100
HPM-1000	1"	10/100
HPM-1250	1-1/4"	5/100
HPM-1500	1-1/2"	5/100
HPM-2000	2"	5/100

CLOSED END CAP



PRODUCT NO.	FPT	MIN./MASTER PACK
CCN-0250	1/4"	10/100
CCN-0380	3/8"	10/100
CCN-0500	1/2"	10/100
CCN-0750	3/4"	10/100

COUPLING



PRODUCT NO.	FPT	FPT	MIN./MASTER PACK
FFC-1800	1/8"	1/8"	5/100
FFC-1418	1/4"	1/8"	5/100
FFC-1400	1/4"	1/4"	5/100
FFC-3814	3/8"	1/4"	5/100
FFC-3800	3/8"	3/8"	5/100
FFC-1238	1/2"	3/8"	5/100
FFC-1200	1/2"	1/2"	5/100
FFC-3412	3/4"	1/2"	5/100
FFC-3400	3/4"	3/4"	5/100
FFC-1000	1"	1"	5/100
FFC-1140	1-1/4"	1-1/4"	5/100
FFC-1120	1-1/2"	1-1/2"	5/100
FFC-2000	2"	2"	5/100

BUSHING



PRODUCT NO.	MPT	FPT	MIN./MASTER PACK
HRB-3818	3/8"	1/8"	10/100
HRB-3814	3/8"	1/4"	10/100
HRB-1218	1/2"	1/8"	10/100
HRB-1214	1/2"	1/4"	10/100
HRB-1238	1/2"	3/8"	10/100
HRB-3418	3/4"	1/8"	10/100
HRB-3414	3/4"	1/4"	10/100
HRB-3438	3/4"	3/8"	10/100
HRB-3412	3/4"	1/2"	10/100
HRB-1012	1"	1/2"	10/100
HRB-1034	1"	3/4"	10/100
HRB-1412	1-1/4"	1/2"	10/100
HRB-1434	1-1/4"	3/4"	10/100
HRB-1141	1-1/4"	1"	10/100
HRB-1534	1-1/2"	3/4"	10/100
HRB-1510	1-1/2"	1"	10/100
HRB-1514	1-1/2"	1-1/4"	10/100
HRB-2034	2"	3/4"	5/100
HRB-2010	2"	1"	5/100
HRB-2014	2"	1-1/4"	5/100
HRB-2015	2"	1-1/2"	5/100
HRB-3020	3"	2"	5/100



COMPRESSION FITTINGS

**FEMALE
CONNECTOR**



PRODUCT NO.	TUBE	FPT	MIN./MASTER PACK
FCC-6642	1/4"	1/8"	5/100
FCC-6644	1/4"	1/4"	5/100
FCC-6654	5/16"	1/4"	5/100
FCC-6664	3/8"	1/4"	5/100
FCC-6666	3/8"	3/8"	5/100
FCC-6668	3/8"	1/2"	5/100
FCC-6686	1/2"	3/8"	5/100
FCC-6688	1/2"	1/2"	5/100

**MALE
CONNECTOR**



PRODUCT NO.	TUBE	MPT	MIN./MASTER PACK
MCC-6822	1/8"	1/8"	5/100
MCC-6842	1/4"	1/8"	5/100
MCC-6844	1/4"	1/4"	5/100
MCC-6846	1/4"	3/8"	5/100
MCC-6852	5/16"	1/8"	5/100

**MALE
ELBOW**



PRODUCT NO.	TUBE	MPT	MIN./MASTER PACK
MCE-6922	1/8"	1/8"	5/100
MCE-6942	1/4"	1/8"	5/100
MCE-6944	1/4"	1/4"	5/100
MCE-6946	1/4"	3/8"	5/100
MCE-6952	5/16"	1/8"	5/100
MCE-6954	5/16"	1/4"	5/100
MCE-6964	3/8"	1/4"	5/100
MCE-6966	3/8"	3/8"	5/100
MCE-6984	1/2"	1/4"	5/100
MCE-6986	1/2"	3/8"	5/100
MCE-6988	1/2"	1/2"	5/100

ELBOW



PRODUCT NO.	TUBE	TUBE	MIN./MASTER PACK
NCE-6504	1/4"	1/4"	5/100
NCE-6505	5/16"	5/16"	5/100
NCE-6506	3/8"	3/8"	5/100
NCE-6508	1/2"	1/2"	5/100

NYLON INSERT FITTING



PRODUCT NO.	TUBE	MIN./MASTER PACK
NCI-6104	1/4"	5/100
NCI-6105	5/16"	5/100
NCI-6506	3/8"	5/100
NCI-6508	1/2"	5/100

NUT



PRODUCT NO.	TUBE	MIN./MASTER PACK
NCN-6002	1/8"	5/100
NCN-6004	1/4"	5/100
NCN-6005	5/16"	5/100
NCN-6006	3/8"	5/100
NCN-6008	1/2"	5/100

TEE



PRODUCT NO.	TUBE	MIN./MASTER PACK
NCT-6402	1/8"	5/100
NCT-6404	1/4"	5/100
NCT-6405	5/16"	5/100
NCT-6506	3/8"	5/100
NCT-6508	1/2"	5/100



COMPRESSION FITTINGS (Continued)

UNION



PRODUCT NO.	TUBE	TUBE	MIN./MASTER PACK
NCU-6204	1/4"	1/4"	5/100
NCU-6205	5/16"	5/16"	5/100
NCU-6242	1/4"	1/8"	5/100
NCU-6254	5/16"	1/4"	5/100
NCU-6206	3/8"	3/8"	5/100
NCU-6264	3/8"	1/4"	5/100
NCU-6208	1/2"	1/2"	5/100
NCU-6286	1/2"	3/8"	5/100

AG FITTINGS

THESE FITTINGS ARE ALL 11/16" AG SPRAYER NOZZLE THREAD FITTINGS
ALL FITTINGS INCLUDE LOCKNUT

NIPPLE



PRODUCT NO.	AG THREAD	MPT THREAD	MIN./MASTER PACK
NNB-1618	11/16"	1/8"	5/100
NNB-1614	11/16"	1/4"	5/100
NNB-1612	11/16"	1/2"	5/100

HOSE ADAPTER



PRODUCT NO.	AG THREAD	BARB SIZE	MIN./MASTER PACK
NTB-3838	11/16"	3/8"	5/100
NTB-3812	11/16"	1/2"	5/100

ELBOW



PRODUCT NO.	AG THREAD	BARB	MIN./MASTER PACK
NTL-5800	11/16"	1/8"	5/100
NTL-3800	11/16"	3/8"	5/100
NTL-1200	11/16"	1/2"	5/100
NTL-3400	11/16"	3/4"	5/100
NTL-1000	11/16"	1"	5100

TEE



PRODUCT NO.	AG THREAD	BARB	MIN./MASTER PACK
NTT-3800	11/16"	3/8"	5/100
NTT-1200	11/16"	1/2"	5/100
NTT-5800	11/16"	5/8"	5/100
NTT-3400	11/16"	3/4"	5/100
NTT-1000	11/16"	1"	5/100

CROSS



PRODUCT NO.	AG THREAD	BARB	MIN./MASTER PACK
NTX-3800	11/16"	3/8"	5/100
NTX-1200	11/16"	1/2"	5/100
NTX-3400	11/16"	3/4"	5/100



CAM & GROOVE (QUICK DISCONNECTS)

PART A (MALE ADAPTER X FEMALE NPT)



POLYPROPYLENE	
PRODUCT NO.	SIZE
QC-A050-PP	1/2"
QC-A075-PP	3/4"
QC-A100-PP	1"
QC-A125-PP	1-1/4"
QC-A150-PP	1-1/2"
QC-A200-PP	2"
QC-A300-PP	3"
QC-A400-PP	4"

ALUMINUM	
PRODUCT NO.	SIZE
QC-A075	3/4"
QC-A100	1"
QC-A125	1-1/4"
QC-A150	1-1/2"
QC-A200	2"
QC-A300	3"
QC-A400	4"



PART B (FEMALE COUPLER X MALE NPT)



POLYPROPYLENE	
PRODUCT NO.	SIZE
QC-B050-PP	1/2"
QC-B075-PP	3/4"
QC-B100-PP	1"
QC-B125-PP	1-1/4"
QC-B150-PP	1-1/2"
QC-B200-PP	2"
QC-B300-PP	3"
QC-B400-PP	4"

ALUMINUM	
PRODUCT NO.	SIZE
QC-B075	3/4"
QC-B100	1"
QC-B125	1-1/4"
QC-B150	1-1/2"
QC-B200	2"
QC-B300	3"
QC-B400	4"



PART C (FEMALE COUPLER X HOSE SHANK)



POLYPROPYLENE	
PRODUCT NO.	SIZE
QC-C050-PP	1/2"
QC-C075-PP	3/4"
QC-C100-PP	1"
QC-C125-PP	1-1/4"
QC-C150-PP	1-1/2"
QC-C200-PP	2"
QC-C300-PP	3"
QC-C400-PP	4"

ALUMINUM	
PRODUCT NO.	SIZE
QC-C075	3/4"
QC-C100	1"
QC-C125	1-1/4"
QC-C150	1-1/2"
QC-C200	2"
QC-C300	3"
QC-C400	4"



*OTHER SIZES/MATERIALS AVAILABLE



CAM & GROOVE (QUICK DISCONNECTS) – Continued

PART D (FEMALE COUPLER X FEMALE NPT)



POLYPROPYLENE	
PRODUCT NO.	SIZE
QC-D050-PP	1/2"
QC-D075-PP	3/4"
QC-D100-PP	1"
QC-D125-PP	1-1/4"
QC-D150-PP	1-1/2"
QC-D200-PP	2"
QC-D300-PP	3"
QC-D400-PP	4"

ALUMINUM	
PRODUCT NO.	SIZE
QC-D075	3/4"
QC-D100	1"
QC-D125	1-1/4"
QC-D150	1-1/2"
QC-D200	2"
QC-D300	3"
QC-D400	4"



PART E (MALE ADAPTER X HOSE SHANK)



POLYPROPYLENE	
PRODUCT NO.	SIZE
QC-E050-PP	1/2"
QC-E075-PP	3/4"
QC-E100-PP	1"
QC-E125-PP	1-1/4"
QC-E150-PP	1-1/2"
QC-E200-PP	2"
QC-E300-PP	3"
QC-E400-PP	4"

ALUMINUM	
PRODUCT NO.	SIZE
QC-E075	3/4"
QC-E100	1"
QC-E125	1-1/4"
QC-E150	1-1/2"
QC-E200	2"
QC-E300	3"
QC-E400	4"



PART F (MALE ADAPTER X MALE NPT)



POLYPROPYLENE	
PRODUCT NO.	SIZE
QC-F050-PP	1/2"
QC-F075-PP	3/4"
QC-F100-PP	1"
QC-F125-PP	1-1/4"
QC-F150-PP	1-1/2"
QC-F200-PP	2"
QC-F300-PP	3"
QC-F400-PP	4"

ALUMINUM	
PRODUCT NO.	SIZE
QC-F075	3/4"
QC-F100	1"
QC-F125	1-1/4"
QC-F150	1-1/2"
QC-F200	2"
QC-F300	3"
QC-F400	4"



*OTHER SIZES/MATERIALS AVAILABLE



CAM & GROOVE (QUICK DISCONNECTS) – Continued

PART DC (DUST CAP)

POLYPROPYLENE

PRODUCT NO.	SIZE
QC-DC050-PP	1/2"
QC-DC075-PP	3/4"
QC-DC100-PP	1"
QC-DC125-PP	1-1/4"
QC-DC150-PP	1-1/2"
QC-DC200-PP	2"
QC-DC300-PP	3"
QC-DC400-PP	4"



ALUMINUM

PRODUCT NO.	SIZE
QC-DC075	3/4"
QC-DC100	1"
QC-DC125	1-1/4"
QC-DC150	1-1/2"
QC-DC200	2"
QC-DC300	3"
QC-DC400	4"



PART DP (DUST PLUG)

POLYPROPYLENE

PRODUCT NO.	SIZE
QC-E050-PP	1/2"
QC-E075-PP	3/4"
QC-E100-PP	1"
QC-E125-PP	1-1/4"
QC-E150-PP	1-1/2"
QC-E200-PP	2"
QC-E300-PP	3"
QC-E400-PP	4"



ALUMINUM

PRODUCT NO.	SIZE
QC-DP075	3/4"
QC-DP100	1"
QC-DP125	1-1/4"
QC-DP150	1-1/2"
QC-DP200	2"
QC-DP300	3"
QC-DP400	4"



CAM & GROOVE GASKETS

EPDM

PRODUCT NO.	SIZE
GASK-QCE050	1/2"
GASK-QCE075	3/4"
GASK-QCE100	1"
GASK-QCE125	1-1/4"
GASK-QCE150	1-1/2"
GASK-QCE200	2"
GASK-QCE300	3"
GASK-QCE400	4"



NITRILE (BUNA-N)

PRODUCT NO.	SIZE
GASK-QC050	1/2"
GASK-QC075	3/4"
GASK-QC100	1"
GASK-QC125	1-1/4"
GASK-QC150	1-1/2"
GASK-QC200	2"
GASK-QC300	3"
GASK-QC400	4"



*OTHER SIZES/MATERIALS AVAILABLE



CLEAR BRAIDED PVC TUBING

Food and Beverage Grade – Standard Wall

- NEW NSF-51
 - NEW NSF-61 MATERIAL
- MEETS 3A-3 CRITERIA



**ONE
PIECE COIL
NO RANDOM
LENGTHS**



CONSTRUCTION

Crystal clear polyvinyl chloride reinforced with spiraled polyester cords. Also reinforced with multiple longitudinal polyester cords to reduce elongation under pressure. Cover and tube is compounded from Non-Toxic PVC ingredients in compliance with applicable FDA** requirements.

**FDA – CFR Title 21 parts 170 to 199

FEATURES

- Longitudinally reinforced to reduce elongation under pressure
- Non-Toxic Compounds
- Glass Smooth Interior
- Crystal Clear
- Chemical Resistant
- Non-Marking
- Lightweight
- Ozone & Atmospheric Resistant
- Self Extinguishing (UL94 Flame Class Recognized for Specific Requirements)

INDUSTRIAL APPLICATIONS

- Pneumatic Lines
- Lubrication Lines
- Air & Water Lines
- Packaging Machines
- Glue Lines
- Air Breathing Lines
- Vacuum Lines (Call for rating)

FOOD & BEVERAGE APPLICATIONS


- Potable Water Transfer Lines
- Transfer of Powdered Foods
- Food & Beverage Dispensing
- Applications where Poly-Vinyl Chloride is compatible with the media to be conveyed.

TEMPERATURE RANGE

25°F (-4°C) to 150°F (65°)

CLEAR BRAIDED PVC TUBING

PRODUCT NO.	NOMINAL INCH INSIDE DIAMETER	LENGTH FT.
TRPVC-04X100	1/4"	100
TRPVC-04X300	1/4"	300
TRPVC-05X100	5/16"	100
TRPVC-05X300	5/16"	300
TRPVC-06X100	3/8"	100
TRPVC-06X300	3/8"	300
TRPVC-08X100	1/2"	100
TRPVC-08X300	1/2"	300
TRPVC-10X100	5/8"	100
TRPVC-10X200	5/8"	200
TRPVC-12X100	3/4"	100
TRPVC-12X200	3/4"	200
TRPVC-16X50	1"	50
TRPVC-16X100	1"	100
TRPVC-16X200	1"	200
TRPVC-20X50	1-1/4"	50
TRPVC-20X100	1-1/4"	100
TRPVC-24X50	1-1/2"	50
TRPVC-24X100	1-1/2"	100
TRPVC-32X50	2"	50
TRPVC-32X100	2"	100





PVC SUCTION HOSE



Green PVC suction hose is lightweight and resistant to many acids, chemicals, and the effects of weather. Assemblies are coupled with Male and Female (M&F) aluminum shank couplings (female has brass swivel). Banded on. Other couplings available.

STANDARD 100 FT. LENGTH UNCOUPLED

PRODUCT NO.	INSIDE DIA.	WORKING PRESSURE @70°F (PSI)	WEIGHT PER 100 FT. (LBS.)
SP125X100	1-1/4"	85	32
SP150X100	1-1/2"	70	36
SP200X100	2"	65	61
SP300X100	3"	65	114

20 FT. LENGTHS COUPLED MALE/FEMALE

PRODUCT NO.	INSIDE DIA.	WORKING PRESSURE @70°F (PSI)	WEIGHT PER 100 FT. (LBS.)
SP125-20MF	1-1/4"	85	32
SP150-20MF	1-1/2"	70	36
SP200-20MF	2"	65	61
SP300-20MF	3"	65	114

PVC DISCHARGE HOSE



Blue PVC nylon reinforced plastic discharge hose. Strong, lightweight, weather and mildew proof. Highly flexible. Easily stored. These assemblies are coupled with Male and Female Aluminum Shank Couplings (female has brass swivel). Banded on. Other couplings available.

STANDARD 100 FT. LENGTH UNCOUPLED

PRODUCT NO.	INSIDE DIA.	WORKING PRESSURE @70°F (PSI)	WEIGHT PER 100 FT. (LBS.)
DPX150-100	1-1/2"	75	15
DPX200-100	2"	60	23
DPX300-100	3"	50	40

25 FT. LENGTHS COUPLED MALE/FEMALE

PRODUCT NO.	INSIDE DIA.	WORKING PRESSURE @70°F (PSI)	WEIGHT PER 100 FT. (LBS.)
DPX150-25MF	1-1/2"	75	15
DPX200-25MF	2"	60	23
DPX300-25MF	3"	50	40

50 FT. LENGTHS COUPLED MALE/FEMALE

PRODUCT NO.	INSIDE DIA.	WORKING PRESSURE @70°F (PSI)	WEIGHT PER 100 FT. (LBS.)
DPX150-50MF	1-1/2"	75	15
DPX200-50MF	2"	60	23
DPX300-50MF	3"	50	40

PLATED STEEL SUCTION HOSE STRAINER



PRODUCT NO.	SIZE
STR-RH150	1-1/2"
STR-RH200	2"
STR-RH300	3"

Square Holes Available Upon Request

POLYPROPYLENE SUCTION HOSE STRAINER



PRODUCT NO.	SIZE
PST-1500	1-1/2"
PST-2000	2"
PST-3000	3"



SAFETY LOCKS

Eliminate spills due to camlock arms opening up accidentally. Safety Locks are an alternative to Velcro straps and simply click into place over camlock arms.

COUPLING SIZE	DESCRIPTION	PART NO.
1"	Green	SL-1
1-1/2"	Yellow	SL-15
2"	Blue	SL-2
3"	Red	SL-3
4"	Orange	SL-4



POLYPROPYLENE BALL VALVES

- Precision molded in glass-reinforced polypropylene for stability, strength and toughness.
- Machined surfaces for easy on-off operation.
- Self-aligning ball.
- Viton® O-ring.

- Excellent chemical resistance.
- Poly-Tel® seats.
- Can be replaced or repaired in the field in-line.
- Stainless steel hardware is available in all ball valves.



PRODUCT NO.	SIZE
BV-PBV100-SP	1" Standard Port



PRODUCT NO.	SIZE
BV-PBV150-FP	1-1/2" Full Port
BV-PBV2004	2" Standard Port



SAFETY BUMPS

Safety Bumps are used as caps and plugs for camlock couplings. They keep dust and debris out of your hose assemblies and all camlock connections. The integrated handle makes easy work of moving and storing hose assemblies.

NOTE: Not to be used under pressure.

Food Grade Safety Bump

COUPLING SIZE	DESCRIPTION	PART NO.
2"	Food Grade Female Dust Cap	SBF-2F
3"	Food Grade Female Dust Cap	SBF-3F
4"	Food Grade Female Dust Cap	SBF-4F



COUPLING SIZE	DESCRIPTION	PART NO.
2"	Food Grade Male Dust Plug	SBM-2F
3"	Food Grade Male Dust Plug	SBM-3F
4"	Food Grade Male Dust Plug	SBM-4F



Anti-Static Safety Bump

COUPLING SIZE	DESCRIPTION	PART NO.
2"	Anti-Static Female Dust Cap	SBF-2P
3"	Anti-Static Female Dust Cap	SBF-3P
4"	Anti-Static Female Dust Cap	SBF-4P



COUPLING SIZE	DESCRIPTION	PART NO.
2"	Anti-Static Male Dust Plug	SBM-2P
3"	Anti-Static Male Dust Plug	SBM-3P
4"	Anti-Static Male Dust Plug	SBM-4P



Water/Septic Safety Bump

COUPLING SIZE	DESCRIPTION	PART NO.
2"	Water/Septic Female Dust Cap	SBF-2S
3"	Water/Septic Female Dust Cap	SBF-3S
4"	Water/Septic Female Dust Cap	SBF-4S




COUPLING SIZE	DESCRIPTION	PART NO.
2"	Water/Septic Male Dust Plug	SBM-2S
3"	Water/Septic Male Dust Plug	SBM-3S
4"	Water/Septic Male Dust Plug	SBM-4S





NYLON FITTING MERCHANDISER

135 tilt bin displays



*Gondola, signage
and slider hardware
not included*

Arrow Products Inc. • 945 N. Larch Ave., Elmhurst, IL 60126

Phone: 630-607-1910 Fax: 630-607-1901 E-mail: arrow@arrowproducts.net

LET ARROW PRODUCTS HANDLE ALL OF YOUR HOSE NEEDS!

**CALL 630-607-1910
WITH THE FOLLOWING INFORMATION:**

S **SIZE**
T **TEMPERATURE**
A **APPLICATION**
M **MEDIA CONVEYED**
P **PRESSURE**
E **ENDS**
D **DELIVERY**



**Arrow
Products Inc.**

945 N. Larch Ave. • Elmhurst, IL 60126

Phone 630-607-1910

Email arrow@arrowproducts.net

Fax 630-607-1901