


Bridge View Monitor Management Interface SRBV-8T


Features:

- Manage all monitors with one touch-screen display
- 7.0" Color TFT Display
- Extron Switcher Compatibility
- Simplifies Monitor Operations
- User Customizable
- Easy to install Ethernet Connections



Specifications	
LCD Size	8" TFT-LCD
Max. Resolution	800 x 600
Max. Color	16.2 M
Luminance (cd/m²)	1000 Nits Auto Dimming
Viewing Angle (H°/V°)	140/125
Contrast Ratio	500:1
Backlight Lifetime (hours)	40,000
Touch Type	PCAP Touch Window
Interface	USB/RS-232
VGA	1
DVI	1
OSD	Control Membrane, 5 keys on back
Others	USB Interface for touch, RS-232 is option. 1x optional tack switch for VGA/DVI switching. 1x Line in by phone jack option
Power	3 pins terminal block
Power Input	9~36V DC / Consumption: Max 3.6W@12V
Construction	Aluminum Die-Casting Chassis
IP Rating	Front IP65
Mounting	Panel Mounting, VESA 75 x 75
Dimensions (mm)	231 x 176 x 51
Weight (Kgs)	1.8
Certifications	CE/FCC Class A


Mechanical Drawing



Mounting Hole Size

AYDIN MARINE

a sparton company



Ordering Information:
SRBV-8T.....8" Bridgeview

Please contact your sales representative for more information



Consult Factory on pricing & lead time

AYDIN MARINE

a sparton company

1 Riga Lane Birdsboro, PA 19508 USA
1-866-367-2934
www.spartonre.com