# **Gull Lake Sewer & Water Authority**

7722 N. 37th Street Richland, Michigan 49083 Phone: (269) 731-4595 Fax: (269) 731-2596 www.glswa.org

# MINUTES OF THE JANUARY 24, 2018 REGULAR BOARD MEETING

Authority Board Meeting

1:00 P.M.

CALL TO ORDER/ROLL CALL: Chairman Stoneburner called the meeting to order at 1:00 P.M. Commissioners present were Jimmy Stoneburner, Wes Kahler, Lysanne Harma and Gary Moore. None absent. Also present were Executive Director Rich Pierson, Deputy Director John Crumb, Executive Assistant Anne Richmond, Charleston Township Supervisor Jerry VanderRoest, and Engineers Alan Smaka and Paul Schram.

**REVIEW AND SET THE AGENDA:** Pierson noted that the current agenda reflected two changes: Charleston Sewer Operations was moved from Old Business to New Business and there was a new total for Work Orders over \$750. Harma made the motion to accept the Agenda as revised. Motion was seconded by Moore. **Motion carried; all ayes.** 

MINUTES OF THE JANUARY 17, 2018 SPECIAL MEETING: A motion was made by Kahler and seconded by Harma to accept the special meeting minutes of January 17, 2018. Motion carried; all ayes.

HEAR THOSE PRESENT (Non-Agenda Items): None present.

#### **CORRESPONDENCE:**

Ritz-9638 W Gull Lake Drive Proposed Building Over Sanitary Sewer The Ritz's proposed new home at 9638 West Gull Lake Drive is directly over the sanitary sewer pipeline. The easement for the sanitary sewer states "the Authority will not unreasonably deny the owner permission to construct over the easement area". Director Pierson had met with the Ritz's and advised them to design the home first and submit it. The recent home layout is directly over the pipe, and therefore, Pierson recommends the pipe be rerouted and he recommended the owner budget \$30,000 to \$40,000 for the relocation of the sewer around the outside of the home footprint. Pierson and Crumb to review the easement language with legal counsel.

Lotta Jarnfelt-Kalamazoo County Question on Additional Piece of Property Lotta questioned proper ownership of a triangular piece property at the corner of Burlington Drive and Corey Avenue. It is not required for sewer and Pierson believes that it should be part of the road right-of-way.

Jonathan and Jessica Kline Letter with Invoice – Odor Investigation & Resolution GLSWA sent an Invoice in the amount of \$2,860.50 for the work we did to resolve the odor issues within 1400 Midland. *Pierson and Crumb to make contact with the Klines*.

Rob Thall / McCamman Village of Richland Sewer Contract The Village of Richland Sewer Contract is under review. Pierson, Crumb, Moore, and Stoneburner met with the President of Richland Village, Dave Greve, on 1/23/2018.

State of Michigan-PPP Purge Email Regarding Payments
Richmond sent an email to the DEQ regarding unpaid invoices for the PPP Purge well
flow and checks received for \$0. Melissa Andrews of the DEQ is working to resolve
the payment issues.

C Shires-Gilmore Car Museum Courtesy Inquiry
Pierson sent a courtesy email to Chris Shires of the Gilmore Car Museum asking if he
would like to revisit the worksheet/proposal that GLSWA put together. *Pierson and*Crumb will follow-up with Mr. Shires.

Tom Wheat-P/N P/N Engineering Services on Gilmore Farms Project Pierson is proposing that Prein and Newhof review and inspect the Gilmore Farms Project as Wightman was the design engineer. GLSWA will set a meeting with Prein and Newhof and WAI to clarify GLSWA expectations and protocol.

Zoetis-P Vandermeulen Courtesy Email on Upcoming Rate Increase Pierson sent a courtesy email to Paul Vandermeulen of Zoetis advising him that GLSWA will be raising rates, the move to metered billing has been delayed, and that Pierson will be retiring as of March 28. GLSWA will set a meeting with Zoetis to introduce John Crumb.

M Ross-2309 N. 37<sup>th</sup> St Grinder Quotation GLSWA quoted \$14,420 (\$10,400 Connection Fee + \$4,020 Installation) for a Grinder Pump Connection at 2309 N. 37<sup>th</sup> Street.

Rich Rosenberger GLSWA Agreed to Videotape to Prove Gravel Pierson met with Mr. Rosenberger on 1/10/2018 and after discussion, agreed to videotape the pipe in the Havens project to determine, if gravel was present, that the gravel migrated to the main line that subsequently had to be cleaned. Crumb and Grogg reviewed the video and concluded the gravel did migrate, and therefore, there is no modification to the proposed settlement agreement with Mr. Rosenberger. Mr. Rosenberger has yet to agree to the terms of the proposed settlement agreement. Pierson and Crumb to follow up with Rosenberger.

John Crumb Research Consumers Gas Installation along N 37<sup>th</sup> Street Pierson asked John Crumb to investigate Consumers Energy plans for a new gas main down 37<sup>th</sup> Street as a gas main over our pipeline will increase the replacement cost. *Crumb will follow up.* 

### **NEW BUSINESS / PROJECTS UPDATE**

Maslon-Warner-Norcross Reaffirm vacation of Avery Drive West-Ross Township GLSWA received a request to vacate the extension of Avery Drive to the west in Ross Township. GLSWA had previously approved vacating the extension of Avery Road in 1995 as we have no interest in it. A motion was made by Kahler and seconded by Harma to reaffirm the vacation of Avery Drive west. Motion carried; all ayes. Pierson to sign release form.

Grogg-Certification Authorize \$900 for MACP/PACP Recertification Crumb explained the need to recertify GLSWA personnel every three (3) years after the initial investment for Manhole/Pipe Inspection Certification. Aaron Grogg has an opportunity to recertify over Spring Break. Crumb requested approval for a mileage allowance (\$200), hotel room allowance (\$500) and meal allowance (\$200) up to \$900 for Aaron's recertification during his family Spring Break trip. Harma made the motion to approve spending up to \$900 in expenses for Aaron to obtain MACP/PACP recertification. Motion was seconded by Moore. Motion carried; all ayes.

Charleston Sewer Operations Re-Approve Letter of Intent (AMP \$15,000) GLSWA had proposed performing an Asset Management Plan (AMP) for Charleston Township at an estimated cost of \$28,200 as part of a Sanitary Sewer Operations Proposal presented to Charleston Township at a meeting on 1/23/2018. Charleston Township Supervisor, Jerry VanderRoest, does not believe that a full AMP is necessary. Pierson estimated a cost of \$15,000 for a reduced AMP. A motion was made by Harma and seconded by Kahler to re-approve the Letter of Intent for Charleston Township with the cost of the AMP reduced to \$15,000. Motion carried; all ayes. Pierson to revise the Letter on Intent and clarify VanderRoest's other items. Pierson discussed the possibility of including a portion of the 20 year 'risk' of Charleston's (and Cooper's) infrastructure within the Authority's Asset Management Plan, regardless of ownership.

E. DE Avenue – No Exist Sewer Sewer is Available; Will get \$\$ and Advise The house located at 11697 E DE Avenue may be rebuilt. As we are able to install sewer in the road right-of-way, sewer is available within 200 ft. GLSWA will need to determine the cost to extend sewer to the property line.

Bristol-Memorial Family Inquiry as to Memorial Tribute-Pump Station #21 The Bristol Family has made an inquiry regarding a memorial to their parents at Pump Station #21. Their parents were early supporters of putting the sewer system around Gull Lake.

## Asset Management Plan (SAW)

O Update on Wightman's review + work to date: Alan Smaka reviewed an analysis of their work completed to date. The work is to be finalized and forwarded to the rate consultant along with updated financials leading up to a proposed rate increase to be presented to the Board at the February meeting.

Projects-Miscellaneous 2017-2018 Various Projects and On-Going Work

- o Riverview-Keyes Drive: Meeting with Cooper on project 1/29/18.
- o Gilmore Farms-36 homes approved at Twp level-will need sewer extension
- Ross Township Road Project coordination-JC to meet with Road Commission on Feb. 1 Example: 2019 Rehabilitation-\$139,695 2019 Gull Vista Plat

Work Orders over \$750

Logo: Proposed logo selection

Manager Plus Work Order System

info: Pierson to consolidate responses and make recommendation

114-130 Reactive Work Orders to Date

- -WO#8 PS#1: Replace Pump at PS#1 (April) plus rebuild spare: \$12,983
- -WO#108: New Grinder Installation at 6015 N. 37th Street: \$6,259
- -WO#99 PS#16: Pull and rebuild pump at PS#16 + New Impeller-still waiting: \$TBD
- -WO#115 PS#1: Another pump at LS#1 (Sept) plus rebuild spare: \$8,846
- -WO #117: Grinder Pump Replacement: \$1,565

### **OLD BUSINESS: ACTIVE**

•	Asset Mgmt project	SCADA – Supervisory Control & Data Acquisition – RP to update costs
•	Galesburg pipe under M-96	Info: Galesburg pipe (interceptor) - RP to write letter after review by WAI
•	Pole Barn Contract	Info: Preparing contract with Brussee-Brady for Pole Barn Construction
•	AT+T – 42 <sup>nd</sup> St damage	Info: The \$3,000 damage claim from November is TDS, not AT+T
•	MIWARN Exercise	Info: Join MIWARN (Mich W/WW Agency Response Network)
•	Rosenberger update	Info: Approve Agreement with Mr. Rosenberger – video taped sewers
•	DEQ – Purge Well Discharge	Info: Email sent to DEQ 5/23; received document back from MDEQ
•	Kline - 1400 Midland	Info: Sent invoice – no payment yet, no response yet
•	Engel (Spruce Lane Apts)	Info: Pierson to write letter with invoice
•	Little Long Lake Sewer Ext	Info: Pierson to pursue easement along road for sewer extension
•	Kalamazoo County Deeds	Info: Lotta drawing up deeds
0	Richland Village Sewer Agmt	Info: RP / JC / JS to meet with Village President – new contract is prepared
0	McDonald Street – Easement	Info: Need to obtain easement and extend sewer lead to McDonald
•	Testing of Grinder Pump lines	Info: Inadequate pressure on 1st air test; continue to develop procedure
•	Ordinance -Metered billing	Info: Internal discussion on challenges + logistics – timeline TBD
•	Cooper proposal	Info: Pierson to put together Asset Mgmt plan and Letter of Intent
•	Gull Lake Condos – Easement	Info: Tom Wheat + RP reviewed application. To be prepared & submitted
•	(3) Repairs for 2017 season:	Info: Discovered a 2 <sup>nd</sup> broken wye or lead-based upon 4" reuse policy

Richland Water Conn Fees

 Regional Commission update discussion Info: Pierson to review these (again) with upcoming recommendation Info: Continued Water Contract negotiations / Rate Base / Ownership

**OLD BUSINESS: INACTIVE** (see Attachment A). The Board acknowledged receipt of the Old Business / Inactive list.

### FINANCIAL REPORT

Financial Report / Bills Paid + Payable

A motion was made by Kahler and seconded by Harma to file the financial reports as presented and approve the standard bills paid through December 31, 2017. <u>Motion carried; all ayes</u>. Crumb/Richmond to determine format for summary of engineering charges going forward for Prein & Newhof and Wightman.

#### **CLOSING COMMENTS:**

The Board expressed appreciation to Rich for all that he has done and his willingness to help and share his wisdom. They expressed confidence that the culture Rich has developed at GLSWA will continue with John and are pleased that the transition is going well.

### ADJOURN.

Chairman Stoneburner adjourned the meeting at 2:35 p.m.

**NEXT MEETING:** 

WEDNESDAY, FEBRUARY 28, 2018, at 1:00 P.M.

Submitted for approval

Lysanne Harma – Secretary

### Attachment A: Old Business Items-

OLD BUSINESS ITEMS (Miscellaneous projects / items carried over) / No change in status unless Red

1/19/2018 No. Item Status DEQ Purge Well discharge Wells tunned back on - still plan to be shut down in 2017; New Agrit to be drafted; Lease pay't-yes Response from DEQ stating they would move it forward : Overall revenues for Authority FYE 2018 will likely be reduced 8% (\$300,000 +/-) Rob Thall - Property Acquisition/Easements : 2-Properties: Consumers / Gull Lake Condos + Consumers at Auth offices RP + TW met to review - RP to prepare DED construction permit obtained, CMS paperwork to be initiated - Intent to acquire easement. Guil Lake Authority Property Development : Pierson to meet with Harma + Dykstra to make recommendation to Board Plan for June out for-bid on future Pole Barn / Office area expansion needs: rent space again winter 2017-18 if needed **Gull Lake Ministries**  RP to do review of their "non-single family" accounts (re-rate large multi-room homes) Reminded GLM of the need to consolidate : Parcels need to be combined under common parcel number or they owe Conn Fees Galesburg - Comstock Interceptor : Within main agenda RP to add to Asset Mgmt plan + contact Augusta : Postponed this work - anticipate new Regional Agent in 2018 will resolve this: Pipe Repair needed Charleston Township Sewer : Pierson is preparing documents and costs analytics to present to GLSWA + Charleston for immy/Gary/Rich/John mtg on 1/23 Charleston to have GLSWA operate, maintain and administer the sewer system in Charleston. 1980-1990 Easement Releases : On-going filing / FileBound project, accumulating all easements under 1 file, then having the Continue to work on these one-by-one: 2 year window County "acknowledge" and "release" them to us (as they are in the name of the County currently). Village of Richland Contract Contract drafted. To be reviewed and forwarded to Village for their January meeting Target meeting date 1/23 / March action aon 3/12 Emailed D. Greve suggesting meeting w/him on Village Richland sewer/water issues Sherman Lake Easement 'clean-up / verify' : Pierson to review easements and check for accuracy - file in GIS system SAW eligible - Anne, Cherl, Rich + Andrew on-going SAW extension requested to do this work - Extension denied. Work continues on these Kalamazoo Regional W / WW Commission : GLSWA is party to a lawsuit (now withdrawn) regarding rates and charges Plerson discussed with legal coursel the Richland/Ress water issu: New water and wastewater agreements are being worked on the the Commission Air Release Valve Rebuilding. : An SSO incident in July 2013 was caused by a failed galvanized nipple on an air release valve We have rebuilt 8 of these - 2 additional to go 37th Street Grinder lines tapped into D Iron : Carrasian issue with capper corrasion These will be rebuilt when we work on 1581 forcertain : We have rebuilt 6 of these - 4 additional in Charleston Township to be rebuilt 30th Street Gravity Sewer - Future 23 : If Allen Edwin completes Phases III + IV of Gilmore Farms, new pipeline to be constructed RP briefed Richland Twnp on this potential project : This will require 7 easements prior to starting the project Water Connection Fees (Village / Township) : Short-side / Long-side tap averaging should be in place for water main taps RP beginning to work on these - thanks Anne. As well as new increased Connection Fees for water honk-ups as \$\$ will be needed Commercial Review / Apartment/ Metered Pierson is proposing to move from 200 gal/day per unit to 150 gal/day per unit, simultaneously Project scheduled for Implementation throughout 2017 while having metered customers have a ready-to-serve charge + a commodity charge. Miscellaneous Customer Fees : Sump pump violations : Pierson to pursue with certified mail and Misc Customer fee procedure **Emergency Fuel Acquisition** : Authorized last year but never purchased due to space concerns / reconfiguration Adhas taken this over: Will need reauthorization : Pierson to follow up in 2015 -- now 2016 - now 2017 Manhole raising Project Info: 160+ inaccessible; 83 + in yards, 73+ in road; Work continues: 90 in yards + 11 in road done: Preparing estimates for 2017 seasonal repairs 4 Repair sites: to be bid LS 24 Air Release, LS 24 gravity drop repair under asphalt (Matt); Burlington wye (Matt) 3rd repair needed SGLD: to be 2017 Possibly be in-situ (inside pipe) repairs: \$6000 each Instead of \$8000 - \$10,000 each Articles of Incorporation - to be reworked : Requires ratification by each municipal board. Done: Awaiting spring 2017 ordinance / contracts to be a 21 Rosenberg: on Connection Fee + Engliny. : Said he would meet with Director Pierson in the near future (this was early January) 1710 mtg w HH, Comercing the pipe to verify gravel or