



PRODUCT CATALOG



NEW!

📍 35 Stoffel Dr Unit 15
Etobicoke, ON M9W 6A8
📞 416.614.0091

📍 201 Millway Ave Unit 12
Concord, ON L4K 5K8
📞 905.660.5337





3" OR 4" SLIM MULTI-VOLTAGE 3WAY CCT
 Model No.: VO-RP8W18-347-D-3WAY

- Power: 18W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 1700 LM
- 3CCT: 3000K/4000K/5000K

- 3" or 4" : \$9

COLOUR OPTIONS: ● ● ●



6" SLIM PANEL 3WAY CCT
 Model No.: VO-RP6W13-120-D-3WAY

- Power: 13W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 1050 Lm
- CCT:3000K/4000K/5000K

- 6" : \$16

COLOUR OPTIONS: ● ● ●



8" SLIM MULTI-VOLTAGE 3WAY CCT
 Model No.: VO-RP8W18-347-D-3WAY

- Power: 18W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 1700 LM
- CCT:3000K/4000K/5000K

- 8" : \$25

COLOUR OPTIONS: ●



4" SLIM PANEL 5CCT - FIRE RATED
 Model No.: VO-RP4W10-120-D-5WAY-FR

- Power: 10W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 750LM
- 5CCT:2700K/3000K/3500K/4000K/ 5000K

- 4" : \$18

COLOUR OPTIONS: ● ●




ROUND RGB SLIM SMART PANEL
 Model No.: VO-RP4W10-120-WIFI

- Power: 10W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 700LM
- CCT: RGBCW2700K 6500K
- Phone compatible.
- Includes remote

- 4" : \$25

COLOUR OPTIONS: ● ● ● ●



4" SLIM SQUARE PANEL 3WAY CCT
 Model No.: VO-SP4W12-120-D-3WAY

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 900 Lm
- 3CCTAdjustable: 3000K/4000K/5000K

- 4" : \$14

COLOUR OPTIONS: ● ● ●



ROUND EYEBALL 3WAY CCT
 Model No.: GS-G4-D12(CCT)

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 1200 LM
- 3CCT: 3000K/4000K/5000K

- 4" : \$20
- + \$3 black

COLOUR OPTIONS: ● ●




SQUARE EYEBALL 3WAY CCT
 Model No.: GS-G4-D12(CCT)

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 1200 LM
- CCT:3000K/4000K/5000K

- 4" : \$20
- + \$3 black

COLOUR OPTIONS: ● ●




BAFFLE DOWNLIGHT 5WAY CCT
 Model No.: VO-RP1W7-120-D-5WAY

- Power: 7W
- Input Voltage: 120V
- Power Factor: >0.9
- Brightness: 500LM
- 5CCT:2700K/3000K/3500K /4000K/5000K

- 1" : \$20

COLOUR OPTIONS: ● ●



BAFFLE DOWNLIGHT 5WAY CCT (SQUARE)
 Model No.: VO-RP1W7-120-D-5WAY

- Power: 7W
- Input Voltage: 120V
- Power Factor: >0.9
- Brightness: 500LM
- 5CCT:2700K/3000K/3500K /4000K/5000K

- 1" : \$20

COLOUR OPTIONS: ● ●



GIMBAL 3WAY 3CCT
 Model No.: C5202

- Power: 7W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 560 LM
- 3CCT: 3000K/4000K/5000K

- 3" or 4" : \$12
- 6" : \$16
- 8" : \$24

COLOUR OPTIONS: ● ● ●




4" MULTI-DIRECTIONAL GIMBAL 5WAY CCT
 Model No.: DL4-148-9

- Power: 9W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 750LM
- 5CCT:2700K/3000K/3500K/4000K/5000K

- 4" : \$15

COLOUR OPTIONS: ● ● ●



4" MULTI-DIRECTIONAL GIMBAL 3WAY CCT
 Model No.: DL4-023-8

- Power: 8W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 700LM
- CCT:3000K/4000K/5000K

- 4" : \$14
- + \$2 black

COLOUR OPTIONS: ● ● ●



3.5" REGRESSED GIMBAL 3WAY CCT ADJUSTABLE
 Model No.: LED-35AD-12W-EY

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 810LM
- CCT:3000K/4000K/5000K
- CR190+

- 3.5" : \$25 + \$2 black & nickel

COLOUR OPTIONS: ● ● ●



3.5" REGRESSED GIMBAL 3WAY CCT ADJUSTABLE
 Model No.: LED-35AD-12W-WH-SQ

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 810LM
- CCT:3000K/4000K/5000K
- CR190+

- 3.5" : \$25 + \$2 black & nickel

COLOUR OPTIONS: ● ●



SQUARE GIMBAL 3WAY CCT
 Model No.: C5202

- Power: 7W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 560 LM
- CCT: 3000K/4000K/5000K

- 3" : \$13
- 4" : \$14 + \$1 black / nickel

COLOUR OPTIONS: ● ● ●



6" ROUND AIRTIGHT GIMBAL PANEL 3CCT
 Model No.: VO-GRP6W13-120-D-3WAY

- Power: 13W
- Input Voltage: 120V OR 120-347V
- Power Factor: 0.9
- Brightness: 1050 Lm
- 3CCT:3000K/4000K/5000K

- 6" : \$20

COLOUR OPTIONS: ● ●




RGB 4" AIRTIGHT GIMBAL DIMMING & CCT W/ RC
 Model No.: VO-GRP4W10-120-RGB

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 900 Lm
- 3CCTAdjustable: 3000K/4000K/5000K

- 4" : \$14

COLOUR OPTIONS: ●



6" ROUND AIRTIGHT GIMBAL PANEL 3CCT
 Model No.: VO-GRP6W13-120-D-3WAY

- Power: 13W
- Input Voltage: 120V OR 120-347V
- Power Factor: 0.9
- Brightness: 1050 Lm
- 3CCT:3000K/4000K/5000K

- 6" : \$20

COLOUR OPTIONS: ● ●



RGB 4" AIRTIGHT GIMBAL DIMMING & CCT W/ RC
 Model No.: VO-GRP4W10-120-RGB

- Power: 12W
- Input Voltage: 120V
- Power Factor: 0.9
- Brightness: 900 Lm
- 3CCTAdjustable: 3000K/4000K/5000K

- 4" : \$14

COLOUR OPTIONS: ●





4FT LINKABLE WRAP AROUND CCT

VO-WR5FT4W48-120-3WAY-L

- Power: 18W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 1700 LM
- CCT: 3000K/4000K/5000K

• 3" or 4" : \$9

COLOUR OPTIONS: ●



4FT VAPOR TIGHT FIXTURE

Model No.: J5236KLDB-45W

- Power: 45W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 5850LM
- CCT: 4000K/5000K

• 6" : \$16

COLOUR OPTIONS: ●



2" ARCHITECTURAL LINEAR FIXTURE – CCT & WATT ADJUSTABLE

Model No.: VO-ALW15FT2-347-3WAY-P

- Power: 15W/13W/10W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 130 LM/W
- CCT: 3000K/4000K/5000K

• 8" : \$25

COLOUR OPTIONS: ● ●



4" ARCHITECTURAL LINEAR FIXTURE – CCT & WATT ADJ

Model No. : VO-ALW50FT4-347-3WAY-P

- Power: 50W/40W/30W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 130 LM/W
- CCT: 3000K/4000K/5000K

• 4" : \$18

COLOUR OPTIONS: ● ●



2FT CCT & POWER SELECTABLE LINEAR STRIP FIXTURE

Model No.: ECS20-2FT347-3CCT

- Power: 11W/14W/17W/20W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 1430LM-2600LM
- CCT: 3000K/4000K/5000K

• 3" or 4" : \$9

COLOUR OPTIONS: ●



4FT CCT & POWER SELECTABLE LINEAR STRIP FIXTURE

Model No.: ECS40-4FT347-3CCT

- Power: 45W/40W/35W/30W
- Input Voltage: 120-347V
- Built-in Sensor
- Power Factor: 0.9
- Brightness: 3900LM-5850LM
- CCT: 3000K/4000K/5000K

• 6" : \$16

COLOUR OPTIONS: ●



8FT CCT & POWER SELECTABLE LINEAR STRIP FIXTURE

Model No.: ECS80-8FT347-3CCT

- Power: 50W/60W/70W/80W
- Input Voltage: 120-347V
- Power Factor: 0.9
- Brightness: 6500LM-10400LM
- CCT: 3000K/4000K/5000K

• 8" : \$25

COLOUR OPTIONS: ● ●



4FT VAPOR TIGHT – CCT & POWER ADJUSTABLE

Model No.: J5236KLDX-DU48W3P-3TS12

- Power: 48W/42W/36W
- Input Voltage: 120-347V
- Power Factor: > 0.9
- Brightness: 6240LM
- CCT: 3000K/4000K/5000K

• 4" : \$18

COLOUR OPTIONS: ● ●



1X4" BACK-LIT PANEL 3WAY CCT/WATT CHANGEABLE

MODEL NO.: VO-14W40-347-3WAY-B-PG

- Power: 20-30-40W
- Input Voltage: AC 120-347V
- Lumen Efficiency : 125 Lm/W
- Power Factor: >0.9
- CCT: 3500K/4000K/5000K
- Beam Angle: 140°

• 3" or 4" : \$9

COLOUR OPTIONS: ●




1X4" BACK-LIT PANEL 5WAY CCT/WATT ADJUSTABLE

Model No.: VO-22W40-347-5Way-B-SX

- Power: 20-25-30-35-40W
- Input Voltage: AC 120-347V
- Lumen Efficiency : 125 Lm/W
- Power Factor: >0.9
- CCT: 3000K/3500K/4000K/5000K/6000K

• 6" : \$16

COLOUR OPTIONS: ●



2X2" BACK-LIT PANEL 5WAY CCT/WATT ADJUSTABLE

MODEL NO.: VO-22W40-347-5WAY-B-SX

- Power: 20-25-30-35-40W Adjustable
- Input Voltage: AC120-347V
- Lumen Efficiency : 110 Lm/W
- Power Factor: >0.9
- 5CCT: 3000K/3500K/4000K/5000K/6000K

• 8" : \$25

COLOUR OPTIONS: ●



2X4" BACK-LIT PANEL 5WAY CCT/WATT ADJUSTABLE

MODEL NO.: VO-24W50-347-5WAY-B-PX

- Power: 25-30-40-45-50W
- Input Voltage: AC120-347V
- Lumen Efficiency : 120 Lm/W
- Power Factor: >0.9
- Ra>80
- 5CCT: 3000K/3500K/4000K/5000K/6000K Adjustable

• 4" : \$18

COLOUR OPTIONS: ●



8FT VAPOR TIGHT – CCT & POWER ADJUSTABLE

Model No.: J5250KLEX-UF90W3P-3T

- Power: 90W/72W/55W
- Input Voltage: 120-347V
- Power Factor > 0.9
- Brightness: 11250LM
- CCT: 3000K/4000K/5000K

• 4" : \$25

COLOUR OPTIONS: ● ●



8FT ARCHITECTURAL LINEAR FIXTURE

Model No.: VO-ALW100FT8-347-3WAY-P

- Power: 100W/80W/60W
- Input Voltage: 120-347V
- Power Factor: 0.9
- CRI>80
- Beam Angle : 110°
- Brightness: 130 LM/W
- CCT: 3000K/4000K/5000K

• 4" : \$25

COLOUR OPTIONS: ● ●



SMOKE ALARMS



3-IN-1 LED STROBE AND 10-YEAR TALKING SMOKE & CO ALARM

Model No.: P4010ACLEDSOCA

- Meets Requirement for Ontario Building Code.
- 177 Candela Strobe 0 series strobe alarms, during an alarm event. Powered by Cree® LEDs.
- 120V hardwired with 10-year sealed battery backup (on smoke and carbon monoxide alarm)

~~\$129.99~~ \$115

COLOUR OPTIONS: ●



2-IN-1 LED STROBE AND 10-YEAR TALKING SMOKE ALARM

Model No.: MP4010ACLEDSCA

- Meets Requirement for Ontario Building Code.
- 177 Candela Strobe 0 series strobe alarms, during an alarm event. Powered by Cree® LEDs.
- 120V hardwired with 10-year sealed battery backup (on smoke and carbon monoxide alarm)

~~\$114.99~~ \$105

COLOUR OPTIONS: ●



KIDDE BATTERY OPERATED COMBO SMOKE AND CO ALARM WITH VOICE ALERT

Model KN-COSM-BACA

- Carbon & Smoke
- Voice Warning
- Photoelectric
- Electrochemical sensor technology
- 9V Battery Backup
- 120V Interconnectable w/ 24 devices

\$50

COLOUR OPTIONS: ●

SMART HOME



LUTRON CASETA WIRELESS SMART HOME LIGHTING DIMMER SWITCH STARTER KIT

Model No.: P-BDG-PKG1W-C



- Caseta Wireless by Lutron provides easy and reliable control of your lights from the free Lutron app.
- Includes Caseta Wireless Smart Bridge, Caseta Wireless Dimmer, Pico remote control, 1-gang Claro wall plate.

\$129

COLOUR OPTIONS: ●



LUTRON CASETA WIRELESS DIMMER

Model No.: PD-6WCL-WH

- Lutron Caseta Wireless
- 600/150-Watt
- Single Pole In-Wall Dimmer

• 4" : \$25

COLOUR OPTIONS: ●



LUTRON CASETA SWITCH

Model No.: PD-6ANS-WH

- Lutron Caseta Wireless Smart Lighting Switch for All Bulb Types or Fans

• 4" : \$25

COLOUR OPTIONS: ●



LUTRON DIVA DIMMER

Model No.: DVCL-153P-WH

- Lutron DVCL-153PR-WH Diva 120V Single Or 3-Way Location CFL/LED
- Digital Dimmer

• 4" : \$25

COLOUR OPTIONS: ●



LUTRON MAESTRO DIMMER

Model No.: MAEL-153M-WH

- Lutron Maestro CL Dimmer Switch for Dimmable LED, Halogen & Incandescent Bulbs, Single-Pole or Multi-Location

• 4" : \$25

COLOUR OPTIONS: ●



PANASONIC FV-0510VS1 WHISPERVALUE DC VENTILATION CFM 50/80/100

Model No.: FV-0510VS1

- Pick-A-Flow Speed Selector – one fan, you choose the CFM (50, 80 or 100 CFM)
- Revolutionary ECM motor with SmartFlow technology for optimum CFM output

COLOUR OPTIONS: ● \$116



PANASONIC FV-0511VQ1 WHISPERVALUE DC VENTILATION CFM 50/80/110*

Model No.: FV-0511VQ1

- Speed Selector, SmartFlow Technology
- Features a 4" or 6" duct
- Precision Spot Ventilation:
- Quiet and powerful ventilation while removing moisture and pollution

COLOUR OPTIONS: ● \$189



PANASONIC FV-1115VQ1 WHISPERVALUE DC VENTILATION CFM 110/130/150

Model No.: FV-0511VQ1

- Speed Selector, SmartFlow Technology
- Features a 4" or 6" duct
- Precision Spot Ventilation:
- Quiet and powerful ventilation while removing moisture and pollution

COLOUR OPTIONS: ● \$239

