



## *Equipment and Studio Rental Catalogue*

The main objective of our service is peace of mind. Our cameras and location kit are fully tested before you get them. In the rare event an issue develops, we offer a full, prompt back-up service. We constantly update our stock so you have access to the latest, industry standard equipment for broadcast and high-end corporate shoots.

Our service includes camera rental, lens rental, lighting rental, sound equipment rental, tripod rental – the full range of kit in the categories above.



*Our PROFESSIONAL RENTAL STAFF will be happy to CUSTOMIZE rental packages upon request.*

*For long term rentals please inquire about PACKAGE DISCOUNTS!*

**Longer Rental Durations** (only equipment not for studio):

1 Week: 7 days, you only pay 4 days (3 days free)

1 Month: 30 days, you only pay 12 days (18 days for free)

## STUDIO SPACE 4 RENT



## **STUDIO SPACE:**

- Studio 22 X 15 meter 6 meter High (300 m<sup>2</sup> / 3300 ft<sup>2</sup> )
- Generator Silent 20 kva
- Large parking for 50 to 100 cars

### **PRICE:**

6 up to 12 hours: 450.000 UGX  
12 up to 24 hours: 800.000 UGX

## **STUDIO Package:**

- Studio 22 X 15 meter 6 meter High (300 m<sup>2</sup> / 3300 ft<sup>2</sup> )
- Generator Silent 20 kva
- 11 RGB LED Lights 500 to 750w each
- 28" Monitor
- 33ft Crane / Jib (without operator)
- White Screen
- Green Screen
- Paintable and removable Back Wall with Floor
- Make-Up room with mirrors, lights, shower, toilet.
- Meeting, relaxing, gathering rooms
- Large parking for 50 to 100 cars

### **PRICE:**

6 up to 12 hours: 1.000.000 UGX  
12 up to 24 hours: 1.800.000 UGX

***MANY OTHER STUDIO PACKAGES ARE AVAILABLE WELL CURATED TO  
YOUR NEEDS***

**CALL, TEXT, WHATSAPP OR EMAIL US FOR PRICES**

**+256779699255**

# CAMERAS

## **RED DIGITAL CINEMA RAVEN BRAIN with 4.5K DRAGON Sensor 500,000 UGX**

- 4.5K Full Format CMOS Sensor
- 4K up to 120 fps
- 2K up to 240 fps
- REDCODE RAW, ProRes, and DNx Recording
- 9.9MP DRAGON CMOS Sensor
- Uses DSMC2 Accessories
- Canon EF Mount
- Records to RED MINI-MAG Media
- Lightweight 3.5 lb Body



## **Blackmagic Design Pocket Cinema Camera 6K Pro With Battery Grip/ NPF Batteries (Canon EF) 200,000 UGX**

- Bright 1500 cd/m<sup>2</sup> Tilting HDR LCD
- Super35 HDR Sensor, Gen 5 Color Science
- Dual XLR Inputs, Canon Active EF Mount
- NP-F570 Battery, Built-In ND Filters
- Record 6K 6144 x 3456 up to 50 fps
- Dual Native 400 & 3200 ISO to 25,600
- CFast 2.0 & SD/UHS-II Card Slots
- Record up to 120 fps Windowed HD
- USB Type-C Recording, 3D LUT Support
- 13-Stop Dynamic Range, Autofocus Support





**Blackmagic Design Pocket Cinema Camera 6K Pro with V-Mount/ V lock batteries (Canon EF)**

**200,000 UGX**

- Bright 1500 cd/m<sup>2</sup> Tilting HDR LCD
- Super35 HDR Sensor, Gen 5 Color Science
- Dual XLR Inputs, Canon Active EF Mount
- NP-F570 Battery, Built-In ND Filters
- Record 6K 6144 x 3456 up to 50 fps
- Dual Native 400 & 3200 ISO to 25,600
- CFast 2.0 & SD/UHS-II Card Slots
- Record up to 120 fps Windowed HD
- USB Type-C Recording, 3D LUT Support
- 13-Stop Dynamic Range, Autofocus Support

**KINEFINITY MAVO 6K; Body, Rig, Batteries and SSD**

**500,000 UGX**

- S35 Film-Style Digital Cinema Camera
- 6K 3:2 S35 CMOS 24x16mm Crop factor over FF: 1.5 Native KineMOUNT as omni mount to be PL/EF/SONY E Record Format Codec Type Codec Format Bit Depth
- Compressed RAW DNG, Compressed KineRAW ProRes422HQ/422/LT/Proxy, ProRes4444, ProRes4444XQ Resolution 6K, 4K, 3K, 2K.
- Max FPS: 66@6K Wide, 100@4K Wide, 150@3K Wide
- Dynamic Range >14 stops, Base ISO 800, Max ISO 20480





**Blackmagic Design Pocket Cinema Camera 4K**  
**150.000 UGX**

- 4/3"-Sized HDR Sensor
- DCI 4K60, 2.8K80 Raw in 4:3 Anamorphic
- Dual Native 400/3200 ISO / up to 25,600
- Up to 2.6K 120 Raw for Super16 Lenses
- 5" Touchscreen Display
- Active Micro Four Thirds Lens Mount
- CFast 2.0 & SD/UHS-II Card Slots
- External Recording via USB Type-C
- 13-Stop Dynamic Range, 3D LUT Support

**BlackMagic Mini Ursa Pro 4.6K G2 Body, Rig, Batteries and Memory**  
**300,000 UGX**

- 4.6K Super 35 HDR CMOS Sensor
- 4.6K up to 120 fps, 300 fps at 1080p
- 15 Stops of Dynamic Range at 3200 ISO
- USB-C Expansion Port for External Disks
- Blackmagic RAW & ProRes 444/422 Support
- Dual CFast 2.0 and SD Memory Card Slots
- 12G-SDI Output, Timecode and REF Input
- 2 XLR Audio Inputs with Phantom Power
- 2-/4-/6-Stop ND Filter, Magnesium Body
- Interchangeable Lens Mount



**Sony PMW-FS7 MKII; Body, Rig, Batteries and Memory**  
**500,000 UGX**

- Super 35mm sized sensor for nice depth of field. Stronger locking E-mount that is fully compatible with E-Mount lenses, and supports all electronic connections. The locking mount reduces lens play, and allows you to use most 35mm lenses including PL, EF, Leica, and Nikon via optional adapters.
- Electronic variable ND filter with between 2 and 7 stops of ND. The camera can capture footage to optional on-board XQD media cards in either DCI 4K or UHD 4K at up to 59.94 fps or HD at up to 180 fps.





**BlackMagic URSA MINI PRO 4.6K; Body,  
Rig, Batteries and Memory  
250,000 UGX**

- Super-35mm 4.6K, sensor with 15 stops of dynamic range. Build-in ND filters and ergonomic broadcast camera style camera controls. The EF-Mount is compatible with a plethora of popular lenses. LANC connection.
- Super-35mm CMOS Sensor
- Fast and SD card slots
- 4608 x 2592 Video up to 60p
- Compressed Raw Recording
- ProRes 444 + 422 Recording
- Blackmagic RAW Recording

**Panasonic DVX-200; Body, Rig, Batteries  
and Memory  
200,000 UGX**

- The AG-DVX200 is the world's first 4/3-type large format camcorder with integrated zoom lens.
- IT captures images with the shallow depth of field and attractive Bokeh effect of its 4/3-type large-format sensor, 12-stop dynamic range and V-Log L processing inherited. Multi-format (4K/24p, UHD/60p, FHD/60p).
- Number of high-end functions to meet video production needs, including Full-HD, 120 fps Variable Frame Rate (VFR) shooting and dual codec recording.
- With LEICA DICOMAR 4K 13x zoom lens





**BlackMagic Production Camera 4K; Body,  
Rig, Memory  
100,000 UGX**

- 4K S 35mm Sensor with Global Shutter
- Records 4K (3840x2160) & HD (1920x1080)
- ProRes 422 Codecs (HQ, 422, LT, & Proxy)
- CinemaDNG RAW (4000x2160)
- 12 Stops of Dynamic Range
- Canon EF Lens Mount
- Built-In SSD Recorder
- 6G-SDI Output for Ultra HD via One Cable
- 5" Touchscreen LCD (800x480 Resolution)

**Canon EOS R Body, EF Adapter, Batteries and  
Memory  
150.000 UGX**

- 30.3MP Full-Frame CMOS Sensor
- UHD 4K30 Video
- DIGIC 8 Image Processor
- C-Log & 10-Bit HDMI Out
- Dual Pixel CMOS AF 5655 AF
- Points 3.69m-Dot OLED Electronic
- Viewfinder 3.15" 2.1m-Dot Swivel
- Touchscreen LCD Expanded ISO
- 50-102400 8 fps Shooting Wi-Fi
- Bluetooth SD UHS-II Card Slot
- Multi-Function Bar Dual Pixel RAW



**Canon EOS 6D; Body, Rig, Batteries and  
Memory  
100.000 UGX**



- 20.2MP Full-Frame CMOS Sensor
- DIGIC 5+ Image Processor
- 3.0" 1.04m-Dot Clear View LCD Monitor
- Full HD 1080p Video Recording at 30 fps
- 11-Point AF with Center Cross-Type Point
- Native ISO 25600, Extended to ISO 102400
- 4.5 fps Shooting at Full Resolution
- Built-In Wi-Fi and GPS Connectivity
- iFCL 63-Zone Dual Layer Metering Sensor
- In-Camera HDR & Multiple Exposure Mode





Canon 5D MK IV; Body, Rig, Batteries and Memory

150.000 UGX

- 30.4MP Full-Frame CMOS Sensor
- DIGIC 6+ Image Processor
- 3.2" 1.62m-Dot Touchscreen LCD Monitor
- DCI 4K Video at 30 fps; 8.8MP Still Grab
- 61-Point High Density Reticular AF
- Native ISO 32000, Expanded to ISO 102400
- Dual Pixel RAW; AF Area Select Button
- Dual Pixel CMOS AF and Movie Servo AF
- 7 fps Shooting; CF & SD Card Slots

### Sony Alpha A7R IV

150.000 UGX

- 61MP Full-Frame Exmor R BSI CMOS Sensor
- BIONZ X Image Processor & Front-End LSI
- 567-Point Phase-Detection AF System
- UHD 4K30p Video with HLG & S-Log3 Gammas
- 5.76m-Dot Tru-Finder OLED EVF
- 3.0" 1.44m-Dot Tilting Touchscreen LCD
- Up to 10 fps Shooting, ISO 100-32000
- 5-Axis SteadyShot INSIDE Stabilization
- 240MP Pixel Shift Multi Shooting
- Bluetooth & Wi-Fi, Dual UHS-II SD Slots



### Sony Alpha A7R III

150.000 UGX



- 42MP Full-Frame Exmor R BSI CMOS Sensor
- BIONZ X Image Processor & Front-End LSI
- 399-Point AF System & 10 fps Shooting
- UHD 4K30p Video with HLG & S-Log3 Gammas
- 3.69m-Dot Tru-Finder OLED EVF
- 3.0" 1.44m-Dot Tilting Touchscreen LCD
- 5-Axis SteadyShot INSIDE Stabilization
- ISO 102400 & Pixel Shift Multi Shooting
- Built-In Wi-Fi/Bluetooth, Dual SD Slots
- USB 3.1 Gen 1 Type-C Port & PC Sync Port



### **Sony Alpha A7R II** **150.000 UGX**

- 42MP Full-Frame Exmor R BSI CMOS Sensor
- BIONZ X Image Processor & Front-End LSI
- 399-Point AF System & 10 fps Shooting
- UHD 4K30p Video with HLG & S-Log3 Gammas
- 3.69m-Dot Tru-Finder OLED EVF
- 3.0" 1.44m-Dot Tilting Touchscreen LCD
- 5-Axis SteadyShot INSIDE Stabilization
- ISO 102400 & Pixel Shift Multi Shooting
- Built-In Wi-Fi/Bluetooth, Dual SD Slots
- USB 3.1 Gen 1 Type-C Port & PC Sync Port

### **Sony Alpha A7S II** **100.000 UGX**

- 12.2MP Full-Frame Exmor CMOS Sensor
- BIONZ X Image Processor
- Internal UHD 4K30 & 1080p120 Recording
- S-Log3 Gamma and Display Assist Function
- 5-Axis SteadyShot INSIDE Stabilization
- 0.5" 2.36m-Dot XGA OLED Tru-Finder EVF
- 3.0" 1,228,800-Dot Tilting LCD Monitor
- Up to 5 fps Shooting and ISO 409600
- Fast Intelligent AF, 169 AF Points
- Built-In Wi-Fi with NFC



### **Sony Alpha a7 III** **150.000 UGX**

- 24MP Full-Frame Exmor R BSI CMOS Sensor
- BIONZ X Image Processor & Front-End LSI
- 693-Point Hybrid AF System
- UHD 4K30p Video with HLG & S-Log3 Gammas
- UHD 4K (3840 x 2160) at 23.976p/25p/29.97p [60 to 100 Mb/s]
- Full HD (1920 x 1080) at 100p/120p [60 to 100 Mb/s]







**FUJIFILM X-T30 Mirrorless Camera with  
18-55mm Lens  
100.000 UGX**

- 26.1MP APS-C X-Trans BSI CMOS 4 Sensor
  - X-Processor 4 with Quad CPU
  - DCI and UHD 4K30 Video; F-Log Gamma
  - 2.36m-Dot OLED Electronic Viewfinder
  - 3.0" 1.04m-Dot Tilting LCD Touchscreen
  - 425-Point Phase-Detection Autofocus
  - Extended ISO 80-51200, 30 fps Shooting
  - Bluetooth and Wi-Fi; Sports Finder Mode
- XF 18-55mm f/2.8-4 R LM OIS Lens

**Sony HVR-NX5  
100,000 UGX**

- Three 1/3-inch Exmor CMOS sensors  
NXCAM AVCHD camcorder with GPS recording full HD/SD. HD 1920 x 1080 images at 24Mbps (60i, 30p or 24p), as well as supporting 720/60p and Standard Definition recording. Sony's "G Lens" and Exmor™ technology provide excellent resolution, colour and contrast, as well as exceptional low-light sensitivity.



**Sony PXW-Z150 4K XDCAM  
200.000 UGX**



High-quality performance, adaptability, and ease of use to a compact, handheld body that is the same size as the HXR-NX100. Suitable for corporate video, house of worship, and legal deposition recording. The camcorder features a single Exmor RS sensor with a UHD 4K (3840 x 2160) resolution, Sony G lens with 12x optical zoom range, and 18/24x Clear Image Zoom in 4K/HD. It can record 4K in XAVC Long at 4:2:0 8-bit, and HD in XAVC Long at 4:2:2 10-bit at 50 Mb/s, as well as MPEG2HD at 4:2:2 or 4:2:



## ACTION CAMERAS



### **GoPro HERO11 Black** **80,000 UGX**

- 27MP with Improved Performance
- 5.3K60/2.7K240 Video, 27MP Photos
- Hyper Smooth 5.0 Image Stabilization
- Front & Rear LCD Screens
- Wi-Fi & Bluetooth Connectivity
- 33' Waterproof without Housing
- 8x Slow-Motion Video
- 1720mAh Capacity Rechargeable Battery

### **GOPRO HERO10 BLACK** **70,000 UGX**

- 23MP GP2 Chip with Improved Performance
- 5.3K60/4K120/2.7K240 Video, 23MP Photos
- New Front Display/Rear Touchscreen
- Cloud Connected, 1080p Live Streaming
- Enhanced Low-Light Performance
- HyperSmooth 4.0 Image Stabilization
- 33' Waterproof without a Housing
- Time-Lapse & Night-Lapse, 8x Slo-Mo
- Built-In Flip-Out 2-Prong Mount
- 1720mAh Capacity Battery





**Accessory set outdoor for action  
cams and GoPro  
50,000 UGX**

The 23-piece outdoor accessory set includes a wide variety of carrying and fastening options for your action cam. A stable one Headband and a convenient one Chest strap allow you exciting and hands-free live recordings, four 3M adhesive stickers attach the short and long fasteners to your helmet, one retractable Selfie stick not only guarantees the final panoramic photo on the summit. Tripod adapter , short and long stable Fastening screws as well as a special one Bike mount expand the range of

**GoPro MAX 360°  
80,000 UGX**

- Supports 4992 x 2496 360° Video
- Photo Resolution up to 5760 x 2880
- Wide 8.9mm Focal Length
- HyperSmooth Digital Stabilization
- PowerPano 360° Photo Mode
- In-Camera Stitching & App Control
- Rugged Body, Waterproof to 16'
- Up to 14 Voice Commands
- Includes Curved Adhesive Mount
- Rechargeable 1600mAh Li-Ion Battery



# CAMERA PACKAGES



## RED RAVEN Camera Packages

- With DZO Prime set: 900.000 UGX/day
- With DZO zoom lens set: 800.000 UGX/day
- With Zeiss Prime set: 800.000 UGX/day
- With Canon FD Prime set: 600.000 UGX/day
- With Samyang Prime set: 600.000 UGX/day
- With any 1 lens of your choice: 550.000 UGX/day

## BlackMagic Pocket ProCinema 6K Camera Package

- With DZO Prime set: 600.000 UGX/day
- With DZO zoom lens set: 500.000 UGX/day
- With Zeiss Prime set: 500.000 UGX/day
- With Canon FD Prime set: 400.000 UGX/day
- With Samyang Prime set: 350.000 UGX/day
- With any 1 lens of your choice: 250.000 UGX/day







### **BM Mini Ursa PRO 4.6K Camera Package**

- With DZO Prime set & Tripod: 600,000 UGX/day
- With DZO zoom lens set & Tripod: 550,000 UGX/day
- With Zeiss Prime set & Tripod: 550,000 UGX/day
- With Canon FD Prime set & Tripod: 400,000 UGX/day
- With Samyang Prime set & Tripod: 400,000 UGX/day
- With any 1 lens of your choice & Tripod: 300,000 UGX/day
- With IRIX - Canon prime set & Tripod: 600,000 UGX/day

### **BM Mini Ursa PRO 4.6K G2 Camera Package**

- With DZO Prime set & Tripod: 650,000 UGX/day
- With DZO zoom lens set: 600,000 UGX/day
- With Zeiss Prime set: 600,000 UGX/day
- With Canon FD Prime set: 450,000 UGX/day
- With Samyang Prime set: 450,000 UGX/day
- With any 1 lens of your choice: 350,000 UGX/day
- With IRIX - Canon prime set & Tripod: 600,000 UGX/day

### **Sony FS7 MK II Camera Package**

- With Sony dedicated zoom lens: 500.000 UGX/day
- With DZO Prime set: 800.000 UGX/day
- With DZO zoom lens set: 750.000 UGX/day
- With Zeiss Prime set: 750.000 UGX/day
- With Canon FD Prime set: 600.000 UGX/day
- With Samyang Prime set: 550.000 UGX/day
- With any 1 lens of your choice: 450.000 UGX/day



### **KINEFINITY MAVO 6K Camera Package**

- With DZO Prime set: 800.000 UGX/day
- With DZO zoom lens set: 700.000 UGX/day
- With Zeiss Prime set: 700.000 UGX/day
- With Canon FD Prime set: 600.000 UGX/day
- With Samyang Prime set: 550.000 UGX/day
- With any 1 lens of your choice: 450.000 UGX/day

# LENSES

## ZOOM LENSES CANON EF MOUNT



### **DZO Pictor Zoom Set** **350,000 - 400,000 UGX**

- 20 to 55mm F2.8 Super35 Parfocal Zoom Lens
- 50 to 125mm F2.8 Super35 Parfocal Zoom Lens
- Maintains Focus Throughout Zoom Range
- Swappable PL Mount; Canon EF Included
- Near-Zero Breathing
- 16-Blade Iris
- Focus, Iris, and Zoom Lens Ring Gears
- 95mm Front Diameter

### **Cinematics Tokina 11-16MM/F2.8** **100,00 - 150,000 UGX**

- Designed for Cameras with APS-C Sensors
- Aperture Range: f/2.8 to f/22
- Internal Silent Focusing AF Motor
- One-Touch Focus Clutch Mechanism
- Two Aspheric Lens Elements
- Two Super-Low Dispersion Lens Elements
- Multi-Layer Coating



### **Canon EF 8-15mm f/4L Fisheye USM** **50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/4 to f/22
- Two Ultra-Low Dispersion Elements
- Sub Wavelength and Fluorine Coatings
- Ring-Type Ultrasonic Motor AF System
- 180° Angle of View
- Weather-Sealed Construction
- Rounded 7-Blade Diaphragm







**Canon EF 16-35mm f/2.8L**  
**50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8-22
- UD and Three Aspherical Lens Elements
- Ultrasonic Autofocus Motor
- Manual Focus Override
- Water and Dust Resistant
- Minimum Focus Distance: 0.9'
- Truly Circular Diaphragm
- 82mm Filter Thread Diameter

**Canon EF 24-70mm f/2.8L**  
**50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8 to f/22
- One Super UD Element, Two UD Elements
- Three Aspherical Elements
- Super Spectra and Fluorine Coatings
- Ring-Type Ultrasonic Motor AF System
- Weather-Sealed Construction
- Rounded 9-Blade Diaphragm



**Canon EF 24-105mm f/4L**  
**50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/4 to f/22
- Four Aspherical Elements
- Air Sphere and Fluorine Coatings
- Ring-Type Ultrasonic Motor AF System
- Optical Image Stabilizer
- Weather-Sealed Construction
- Rounded 10-Blade Diaphragm







**Canon EF 70-200mm f/2.8L IS II**  
**60,000 - 90,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8 to f/32
- One Fluorite Element & Five UD Elements
- Super Spectra Coating
- Ring-Type Ultrasonic Motor AF System
- Optical Image Stabilizer
- Internal Focus, Focus Range Limiter
- Weather-Sealed Construction
- Detachable, Rotatable Tripod Collar
- Rounded 8-Blade Diaphragm

**Canon EF 28-300mm f/3.5-5.6L IS USM**  
**60,000 - 90,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/3.5 to f/40
- Two Aspherical and Three UD Elements
- Super Spectra Coating
- Ring-Type Ultrasonic Motor AF System
- Optical Image Stabilizer
- Focus Range Limiter
- Weather-Sealed Construction
- Detachable, Rotatable Tripod Collar
- Rounded 8-Blade Diaphragm



**Sigma 24-105mm f/4 DG OS HSM Art**  
**50 - 70,000 UGX**

- Canon EF/Full-Frame Format
- 3 Aspherical, 2 SLD, and 2 FLD Elements
- Optical Stabilizer
- Thermally Stable Composite
- Internal Focusing System
- Hyper Sonic AF Motor
- Compatible with Sigma USB Dock

**Sigma 70-200mm f/2.8 DG OS HSM**  
**50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8 to f/22
- Nine FLD Elements, One SLD Element
- Super Multi-Layer Coating
- Hyper Sonic AF Motor
- Intelligent OS Image Stabilization
- Removable Arca-Type Tripod Foot
- Dust- and Moisture-Sealed Construction
- Rounded 11-Blade Diaphragm





### **Tamron SP 150-600mm f/5-6.3**

**50,000 - 70,000 UGX**

- Canon EF Mount/Full-Frame Format
- Aperture Range: f/5 to f/40
- Three Low Dispersion Elements
- eBAND and BBAR Coatings
- Ultrasonic Silent Drive Autofocus Motor
- VC Image Stabilization
- Full-Time Manual Focus Override
- Removable Tripod Collar
- Rounded Nine-Blade Diaphragm
- 95mm UV Haze Filter

## **PRIME LENSES CANON EF MOUNT SETS**

Prime lenses for all cameras or cameras with lens adapters EF Canon EF mount sets in cases



### **DZOFilm VESPID 6-Prime Lens Kit**

**400 - 500,000 UGX**

- DZO 25mm F2.1
- DZO 35mm F2.1
- DZO 50mm F2.1
- DZO 75mm F2.1
- DZO 100mm F2.1
- DZO 124mm F2.1

### **IRIX / Canon 5-Prime Lens Kit**

**400,000 - 500,000 UGX**

- IRIX 15mm F2.6
- IRIX 21mm F1.4
- IRIX 30mm F1.4
- IRIX X 45mm F1.4
- Canon 85mm F1.2
- Set of Magnetic ND Filters





**Cinematics Zeis Superspeed set**  
**400,000 - 500,000 UGX**

- Zeis 18mm T3.5
- Zeis 35mm T1.5
- Zeis 50mm T1.5
- Zeis 85mm T1.5

**Samyang 5 lens set**  
**150,000 - 200,000 UGX**

- Samyang 14mm T3.1
- Samyang 24mm T1.5
- Samyang 35mm T1.5
- Samyang 50mm T1.5
- Samyang 85mm T1.5



**Samyang 6 lens set**  
**200,000 - 250,000 UGX**

- Samyang 14mm T3.1
- Samyang 24mm T1.5
- Samyang 35mm T1.5
- Samyang 50mm T1.5
- Samyang 85mm T1.5
- Samyang 135mm T2.2



**6 lens Vintage set**  
**100 - 120,000 UGX**

- Zenithar 15mm F/2.8
- Kenlock 28mm F2.8
- Soligor 35mm F2
- Pentagon 50mm F1.8
- Jupiter 85mm F2
- Pallas 135mm F2.8







### **Canon FD Re-mounted to EF Prime**

#### **Lens set**

**200.000 - 250.000 UGX**

- Full Frame
- 17mm F3
- 24mm F2
- 35mm F2
- 50mm F1.2
- 85mm F1.2
- 100mm F2
- 135mm F2
- 200mm F2.5

## **PRIME LENSES CANON EF MOUNT**

Prime lenses for all cameras or cameras with lens adapters EF Canon EF mount



### **Samyang 8mm f/3.5 Cine ED**

**50,000 - 70,000 UGX**

- For Canon EF Mount Lens
- For APS-C Size Image Formats
- Rounded Image When Used With Full Frame
- Hybrid Aspherical Elements
- Multi-Layer Coating
- Manual Focus Lens
- Minimum Focusing Distance of 12"
- Built-In Petal-Type Lens Hood

### **Samyang 14mm f/2.8 Cine ED**

**50,000 - 70,000 UGX**

- For Canon EF Mount Lens
- Ultra Wide-Angle 14mm Lens
- Full Frame
- Hybrid Aspherical Lenses -- Sharp Images
- Multi-Layer Coating to Reduce Flare
- Manual Focus Lens
- Built-In Petal-Type Lens Hood





**Samyang 24mm T1.5 Cine ED**  
**50,000 - 70,000 UGX**

- For Canon EF Mount Lens
- Full Frame
- Aperture Range: T1.5 to T22
- Four ED and Two Aspherical Elements
- UMC Coating
- Geared Focus and Aperture Control Rings
- De-Clicked Aperture Ring

**Samyang 35mm T1.5 Cine DS**  
**50,000 - 70,000 UGX**

- For Canon EF mount lens
- Covers Full-Frame
- Multi-Layer Coating to Reduce Flare
- Standard Gearing for Focus and Iris
- Dual Side Focus and T-Stop Scales
- "De-Clicked" Aperture Ring
- Hybrid Aspherical Lenses
- Manual Focus and Aperture
- Removable Petal-Type Lens Hood
- Accepts 77mm Threaded Filter Rings



**Samyang 50mm T1.5 AS Cine DS**  
**50,000 - 70,000 UGX**

- For Canon EF Mount
- Full Frame Format
- Aperture Range: T1.5 - T22
- One Aspherical, One Hybrid Asph. Element
- Manual Focus and Aperture
- Geared Focus and Aperture Control Rings
- De-Clicked Aperture Control Ring
- Lateral Aperture and Distance Markings
- UMC Lens Multi-Coating
- Minimum Focus Distance of 1.5'



**Samyang 85mm T1.5 Cine DS**  
**50,000 - 70,000 UGX**

- For Canon EF mount
- Full-Frame Coverage
- Multi-Layer Coating to Reduce Flare
- Standard Gearing for Focus and Iris
- Dual Side Focus and T-Stop Scales
- "De-Clicked" Aperture Ring
- Hybrid Aspherical Lenses
- Manual Focus and Aperture
- Removable Lens Hood
- Accepts 72mm Threaded Filter Rings





**Samyang 135mm T2.2 Cine DS**  
**50,000 - 70,000 UGX**

- For Canon EF mount
- Full-Frame Coverage
- Multi-Layer Coating to Reduce Flare
- Standard Gearing for Focus and Iris
- Dual Side Focus and T-Stop Scales
- De-Clicked Aperture Ring
- Hybrid Aspherical Lenses
- Manual Focus and Aperture
- Removable Lens Hood
- Accepts 77mm Threaded Filter Rings

**Canon EF 50mm f/1.4 USM**  
**50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/1.4 to f/22
- One Aspherical Element
- Two High Refractive Index Elements
- Super Spectra Coating
- Micro Ultrasonic Motor AF System
- Rounded 8-Blade Diaphragm



**ZEISS Planar T\* 50mm f/1.4 ZE**  
**50,000 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/1.4 to f/16
- ZEISS T\* Anti-Reflective Coating
- Manual Focus Design
- 9-Blade Diaphragm

**ZEISS Planar T\* 50mm f/1.4 ZE**  
**50 - 70,000 UGX**

- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/1.4 to f/16
- ZEISS T\* Anti-Reflective Coating
- Manual Focus Design
- 9-Blade Diaphragm







**Super Takumar 50mm F1.4**

50 - 70,000 UGX

Canon EF mount

This lens has garnered something of a legendary reputation online, and is known for its sharpness, bokeh, and propensity for flare.

- The earliest versions of the lens were made with an unusually high number of elements (8) in an effort to try and 'one-up' Zeiss, who were regarded as the best lens makers in the world at the time. Pentax managed to achieve their goal with the Super Takumar, but went on to reduce the number of elements in the so-called 'Planar Killer' to 7 in later

## LENSES NIKON MOUNT

Prime & zoom lenses for Nikon cameras



**Sigma 17-50mm f/2.8 EX DC OS HSM**

50,000 - 70,000 UGX

- Nikon F-Mount Lens/DX Format
- 25.5-75mm (35mm Equivalent)
- Aperture Range: f/2.8 to f/22
- Two FLD Elements
- Three Aspherical Elements
- Super Multi-Layer Coating
- Hyper Sonic Motor AF System
- OS Image Stabilization
- Rounded 7-Blade Diaphragm

**Sigma 18-35mm f/1.8 DC HSM Art**

50,000 - 70,000 UGX

- Nikon F-Mount Lens/APS-C Format
- 27-52.5mm (35mm Equivalent)
- Aperture Range: f/1.8 to f/16
- Four Aspherical, Five SLD Glass Elements
- Super Multi-Layer Coating
- Hyper Sonic AF Motor
- Internal Focusing and Zoom Design
- Compatible with Sigma USB Dock



**Tamron 28-75mm f/2.8 Di III RXD**

50 - 70,000 UGX

- Nikon F-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8 to f/22
- One XLD Element, One LD Element
- Three Aspherical Elements
- BBAR and Fluorine Coatings
- RXD Stepping AF Motor
- Moisture-Resistant Construction
- Rounded 9-Blade Diaphragm





**Sigma 50-150mm f/2.8 II EX DC HSM**  
**50,000 - 70,000 UGX**

Nikon F-Mount Lens is a compact, lightweight, large aperture telephoto zoom lens designed exclusively for APS-C digital SLR cameras. The version II of this high-quality lens has been optimized with an even better optical design, which provides optimum lens performance providing excellent correction for flare, ghosting and all types of aberrations. The super multi-layer lens coating reduce flare and ghosting and ensure sharp images throughout the entire zoom range.

## LENSES SONY E - MOUNT

Prime & zoom lenses for Nikon cameras

**Sony Zeiss Planar T\* FE 50mm f/1.4 ZA**  
**50,000 - 70,000 UGX**

- E-Mount Lens/Full-Frame Format
- Aperture Range: f/1.4 to f/16
- One AA Element & One Aspherical Element
- One Extra-Low Dispersion Element
- Zeiss T\* Anti-Reflective Coating
- Ring Drive Super Sonic Wave AF Motor
- AF/MF Switch; Internal Focus
- Dust- & Moisture-Resistant Construction
- Eleven-Blade Circular Diaphragm
- 72mm UV Filter



**Sony FE 24-105mm f/4 G OSS Lens**  
**50,000 - 70,000 UGX**

- E-Mount Lens/Full-Frame Format
- Aperture Range: f/4 to f/22
- 4 Aspherical Elements, 3 ED Elements
- Nano AR and Fluorine Coatings
- Direct Drive Super Sonic Wave AF Motor
- Optical SteadyShot Image Stabilization
- Internal Focus Design
- Focus Hold Button; AF/MF Switch
- Dust and Moisture-Resistant Construction
- Rounded Nine-Blade Diaphragm

**Sony FE 24-70mm f/2.8 GM Lens**  
**50,000 - 70,000 UGX**

- E-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8 to f/22
- One XA Element & Two Aspherical Elements
- One ED Element & One Super ED Element
- Nano AR Coating
- Direct Drive Super Sonic Wave AF Motor
- Focus Hold Button; Internal Focus
- AF/MF Switch; Zoom Lock Switch
- Dust and Moisture-Resistant Construction
- Nine-Blade Circular Diaphragm



## TRIPODS AND SUPPORT



**Sachtler P18**  
**100,000 UGX**

Sachtler Video 18 features the ability to support a full ENG Rig with up to 20 kg (44.1 lbs) while offering a super smooth drag performance for decades, the sturdy fluid head

**E-Image EG 25C Heavy Tripod**  
**80,000 UGX**

- 100mm Bowl 5 stage pan & tilt head with 2 stage carbon tripod legs.
- Up to 25kg payload and mid-spreader.



**E-Image EG10C2 Medium Tripod**  
**60,000 UGX**

- 75mm Bowl 3 stage pan & tilt head with 2 stage carbon tripod legs.
- Up to 10kg payload and mid-spreader.





**Weifeng WT-617H Light Tripod  
40,000 UGX**

- 1. A infinitely fluid damping system insures smooth camera movements through the range
- 2. Positive Pan and Tilt controls
- 3. Built-in bubble for horizontal leveling
- 4. Double extension design
- 5. Double handles,adjustable
- 6. Ideal for digital camcorder weighing from 3-6 kgs
- 7. The provided soft nylon carrying case has both the hand and shoulder strap,making the tripod system quite easy for handing

**EZ JIB 18FT  
200,000 UGX**

EZ jib 18FT with electronic pan and tilt head for heavy cameras. Pan and tilt head works with battery.



**Proaim JIB 21FT  
200,000 UGX**

Proaim JIB 21FT with electronic pan and tilt head for light and medium sized cameras. Pan and tilt head works with battery.





**Heavy 6FT JIB**  
**100,000 UGX**

Jib 6ft for heavy cameras, with manual pan and tilt head.

**Heavy Dolly**  
**150,000 UGX**

ADolly for heavy and light cameras with 4 straight and 2 curved tracks.



**8FT Heavy slider**  
**100,000 UGX**

8ft slider for heavy cameras with 3 stands and 100mm tripod bowl.

**12FT Heavy slider**  
**100,000 UGX**

- 12ft rails
- Lockable Sled with 4 Double-Wheels
- 3 stands





**Double Slider for DSLR**  
**50,000 UGX slider 100,000 UGX with Tripod**

Compact double side slider for light cameras like DSLR's. With to without tripod.

Motorized Slider 4ft  
 200,000 UGX  
 4ft Motorized Slider with Time-lapse, Step-less  
 Variable Speed, Motion Control and App  
 Control.



**DJI RONIN S**  
**150,000 UGX**

- Eight-Pound (3.6kg) Payload Capacity
- Three-Axis Motorized Gimbal Stabilizer
- Holds DSLR or Mirrorless Cameras
- Trigger and Mode Buttons for Control
- Offset Roll Motor for Screen Visibility
- One-Handed Operation
- Battery Grip Lasts up to 12 Hours
- Camera Control via Included Cables
- Includes Focus Wheel
- Additional Functions via Android/iOS App





**Glidecam XR 4000**  
**120,000 UGX**

- X-10 Support Arm Stabilizer Vest System
- 3-Axis Devin Graham Series Stabilizer
- Vertical Movement with Both Arm Sections
- 12 lb Payload
- 12 x Counterweight Plates
- Telescopic Center Post with Guide Marks

**Zhiyun CRANE 3S**  
**120,000 UGX**

The CRANE 3S Handheld Stabilizer from Zhiyun-Tech is a powerful redesign of previous Zhiyun gimbals with the addition of detachable handle options, more powerful motors with a large 14.3 lb payload, an updated axis-locking system, external power input, and the ViaTouch 2.0 remote control system. The 55° angled roll axis allows you to fit your camera without blocking the view, and it is also modular so you can add an included extension arm to fit larger cameras.



**Zhiyun CRANE 3S with Wireless Monitor and Focus Zoom Control**  
**200,000 UGX**

- 14.3 lb Payload, Zoom and Focus Wheel
- Redesigned Detachable SmartSling Handle
- Updated Axis Locking System
- ViaTouch 2.0 Remote Motion Control
- 55° Angled Roll Axis
- DC Input for Direct Power and Charge
- Mounting Threads for Accessories
- Onboard Controls, Powerful Motors





### **4 Colour Backdrop** **120,000 UGX**

6 X 4 meter backdrop with stand and different colour backdrops.

### **Manfrotto Large Pro Scrim All-in-One Kit** **(6.5 x 6.5')** **120,000 UGX**

- Black, Silver/White & 1.25-Stop Fabrics
- Two Grip Heads, Two Ears
- Aluminum Frame, Carry Case
- Lightweight for Location Work
- Sparks Creative Image Making
- Fits Conveniently in the Included Case
- Stands are not included.



### **E-Image Butterfly Frame** **100,000 UGX**

- 240 X 240cm
- Soft Fabric
- Two Grip Heads, Two Ears
- Aluminum Frame, Carry Case
- Lightweight for Location Work
- Sparks Creative Image Making
- Fits Conveniently in the Included Case
- Stands are not included.

# SOUND

## Sound Mixers

Sound mixers for film, news gathering and documentaries

### Sony DMX-P01 Field Mixer

100,000 UGX



Professional digital field mixer that combines the convenience of portable studio grade audio mixing, with the pristine fidelity of high resolution digital technology. The mixer features 4 electronically balanced XLR inputs that are switchable between mic and line level signal. The output section also features 2 XLR outputs that are capable of providing mic or line level signal as well. The mixer features 24-bit A/D and D/A converters and 32-bit signal processing.

### Porta Brace Audio Tactical Vest

50,000 UGX

- Combines Audio Harness and Audio Bag
- For Fast-Paced ENG in the Field
- Lightweight and Formfitting Design
- Provides Support and Weight Distribution
- Accommodates Two Dual-Wireless Systems
- Boompole Clip Holder
- iPad Sleeve, NP1 Pocket
- Vinyl Rain Cover
- Modular Design to Add Additional Storage



## Recorders

Sound mixers with records for film, news gathering and documentaries

### ZOOM F8

100,000 UGX



- 8 x XLR/TRS Combo Jacks with +75 dB Gain
- Up to 192 kHz/ 24-Bit PCM Recording
- Record up to 10 Tracks Simultaneously
- Look-Ahead Limiters Eliminate Clipping
- Zoom AutoMix: Automatic Level Adjustment
- 2 x SD Card Slots
- Built-In Slate Microphone
- 8 x AA Batteries, AC, External Power Pack
- Time Code at 0.2 ppm Accuracy
- Simultaneous Recording to SD Card & USB





## **ZOOM F6**

**80,000 UGX**

- Location Recording & Production Sound
- 32-Bit Float Recording Avoids Clipping
- 6 x High-Gain, Low-Noise Mic Preamps
- Records 6 Inputs & Stereo Mix
- Ambisonics, WAV & MP3 Formats
- Supports Control via App or FRC-8
- Flexible Powering Options
- SD Card / USB Interface Recording
- AutoMix Software Reduces Mix Noise
- Precision Timecode Reader/Generator

## **ZOOM H8**

**80,000 UGX**

- Podcast/Music/Field Recording Modes
- Swappable X/Y Stereo Mic Capsule
- 4 x XLR Mic Inputs with Pads and +48V
- 2 x XLR-1/4" Mic/Line/Hi-Z Inputs
- Intuitive Color Touchscreen
- 3.5mm Line & Headphone Outputs
- Onboard Compressor & Low-Cut Filter
- Powered via Batteries, AC, or USB
- Supports SDXC Cards up to 512GB
- Stereo Safety Track Recording



## **ZOOM H6**

**70,000 UGX**



- H6 Recorder with XYH-6 & MSH-6 Capsules
- SKB iSeries Waterproof Case
- Four Mic/Line Inputs
- Record up to 6 Simultaneous Channels
- Records up to 24-Bit/96 kHz
- Doubles as USB Audio Interface
- Fits Recorder, XYH-6 & MSH-6 Capsules
- Fits Memory Cards, Cables, Accessories
- Military-Standard Design

## Microphones

Microphones and Sound for Film, news gathering, Documentary and TV work.



### **RODE GO II 2 X 1 Lappel set 100,000 UGX**

- 2-Person Interviews, Vlogs & Podcasts
- Built-In Omni Mics & 3.5mm Mic Inputs
- 2 x Mini Clip-On Transmitters/Recorders
- Records 7 Hours of Uncompressed Audio
- Easy Setup with No Menus
- Stereo or Dual-Mono Output Modes
- 7-Hr Rechargeable Batteries + USB Power
- Powerful Features/Customization via App
- USB Audio Interface Functionality
- Up to 8 Mics on Set / 656' Range

### **RODE GO II 1 X 1 Lappel set 60,000 UGX**

- 1-Person Interviews, Vlogs & Podcasts
- Built-In Omni Mic & 3.5mm Mic Input
- Mini Clip-On Transmitter/Recorder
- Records 7 Hours of Uncompressed Audio
- Easy Setup with No Menus
- Stereo or Dual-Mono Output Modes
- 7-Hr Rechargeable Batteries + USB Power
- Powerful Features/Customization via App
- USB Audio Interface Functionality
- Up to 8 Mics on Set / 656' Range



### **Sennheiser Wireless Lappel set 70,000 UGX**

- EK 100 G3-G4 Camera-Mountable Receiver
- SK 100 G4 Bodypack Transmitter
- ME 2-II Omnidirectional Clip-On Lav Mic
- 1680 Tunable Frequencies Across 42 MHz
- Auto Frequency Scan Finds Open Bands
- 3-Level Squelch to Block Interference
- 20 Banks with 12 Channel Presets Each
- Compander for Clearer Sound
- Auto-Lock Prevents Accidental Adjustment





### **Saramonic 2 to 1 Wireless Lappet Set**

**100,000 UGX**

- Reliable, broadcast-quality audio
- Two transmitters could work simultaneously
- 514 MHz – 596 MHz
- 96 selectable channels in 2 groups
- Headphone monitoring
- Easy-to-read LCD displays
- Over 330-feet (100m) in open areas or 200-feet (60m) with obstacles
- Optional handheld and XLR transmitter for different applications.

### **Sennheiser MKH 416 Boom Set**

**70,000 UGX**

- Sennheiser MKH 416 Short Shotgun Mic
- Rycote Super-Shield Kit
- MZW 415 Windshield
- MZQ 100 Microphone Clamp
- Suspension Chassis with Front & Rear Pod
- Super-Shield Windjammer
- Snap-In, Pinch-Release Lyre Suspensions
- Pistol Grip
- 18" XLR Cablem



### **Rode NTG4 Boom Set**

**70,000 UGX**

- Shotgun Microphone Rode NTG4
- Shock Mount
- Windshield
- Boompole
- Universal Hand Grip
- Cables
- Matching Transformer Cable
- Neoprene Boompole Bag



### **BOYA BY-BVM1000 On Camera Microphone**

**50,000 UGX**

- Designed especially for use with camcorder
- Maximum rejection of side and rear microphone
- Two step High Pass Filter
- Low noise circuitry
- Lightweight durable construction
- 48V Phantom Power or 1.5V AA Battery







#### Handhold E845 Microphone

30,000 UGX

- Vocal stage mic, designed to perform under pressure. Uniform frequency pick-up pattern maintains signal quality when moving on and off axis during performance. Gentle presence boost to even tonal response ensures clarity and projection. Minimal proximity effect provides consistently clear bass and performance when singing closer to or further from capsule.

## Headphones

### Headphones for Film and TV field use



#### Marshall Major III Foldable Headphones

30,000 UGX

- Iconic Sound - Custom-tuned 40 mm drivers for enhanced bass, smooth mids and clear highs
- Re-Engineered - New ear cushions + 3D hinges + straight fit headband + loop wire with reinforced rubber dampers
- One Button - Control your music and phone functionality with the one button remote with mic
- Share Your Music - The free 3.5 mm socket is perfect for sharing audio with someone else
- Ultimate Travelling Companion - Collapsible design + ergonomic fit + detachable 3.5 mm cable

## LIGHTS

#### Aputure LS 600d Pro with Fresnel Lens

250.000 UGX

- Comparable to a 1200W HMI
- Color: 5600K, CRI/TLCI: 96
- Beam Angle with 55° Reflector or Fresnel lens
- Wireless DMX, Bluetooth Control
- 4 Dimming Modes, Wireless Range: 328'
- 8 Built-In Lighting Effects
- Output 600w



### **Aputure Light Storm C300d LED Light** **100,000 UGX**

- Light with Controller & Power Supply
- Wireless Remote with 492' Range
- 5500K Color Temperature
- Bowens Front Mount, Quiet Fan
- V-Mount Battery Plate
- Built-In Handle
- Includes Carrying Bag



### **Aputure Light Storm C300d II LED Light** **120,000 UGX**

Built on the foundation of the popular LS C300d, Aputure's Light Storm LS C300d Mark II LED Light

Kit with V-Mount Battery Plate is an enhanced version with 20% more power, refined features, and advanced connectivity. Aputure uses Chip on Board (COB) technology to produce a 5500K color temperature, with power consumption of just 350W, while outputting 3500 lux of light with an efficient reflector at a distance of 9.8'. In addition to power efficiency, this fixture also has a CRI/TLCI rating of 9



### **NanLite Forza 60B with Stand and Battery** **100.000 UGX**

- BI-Color LED light
- C-stand
- Measures: 7.7 x 4.1 x 3.2"
- Color: 2700-6500K, CRI/TLCI: 96/98
- 55° Reflector, 5/8" Receiver
- Powered by V-mount battery and 110-240 VAC Adapter
- 0 to 100% Dimming, 12 Special Effects
- Optional Wireless Remote
- Weighs 1.8 lb
- 



### **Aputure Fresnel 2X Attachment 30.000 UGX**

- 6" Lens Diameter
- Dual Lens Design Boosts Output
- Beam Spread Variable from 12 to 40°
- Exclusively for LS C120d, C120dII, C300d
- C120d II is Up to 14x Brighter with Lens




### **Aputure Lantern Dome 30.000 UGX**

Lantern Dome for lights with Bowens mount

## **LED FLOOD LIGHTS**

### **BEAMLITE 72 LED LIGHT PANEL 40,000 UGX no batt. 60,000 UGX with Batt.**

- Made with professional high power 72 white LED's.
- Runs on AC Adapter.
- Barn Doors.
- Provision for Mounting V-Mount Batteries.
- Built in dimmer control.
- Portable and light weight.
- Cool running.
- 60 degree spread.
- Adjustable sturdy metal yokes.
- Die cut foam lined custom fir storage cases.
- Convenient carrying handles.



### **Soft Light SL-360ARC BI-COLOR LED PANEL**

**60,000 UGX no batt. 80,000 UGX with Batt.**

Soft Light SL-360ARC ultra soft bi-color round led panel with U-type bracket, stand and battery. Power 90w



**LS Edge C-1500RSV BiColour LED Soft  
Ligh**  
**100,000 UGX no batt. 150,000 UGX with 2  
Batt.**

Round Soft LED Light - Bi-Colour. C-1500SV extra Round 31.5" Bi-colour Soft Edge Light with V mount plate adopt the new Edge Light Tech into the LED light. Instead of the forward-facing LEDs like in the conversion panel light, this series light are with LEDs mounted on the frame of the light, with beam bounced from the inside diffusion material to give out an extremely soft, even light. The colour of the light is from 5600K to 3200K and illuminance change from 100% to 10%.



**Nanlite PavoTube 30C 4' RGBW LED Tube  
with Internal Battery**  
**70,000 UGX**

With a 1.9" diameter and a T12 form factor, the PavoTube 30C 4' RGBW LED Tube with Internal Battery from NanLite is ideal for hiding unobtrusively in small areas on a set or for shooting in vehicles such as cars, boats, or planes.

## CAMERA ACCESSORIES

**Zhiyun-Tech CRANE 3S Handheld  
Stabilizer for RED, BM URSA, SONY FS7**  
**150,000 UGX**

- Payload: 6.5 kg
- Locking system for all 3 axes
- New algorithm for improving g-forces and wind speeds
- Up to 12 hours without recharging
- Compatible with heavy Professional cameras
- Compatible with dollies, jibs, rig
- SmartSling for maximum control over the stabilizer



## MONITOR & WIRELESS VIDEO



### CVW Beamlink QUAD 400,000 UGX

- 4 transmitters to 1 receiver
- 500 to 800 meter distance
- Easy set up: plug and go
- All SDI and HDMI in-out
- Full battery powered

### Feelworld F6 + 50,000 UGX

- 4K HDMI Input/Output
- 5.5" 1920 x 1080 Native Resolution
- 1000:1 Contrast, 500 cd/m<sup>2</sup> Brightness
- 160° U/D, L/R Viewing
- Supports 3D LUT Import
- Focus Peaking Indicators
- 3.5mm Stereo Headphone Jack
- Integrated L-Series/LP-E6 Battery Plate
- 180° Tilt Arm with Cold Shoe



### Accsoon CineEye 5G WiFi Transmitter 50,000 UGX

- Transmits HDMI Signal to Phones/Tablets
- Use Your iOS/Android Devices as Monitors
- Sends to up to 3 Devices Simultaneously
- Up to 328' Transmission over 5G Wi-Fi

**Lilliput BM280 28" 4K Monitor**  
**100,000 UGX**

- 28" 3840 x 2160 10-Bit IPS LCD
- Supports NTSC/PAL, HD, and UHD 4K
- HDMI, SDI, DVI, and VGA Inputs
- 178° H/V Viewing Angle
- Built-In Monitoring Tools
- On-Screen Markers and Focus Peaking
- Built-In V-Mount Plate
- Hard Case Enclosure
- XLR 4-Pin 12-24 VDC Power Input



**DJI AIR 2S 5.4K Drone**  
**400,000 UGX**

- Max Flight Time 31 minutes
- Large 1 Inch Image Sensor
- 4 Directions of Obstacle Sensing
- Max 7.5-Mile Video Transmission
- 5.4K: 5472×3078 @ 24/25/30 fps
- 4K Ultra HD: 3840×2160 @ 24/25/30/48/50/60 fps
- 2.7K: 2688×1512 @ 24/25/30/48/50/60 fps
- FHD: 1920×1080 @ 24/25/30/48/50/60/120 fps
- 3-axis gimbal (tilt, roll, pan)



## MONITOR - RECORDER

**Atomos Shogun 4K Recording Monitor**  
**100,000 UGX**

- 4K HDMI and 12G-SDI Inputs/Outputs
- 1920 x 1200 Touchscreen Display
- 10-Bit FRC Monitor Processing
- 1500 cd/m² Brightness
- HDR Mode with 10 Stop Dynamic Range
- High-Bright Mode for Rec. 709 Viewing
- UHD 4K up to 30p / 1080p up to 120 fps
- 10-Bit 4:2:2 ProRes & DNxHR Encoding
- Records to 2.5" SSD/HDD Media
- Dual Sony L-Series Battery Slots



**Blackmagic Video Assist 4K**  
**80,000 UGX**

7" monitor with Small Rig cage; 4K SDI and HDMI inputs, supports 3D LUTs and includes powerful focus assist and exposure tools that make it easier to accurately set focus, expose and frame shots. Blackmagic Video Assist features high speed SD card recorders for HD or Ultra HD recording in incredible 10-bit 4:2:2 quality ProRes, DNxHD and DNxHR files in Quicktime and MXF formats.





### **Wireless Monitor & Follow Focus Set 200 UGX**

Blackmagic 4K monitor with Hollyland Mars 400S Pro Wireless Transmitter and receiver set and Tilta Nucleus-Nano wireless follow focus set in E-image Cage.



### **MATTE BOX, FOLLOW FOCUS, SHOULDER MOUNT**



#### **Matte Box 50,000 UGX**

Different brands:  
Tilta, Vocas, Arri  
With French Flag and Filter set

#### **Follow Focus 50,000 UGX**

Different brands:  
Tilta, Vocas, Arri  
With lens ring set if necessary.



#### **Shoulder mount 50,000 UGX**

Different shoulder mounts for different size cameras.



## ON CAMERA LED LIGHTS

### **LEDGO R332 On Camera ring light** **50,000 UGX**

On camera ring light with dimmer, and color filters. 2 batteries included.



### **ON CAMERA LED lights** **50,000 UGX**

Several different on-camera LED lights from different brands, strength and color.

### **ON CAMERA LED lights Pro** **50,000 UGX**

Several different on-camera LED lights from different brands, strength and color for professional cameras with 12-16 Volt D-tap output.



# Live capturing and streaming equipment

Mixing, recording and wifi transfer equipment

ATEM Production Studio 4K Video Mixer  
400,000 UGX



- Case includes:
- Blackmagic ATEM Production Studio 4K
- JL Cooper ION switcher panel
- Blackmagic Monitor
- Blackmagic SSD Recorder
- Datavideo talk-back system
- Soundmixer
- INPUTS
- 10 X 4K SDI Inputs
- 1 X 4K HDMI Input
- 12 X XLR Audio Inputs
- OUTPUTS
- 5 X 4K SDI Outputs
- 1 X 4K HDMI Output
- 1X SDI & 1 X HDMI Multiview Out
- 2 X XLR Audio Outputs

AVMatrix PVS0615 All in one Portable Video  
Switcher / Recorder / Streaming  
250,000 UGX

- Laptop size HD video mixer
- INPUTS
- 4 X SDI Input
- 2 X HDMI Input
- 2 X DVI - VGA
- 2 X USB Media Player
- 2 X XLR for Sound
- OUTPUTS
- 3 X SDI
- 2 X HDMI Program
- 1 X HDMI Multiview
- 1 X XLR Output



Teradek VidiU Pro Live WiFi Streamer  
50,000 UGX



- Stream Broadcast Quality HD Video
- Deliver to Platforms and RTMP Addresses
- Accepts Any HDMI Camera Source
- Bluetooth Configuration via Tablet/Phone
- Two Hour Internal Lithium-Ion Battery
- Record to SD Card via Built-In SD Port
- Get Max Bandwidth via Teradek ShareLink





### **CVW Beamlink QUAD 400,000 UGX**

- 4 transmitters to 1 receiver
- 500 to 800 meter distance
- Easy set up: plug and go
- All SDI and HDMI in-out
- Full battery powered

### **AME-TV KUMINIK8 WIRELESS INTERCOM HEADSET 400,000 UGX**

- Only available with operator
- Duplex Digital Wireless Headset
- Communication Devices 4 Pack Features
- The battery style is the NB-6L style and normally it is easy to purchase locally.
- The headset is is foldable
- Comes in a durable hardcase
- Move the microphone arm up to mute and down to talk



**CGearhouse**

**Entebbe Express way - Busabala RD Branch, Kaazi, Kampala, Uganda**

**+256779699255**



**@cinemagearhouse**



**@cinemagearhouse**



**@cinema\_gearhouse**



**@cinema.gearhouse**



**<https://cgearhouse.com>**