

Motavation Dispensary LLC

Sample: 11-20-2023-41905

Sample Received: 11/20/2023;

Report Created: 12/07/2023; Expires: 11/21/2024

Strawberry Banana Hash Rosin
Concentrate & Extracts



69.358 %

Total THC

0.275 %

Δ-9 THC

83.089 %

Total Cannabinoids

<LOQ %

Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)

Date Tested: 11/20/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.1042	0.1562	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.1042	0.1562	0.275	2.750	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.1042	0.1562	78.772	787.719	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.1042	0.1562	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.1042	0.1562	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.1042	0.1562	0.212	2.125	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.1042	0.1562	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.1042	0.1562	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.1042	0.1562	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.1042	0.1562	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.1042	0.1562	ND	ND	
Cannabidivarin (CBDV)	0.1042	0.1562	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.1042	0.1562	ND	ND	
Cannabidiol (CBD)	0.1042	0.1562	ND	ND	
Cannabidiolic Acid (CBDA)	0.1042	0.1562	<LOQ	<LOQ	
Cannabigerol (CBG)	0.1042	0.1562	0.200	2.000	
Cannabigerolic Acid (CBGA)	0.1042	0.1562	2.673	26.729	
Cannabinol (CBN)	0.1042	0.1562	ND	ND	
Cannabinolic Acid (CBNA)	0.1042	0.1562	ND	ND	
Cannabichromene (CBC)	0.1042	0.1562	ND	ND	
Cannabichromenic Acid (CBCA)	0.1042	0.1562	0.956	9.562	
Total			83.089	830.885	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%

Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com