COLOR CHART

ARCHITECTURAL

ST. CLARE OF ASSISI CATHOLIC CHURCH AND SCHOOL

Location
HOUSTON, TX

Panel Profile
ROOF: LOKSEAM® SERIES 16"
WALL: ARTISAN® SERIES 12"

BROWNSTONE

ARCHITECTURAL

- *Final color selection should be made from actual color chips.*
- For the most current information available, visit our website at **www.mbci.com**.
- All products are available in smooth or embossed finish.
- Trim is available in all colors.
- Review the sample warranty for complete performance attributes and terms and conditions.

SIGNATURE® 300
STANDARD COLORS

HARBOR BLUE ★	COLONIAL RED ★	MEDIUM BRONZE ★	PACIFIC BLUE ★	NATURAL PATINA** ★
SR .28 SRI 27	SR .34 SRI 35	SR .29 SRI 28	SR .29 SRI 29	SR .41 SRI 45

SNOW WHITE ★	SLATE GRAY ★	ALMOND ★	MIDNIGHT BRONZE ★	CLASSIC GREEN ★
SR .65 SRI 78	SR .37 SRI 39	SR .63 SRI 75	SR .29 SRI 28	SR .27 SRI 26

EVERGLADE ★	BROWNSTONE ★	TUNDRA ★	SPRUCE ★	HUNTER GREEN ★
SR .33 SRI 34	SR .47 SRI 53	SR .46 SRI 52	SR .36 SRI 38	SR .35 SRI 37

BRITE RED** ★	BONE WHITE** ★
SR .49 SRI 55	SR .70 SRI 85

** Minimum quantities and/or extended lead times required. Please inquire.

SIGNATURE® 200
STANDARD COLORS

Siliconized Polyester
Polar White is a Straight Polyester.

BURNISHED SLATE ★
SR .34 SRI 36

POLAR WHITE ★
SR .58 SRI 68

CHARCOAL GRAY ★
SR .38 SRI 41

LIGHT STONE ★
SR .56 SRI 66

RUSTIC RED ★
SR .37 SRI 39

KOKO BROWN ★
SR .35 SRI 37

FERN GREEN ★
SR .29 SRI 29

COAL BLACK ★
SR .34 SRI 35

HAWAIIAN BLUE★★ ★
SR .31 SRI 31

SOLAR WHITE★★ ★
SR .71 SRI 86

SIGNATURE® 300
METALLIC

COPPER METALLIC★★ ★
SR .46 SRI 51

SILVER METALLIC ★
SR .52 SRI 58

Metallic coatings are directional. Panels and trim must be installed oriented in the same direction to prevent perceived shade variances.

** Minimum quantities and/or extended lead times required. Please inquire.

ENERGY STAR PARTNER

★ ENERGY STAR® Qualified

COLORATION IMAGINATION

HUNTER GREEN *

SILVER CREST ELEMENTARY SCHOOL

Location
HERRIMAN, UT

Panel Profile
ROOF: CRAFTSMAN™ HB

COAL BLACK *

ORANGE*

HARLEY-DAVIDSON SHOP & STORE

Location
GILLETTE, WY

Panel Profile
**ROOF: BATTENLOK® HS, PBR PANEL**
WALL: PBR PANEL

* Custom Color

BRITE RED *

CHARCOAL GRAY *

URBAN LOFTS

Location
HOUSTON, TX

Panel Profile
WALL: PBR PANEL, PBC PANEL

DESIGNER® SERIES

16.0 Fluted

12.0 Flat

SHADOWRIB™

NUWALL®

FW-120

FW 120-0 (with no Beads)

FW 120-1 (with Bead)

ARTISAN® SERIES

L-12

L-12 (with Beads)

CLASSIC® SERIES

QWIKLOK™

FLEXLOC®

MASTERLINE® 16

CRAFTSMAN™ SERIES

SB-12

HB-12

16½" also available

STANDING SEAM
Vertical Leg

LOKSEAM®

Snap-Together System
12" and 16" also available

BATTENLOK® HS

Field Seamed System
12" also available

SUPERLOK®

Field Seamed System
12" also available

CURVED BATTENLOK®

Field Seamed System

Trapezoidal Leg

ULTRA-DEK®

Snap-Together System
12" and 18" also available

DOUBLE-LOK®

Field Seamed System
12" and 18" also available

SR/SRI CHART

SIGNATURE® 300		
	SR #	SRI #
HARBOR BLUE	.28	27
COLONIAL RED	.34	35
MEDIUM BRONZE	.33	34
PACIFIC BLUE	.29	29
HUNTER GREEN	.35	37
SNOW WHITE	.65	78
SLATE GRAY	.37	39
ALMOND	.63	75
MIDNIGHT BRONZE	.29	28
CLASSIC GREEN	.27	26
EVERGLADE	.33	34
BROWNSTONE	.47	53
TUNDRA	.46	52
SPRUCE	.36	38
NATURAL PATINA	.41	45
BRITE RED	.49	55
BONE WHITE	.70	85

SIGNATURE® 300 METALLIC		
	SR #	SRI #
COPPER METALLIC	.46	51
SILVER METALLIC	.52	58

SIGNATURE® 200 - SILICONIZED POLYESTER		
	SR #	SRI #
BURNISHED SLATE	.34	36
POLAR WHITE	.58	68
CHARCOAL GRAY	.38	41
LIGHT STONE	.56	66
HAWAIIAN BLUE	.31	31
RUSTIC RED	.37	39
KOKO BROWN	.35	37
FERN GREEN	.29	29
COAL BLACK	.34	35
SOLAR WHITE	.71	86

SOLAR REFLECTIVITY (SR)

Solar reflectivity or reflectance (SR) is the ability of a material to reflect solar energy from its surface back into the atmosphere. The SR value is a number from 0 to 1.0. A value of 0 indicates that the material absorbs all solar energy and a value of 1.0 indicates it is all reflected. ENERGY STAR® requires SR testing of both new and aged roof products. New products must have an SR value of 0.25 or higher for steep slope (above 2:12) roofing and an SR value of 0.65 or higher for low slope (2:12 or less) roofing. Aged testing takes three years to complete, so not all products that meet the initial requirements are qualified. For more information, please visit **www.energystar.gov**.

SOLAR REFLECTANCE INDEX (SRI)

The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. Emissivity is a material's ability to release absorbed energy. To meet LEED requirements, a roofing material must have an SRI of 29 or higher for steep slope (above 2:12) roofing and an SRI value of 78 or higher for low slope (2:12 or less) roofing. For more information, please visit **www.usgbc.org**.

CUSTOM COLORS AND ACCESSORIES

If you're looking for a color that isn't on our chart, let us know and we'll work with you to find the exact color offering you need. MBCI also has a large selection of standard trim and flashing for each of its metal roof and wall panels. All trim and flashing are available in the same gauge and finish as our panel systems. Additionally, MBCI can make most any custom trim you require. Gutter systems are also available and can be ordered to match or in any other color you choose.

FOR THE MOST CURRENT INFORMATION AVAILABLE, VISIT OUR WEBSITE AT WWW.MBCI.COM

Houston, TX | 877.713.6224
Adel, GA | 888.446.6224
Atlanta, GA | 877.512.6224
Atwater, CA | 800.829.9324
Ennis, TX | 800.653.6224

Indianapolis, IN | 800.735.6224
Lubbock, TX | 800.758.6224
Memphis, TN | 800.206.6224
Oklahoma City, OK | 800.597.6224
Phoenix, AZ | 888.533.6224

Rome, NY | 800.559.6224
Salt Lake City, UT | 800.874.2404
San Antonio, TX | 800.598.6224

MBCI®