



# PRODUCT CATALOG




Call us:  
**(801) 852-8542**

[alliancefencesupply.com/trex-fencing](http://alliancefencesupply.com/trex-fencing)



# WHY CHOOSE TREX FENCING?



## STYLE

- » 3 rich, natural colors
- » Neighbor-friendly, board-on-board design
- » Same look on both sides
- » Adaptable for slopes
- » Heights up to 12 feet tall
- » Customizable for various applications

## STRENGTH


- » 25-year residential / 10-year commercial warranties
- » Won't rot, split, splinter, or get damaged by insects
- » Engineered to withstand hurricane-force winds

## SERENITY

- » Completely private interlocking pickets
- » Never needs painting or staining
- » Installs quickly and easily



# PRODUCT INFORMATION




## SECLUSIONS

- » Vertical pickets
- » Traditional design




## HORIZONS

- » Horizontal pickets
- » Contemporary design



## SECLUSIONS HORIZONTAL

- » Horizontal pickets
- » Hybrid design



Looking for the ideal commercial fence? Trex Fencing is perfect for HOA perimeters as well as utility and dumpster enclosures. What about other structures like privacy screens and opaque railing? The sturdy, low-maintenance material makes it an excellent solution for a variety of applications.



# PRODUCT LIST



**REPLACE Hashmark (#) with Color Code:**

S = Saddle | G = Winchester Grey | B = Woodland Brown

**REPLACE Percent Symbol (%) with Style Code:**

[blank] = Seclusions | H = Horizons | SH = Seclusions Horizontal












**(801) 852-8542**

NOTE: See COMPONENT DETAILS page for detailed descriptions

PART NUMBER	DESCRIPTION
<b>FENCE PANEL KITS</b>	<i>Kits contain all components needed to build one section</i>
TF#PFK68%	6' H x 8' W Fence Panel Kits*
TF#PFK88%	8' H x 8' W Fence Panel Kits*
[CUSTOM]	Build alt height/width by mixing/cutting materials – contact support for assistance
<b>KIT COMPONENTS</b>	<i>Kit alternative – purchase individual components</i>
TF#T8	91" Seclusions/Seclusions Horizontal Top Rail
TFAR8	90.5" Seclusions/Seclusions Horizontal Aluminum Bottom Rail
TFAR8T	90.5" Aluminum Top Rail Insert (Seclusions Horizontal Only)
TF#R8	91" Bottom Rail Covers (also used as pickets for 8' tall or horizontal fence systems)
TF#R6	67" Pickets (used for 6' tall Seclusions)
TFRB	Seclusions/Seclusions Horizontal brackets
TFRBA	Seclusions/Seclusions Horizontal angle adaptors for brackets
TFHFK-6	6' H Horizons Frame Kit
TFHFK-8	8' H Horizons Frame Kit
TFSHFK68	6' H Seclusions Horizontal Vertical Rail Kit
TFSHFK88	8' H Seclusions Horizontal Vertical Rail Kit
<b>POSTS AND CAPS</b>	<i>Used with all systems</i>
TF#P9	9' Post
TF#P12	12' Post
TF#PCF	Flat Top Post Cap
TF#PCP	Pyramid Post Cap
TF#PCC	Crown Post Cap
<b>GATE PANELS</b>	<i>Gate panels are sized to work with FDS hardware packages</i>
TF#G4-6%	6' H Standard gate panel (single opening = 46-1/4" / double gate opening = 91-1/2")
TF#G4-8%	8' H Standard gate panel (single opening = 46-1/4" / double gate opening = 91-1/2")
TF#G5-6%	6' H Large gate panel (single opening = 65-1/2" / double gate opening = 130-1/2")
TF#G5-8%	8' H Large gate panel (single opening = 65-1/2" / double gate opening = 130-1/2")
[CUSTOM]	Custom sizes available – contact support for pricing
<b>GATE HDWARE PACKAGES</b>	<i>Packages are designed to work with FDS-built gates</i>
TSGP	Single Gate Hardware package (with standard hinges)
TDGP	Double Gate Hardware package (with standard hinges)
<b>POST ACCESSORIES</b>	
TFPI	9' - 12 ga. C-channel hinge post stiffener
TFPIHD	9' - 8 ga. Square tube hinge post stiffener
TFPIHD12	12' - 8 ga. Square tube hinge post stiffener
TFCPM24	24" wall towers (Z-mount; concrete anchors not provided)
<b>GATE HWARE COMPONENTS</b>	
TREXHINGE-SD	Standard Hinge Set (2 hinges)
TREXHINGE-HD	Heavy Duty Hinge Set (2 hinges); not included in gate hardware packages
TREXLATCHSINGLE	Single gate latch and striker
TREXLATCHDOUBLE	Double gate latch and striker
TREXDROPROD	Drop Rod Assembly
TREXHANDLE	Gate Handle
SAGKIT-BL	Anti-Sag Cable Kit - Black

\* Seclusions and Seclusions Horizontal: 96" o.c. / Horizons: 97" o.c. Rails may need to be trimmed before installing. Consult [installation guides](#).

# COMPONENT DETAILS

	COMPONENT	DESCRIPTION	USED WITH
	Posts	<ul style="list-style-type: none"> <li>• 9' or 12' in length</li> <li>• 5"x5" outer dimension</li> <li>• 3-3/4"x3-3/4" inner dimension</li> <li>• No insert necessary*</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Horizons</li> <li>• Seclusions Horizontal</li> </ul>
	Top Rail	<ul style="list-style-type: none"> <li>• 91" in length</li> <li>• 5" tall</li> <li>• Rests on top brackets; pickets extend into channel</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Seclusions Horizontal</li> </ul>
	Aluminum Bottom Rail	<ul style="list-style-type: none"> <li>• 90-1/2" in length</li> <li>• 5-1/8" tall</li> <li>• Rests on bottom brackets</li> <li>• Covered by 91" bottom rail covers/pickets</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Seclusions Horizontal</li> </ul>
	Pickets/Bottom Rail Covers	<ul style="list-style-type: none"> <li>• 67" or 91" in length</li> <li>• 5-3/4" wide</li> <li>• Used interchangeably as <b>pickets</b> or <b>bottom rail covers</b></li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Horizons</li> <li>• Seclusions Horizontal</li> </ul>
	Brackets	<ul style="list-style-type: none"> <li>• Brackets support top and bottom rails</li> <li>• Angle adaptors offer up to 45-degree deviation</li> <li>• Attached with wood exterior screws</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Seclusions Horizontal (brackets only)</li> </ul>
	Top Rail Insert	<ul style="list-style-type: none"> <li>• 86" in length</li> <li>• 4-1/8" tall</li> <li>• Supports composite top rail</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions Horizontal</li> </ul>
	Post Caps	<ul style="list-style-type: none"> <li>• Designed for 5"x5" Trex fence posts</li> <li>• Available in decorative designs (flat top, pyramid) or low-profile crown</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Horizons</li> <li>• Seclusions Horizontal</li> </ul>
	Post Stiffeners	<ul style="list-style-type: none"> <li>• 9' C-Channel Post Stiffener for standard gates up to 6' tall</li> <li>• 9' or 12' Heavy Duty Stiffener for larger gates</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Horizons</li> <li>• Seclusions Horizontal</li> </ul>
	Wall Mounts	<ul style="list-style-type: none"> <li>• 3-1/2"x3/12" base</li> <li>• Wall mount for posts</li> <li>• Not intended for fences taller than 6'</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions</li> <li>• Horizons</li> <li>• Seclusions Horizontal</li> </ul>
	Horizons Frame Kits	<ul style="list-style-type: none"> <li>• Black, galvanized steel**</li> </ul>	<ul style="list-style-type: none"> <li>• Horizons</li> </ul>
	Vertical Rails	<ul style="list-style-type: none"> <li>• 61" or 85"</li> <li>• For 6' or 8' tall horizontal fence</li> <li>• Black, aluminum</li> </ul>	<ul style="list-style-type: none"> <li>• Seclusions Horizontal</li> </ul>

All lengths are nominal. Trimming components during installation may be necessary.

\*Trex posts are standalone supports except for gate hinge posts or fences over 8' tall. Posts can be used as sleeves over other types of posts.

\*\* Do not use galvanized products close to bodies of salt water



# RESOURCES




Visit

[alliancefencesupply.com/trex-fencing](http://alliancefencesupply.com/trex-fencing)  
for additional resources:

- Installation Guides
- Image Gallery
- Diagrams and Component Details



The weathering process: As sunlight interacts with plastic, it will cause the surface to lighten. This compensates for the natural phenomenon of over-pigmenting the material during production. This allows the composite to weather to a lighter value over a short period of time. This is a limited transition. You will reach color throughout its life.



Call us:  
**(801) 852-8542**

[alliancefencesupply.com/trex-fencing](http://alliancefencesupply.com/trex-fencing)



Call us:  
**(801) 852-8542**

[alliancefencesupply.com/trex-fencing](http://alliancefencesupply.com/trex-fencing)