



**DISTRICT 2 EMERGENCY SERVICES, INC.
11382 FM 775
FLORESVILLE TX 78114**



Monthly Command Report

For February Emergency Response:

For the month of February, there were a total of **28** fire calls.

For the month of February, there were total of **38 911** EMS calls with **26** Transports and **12** non- transports. Of the transports, there were **26** ALS and **00** BLS calls.

In addition, there were **40** facility transfers completed.

For the month of February there were a total of **78** EMS runs.

ALS- Advanced Life Support

BLS- Basic Life Support

Average response time for the month was **08** minutes and **08** seconds. This is a door-to-door time.

Emergency Vehicles:

B-22: Apparatus is being checked daily without any major issues to report. There are plumbing repairs needed, we are having a hard time sending the apparatus out for any length of time, due to only having a single light brush truck. We will schedule service once we have some rain for a few days.

B-21B (New Heavy): Apparatus is being checked daily without any major issues to report. Failed door latch hardware was replaced in house.

2 ½ Ton 22 B: Apparatus is being checked daily and is in Service. The apparatus went to Billy Bob's to have multiple plumbing repairs completed.

E-22: No change in status. We are still working with third party re sale vendors to secure a buyer.

E-21: OOS No change. Once the engine work is complete, the apparatus will likely return to us to use until the repairs on Tender are complete.

Loaner Engine: Apparatus is being checked daily without any major issues to report. We are responsible for any repairs while it is in our possession.

T-22: Apparatus is being checked daily and is in service. A failed Turbo seal was replaced at the station by Billy Bob's. We are working with Siddons for the tank replacement. Siddons is working directly with the tank manufacturer to attempt to have permission granted to do the warranty work for us, so that we don't have to send the apparatus across state lines for repair. Billy Bob's also replaced the driver side steer tire due to bubbling.

M-23: Unit is being checked daily and is in service. Regular oil change was performed in house.

M-22: The medic unit is being checked daily and is in service.

M-21 (New Medic Unit): Unit is being checked daily without any major issues to report.

Rescue 22: Apparatus is being checked daily and is in service. This unit is currently being temporarily utilized as a Command unit. The unit will soon be taken to Southwest Brake & Alignment for major suspension, front end, & Brake repairs.

MISC:

The order for the new pumper/tender has been placed with Siddons and is under construction.

A SCBA from E21 was taken to Heat Safety for repairs to the Pass device.

Heat safety performed annual service on the cascade system at station 1, a broken oil cap was replaced.

Personnel:

With the raise and benefit package roll out, we have begun to finally have relief from staffing hardships.

Administration:

Rescue 22 is still being utilized as a Command unit. Using the heavier equipment has placed a strain on the apparatus as well as operations with the crews not having a rapid response/first responder vehicle. We anticipate placing an order for a new Command unit no later than by the end of March.

Crews have been working on completing all in service with the ultrasound equipment.

Training:

EMS

Crews reviewed and trained on the following:

- Ultrasound operations and familiarization
- Cardiac Arrest algorithm
- Whole blood administration
- Ferno Safety operations
- Oxygen cascade system

Fire

Crews reviewed and trained on the following:

- Hydrant Dressing
- Water supply operations
- Tender pump operations
- Small and large streams
- Hose line handling and advancement techniques
- Apparatus familiarization
- Apparatus placement in emergency operations

Station:

Any public walk ups to the department are being redirected to the front doors instead on leaving the apparatus bays open. This is to ensure health safety for both the public and the personnel.

Grants/Donations:

Command staff is currently working on an SCBA grant to furnish the department with updated SCBA's

Public Relations:

Fire: Our biggest obstacle remains to be the age and condition of apparatus and equipment, leaving more equipment out of service than in service. This has begun to cause a decrease in the quality of relationships with surrounding departments.

EMS:

The Standard Medical Operating Protocols are currently in the final review stage. Once thoroughly cleared for any errors or adjustments, we will launch them. A soft launch has already been completed so that the staff may begin studying them.

Misc.: A major focus point of the department remains to create a strong professional working relationship with surrounding departments and increase the number of local volunteers.

Prepared & reviewed by:

Adam Marconi

Adam Marconi- Fire Chief / EMS Director