



LAILEY & COATES

SMART POOL HEATING TECHNOLOGY




CONTACT US

+357 99 865660

Kieran@lcheatpumps.com

www.lowestcostheatpumps.com

55 Gladstonos Str., Roussos Center Point, 5th Floor,
Office No. 5C, 3040



Full Inverter



Stepless Twin-Rotary Inverter Compressor



Low GWP R32 Refrigerant



Smart WiFi Control



Smart Touch Controller



Low Noise



Full Metal Housing



DC Brushless Fan Motor




TECHNICAL SPECIFICATIONS

Model		LCSP-BP120RC-A	LCSP-BP180RC-A
Heating capacity 1	kW	17.40	25.90
COP	W/W	6.53~17.05	6.20~15.55
Heating capacity 2	kW	11.85	18.03
COP	W/W	5.02~8.16	4.65~8.10
Power supply	V/Hz	AC220-240/50	AC220-240/50
Water volume	m ³ /h	8.23	12.25
Refrigerant	Type	R32	R32
GWP	-	675	675
Max current	A	21.00	25.50
Min pressure/Max pressure	MPa	1.3/4.2	1.3/4.2
Net dimension	mm	1020x408x715	1020x408x715
Net weight	kg	66	72
Sound pressure level (10m)	dB(A)	<30	<30
Unit protection class	-	IPX4	IPX4
Electrical shock proof	-	Class I	Class I

• MATURE FULL INVERTER TECHNOLOGY

The application of an improved compressor and inverter technology synergies is a crucial element for the unit to be a top performer which can raise the energy efficiency and provide homeowners with greater cost-savings.



• APP CONTROL

With a Wi-Fi and 4G/5G connection, you can take full control of your swimming pool heat pump on your smartphone via an app. The app can be found in the App Stores .

CONTROL YOUR HEAT PUMP
ANYWHERE AND ANYTIME WITH
SMART LIFE



• SMART TOUCH CONTROLLER

Unlike normal inverter pool heater, we have high-end controller with touch screen. Temperature and power consumption curve makes users always be clear of the energy use situation.

