

Molecular UTI Lab Report

CLINIC INFORMATION

PATIENT INFORMATION

SPECIMEN INFORMATION

Provider:	Name: John Doe	Date Collected: 6/8/2020
	DOB: 1/1/1990	Date Received by Lab: 6/8/2020
	Gender: Female	Run Date: 6/8/2020
		Date Reported: 6/9/2020
		Source: CC URINE

UTI Summary - Organism(s) Detected

Pathogen Detected	Lab Result (Qualitative)	Recommended Treatment																	
		Ampicillin	Amoxicillin	Cefazolin/ Cephalixin (1st)	Cefuroxime, Cefoxitin (2nd)	Ceftazidime, Ceftriaxone (3rd)	Cefdinir (3rd)	Cefepime (4th)	Trimethoprim-sulfamethoxazole	Doxycycline	Carbapenems	Vancomycin	Ciprofloxacin	Levofloxacin	Clindamycin	Nitrofurantoin	Amikacin	Gentamicin	Meropenem (azithromycin)
E. coli	Detected - MEDIUM	X	X	X	X	X		X	X		X		X	X		X	X	X	

STD and Yeast Pathogens Summary - Organism(s) Detected

Pathogen Detected	Lab Result (Qualitative)	Recommended Treatment

Antibiotic Resistance Summary - Resistance Gene(s) Identified

Class and (Gene Name)	Lab Result (Qualitative)	Recommended Treatment																	
		Ampicillin	Amoxicillin	Cefazolin/ Cephalixin (1st)	Cefuroxime, Cefoxitin (2nd)	Ceftazidime, Ceftriaxone (3rd)	Cefdinir (3rd)	Cefepime (4th)	Trimethoprim-sulfamethoxazole	Doxycycline	Carbapenems	Vancomycin	Ciprofloxacin	Levofloxacin	Clindamycin	Nitrofurantoin	Amikacin	Gentamicin	Meropenem (azithromycin)
Fluoroquinolones	Detected											R	R						
Trimethoprim	Detected							R											
Sulfonamides	Detected							R											

Lab Technician:

*This test detects the presence of pathogen and must be evaluated with clinical symptoms to/ diagnose disease. All test established and validated by Laboratory and not FDA approved.

Methodology statement: Real-time PCR assays are designed to detect pathogens with clinical significance and analytical sensitivity and specificity greater than 99%.

Limitations: While these assays are very sensitive and specific, theoretically these assays could detect pathogens not listed, resulting in a false positive.

In addition, while these assays are very specific, there may be target pathogen sequences with unknown sequence variability which may not be detected, resulting in a false negative result.

Molecular UTI Lab Report

CLINIC INFORMATION

PATIENT INFORMATION

SPECIMEN INFORMATION

Provider:	Name: John Doe	Date Collected:	6/8/2020
0	DOB: 1/1/1990	Date Received by Lab:	6/8/2020
	Gender: Female	Run Date:	6/8/2020
		Date Reported:	6/9/2020
		Source:	CC URINE

UTI Pathogens

Tests Performed	Lab Result (Qualitative)	Recommended Treatment																	
		Ampicillin	Amoxicillin	Cefazolin/Cephalexin (1st)	Cefuroxime, Cefoxitin (2nd)	Ceftazidime, Ceftriaxone (3rd)	Cefdinir (3rd)	Cefepime (4th)	Trimethoprim- sulfamethoxazole	Doxycycline	Carbapenems	Vancomycin	Ciprofloxacin	Levofloxacin	Clindamycin	Nitrofurantoin	Amikacin	Gentamicin	Macrolide (azithromycin)
A. baumannii						X			X	X	X		X	X				X	
C. freundii/braakii	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
Citrobacter koseri	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
E. aerogenes	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
E. cloacae	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
B. fragilis	Not detected																		
Enterococcus spp. (E. faecalis/E. faecium)	Not detected	X										X	X	X					
E. coli	Detected - MEDIUM	X	X	X	X	X		X	X		X		X	X		X	X	X	
K. oxytoca/michiganensis	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
K. pneumoniae	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
Morganella morganii	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
Proteus mirabilis	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	
Pseudomonas aeruginosa	Not detected					X		X			X		X					X	
S. epidermidis	Not detected								X	X		X			X	X			X
S. saprophyticus	Not detected								X	X		X			X	X			X
Staphylococcus aureus	Not detected								X	X		X			X	X			X
S. pyogenes (Group A)	Not detected	X										X			X				
Serratia marcescens	Not detected	X	X	X	X	X		X	X		X		X	X		X	X	X	

Lab Technician: 0

Organisms Tested:

Acinetobacter baumannii, Citrobacter braakii/freundii, Citrobacter koseri, Enterobacter cloacae, Enterococcus spp., Escherichia coli, Klebsiella oxytoca, Klebsiella pneumoniae, Morganella morganii, Proteus mirabilis, Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus epidermidis, Staphylococcus saprophyticus, Streptococcus pyogenes, Serratia marcescens, Candida albicans, Candida parapsilosis, Candida krusei, Candida glabrata, Candida dubliniensis, Candida tropicalis, Prevotella bivia, Mycoplasma genitalium, Mycoplasma hominis, Streptococcus agalactiae (GBS), Ureaplasma urealyticum

Antibiotic Resistance Genes Tested:

Class A β-lactamase (blaKPC), Class A β-lactamase (CTX-M-Group 1), Class B metallo-β-lactamase (blaNDM), Vancomycin (vanA, vanB), Methicillin/Oxacillin (mecA), Sulfonamides, Fluoroquinolones, Trimethoprim

*This test detects the presence of pathogen and must be evaluated with clinical symptoms to/ diagnose disease. All test established and validated by Laboratory and not FDA approved.

Methodology statement: Real-time PCR assays are designed to detect pathogens with clinical significance and analytical sensitivity and specificity greater than 99%.

Limitations: While these assays are very sensitive and specific, theoretically these assays could detect pathogens not listed, resulting in a false positive.

In addition, while these assays are very specific, there may be target pathogen sequences with unknown sequence variability which may not be detected, resulting in a false negative result.

Molecular UTI Lab Report

CLINIC INFORMATION

PATIENT INFORMATION

SPECIMEN INFORMATION

Provider:	0	Name:	John Doe	Date Collected:	6/8/2020
		DOB:	1/1/1990	Date Received by Lab:	6/8/2020
		Gender:	Female	Run Date:	6/8/2020
				Date Reported:	6/9/2020
				Source:	CC URINE

STD and Yeast Pathogens

Tests Performed	Lab Result (Qualitative)	Recommended Treatment
C. albicans	Not detected	
C. parapsilosis	Not detected	
C. krusei	Not detected	
C. glabrata	Not detected	
C. dubliniensis	Not detected	
C. tropicalis	Not detected	
P. bivia	Not detected	
M. genitalium	Not detected	
M. hominis	Not detected	
S. agalactiae (GBS)	Not detected	
U. urealyticum	Not detected	

Lab Technician: 0

Organisms Tested:

Acinetobacter baumannii, Citrobacter braakii/freundii, Citrobacter koseri, Enterobacter cloacae, Enterococcus spp., Escherichia coli, Klebsiella oxytoca, Klebsiella pneumoniae, Morganella morganii, Proteus mirabilis, Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus epidermidis, Staphylococcus saprophyticus, Streptococcus pyogenes, Serratia marcescens, Candida albicans, Candida parapsilosis, Candida krusei, Candida glabrata, Candida dubliniensis, Candida tropicalis, Prevotella bivia, Mycoplasma genitalium, Mycoplasma hominis, Streptococcus agalactiae (GBS), Ureaplasma urealyticum

Antibiotic Resistance Genes Tested:

Class A β -lactamase (blaKPC), Class A β -lactamase (CTX-M-Group 1), Class B metallo- β -lactamase (blaNDM), Vancomycin (vanA, vanB), Methicillin/Oxacillin (mecA), Sulfonamides, Fluoroquinolones, Trimethoprim

*This test detects the presence of pathogen and must be evaluated with clinical symptoms to/ diagnose disease. All test established and validated by Laboratory and not FDA approved.

Methodology statement: Real-time PCR assays are designed to detect pathogens with clinical significance and analytical sensitivity and specificity greater than 99%.

Limitations: While these assays are very sensitive and specific, theoretically these assays could detect pathogens not listed, resulting in a false positive.

In addition, while these assays are very specific, there may be target pathogen sequences with unknown sequence variability which may not be detected, resulting in a false negative result.

Molecular UTI Lab Report

CLINIC INFORMATION

PATIENT INFORMATION

SPECIMEN INFORMATION

Provider:	Name: John Doe	Date Collected: 6/8/2020
0	DOB: 1/1/1990	Date Received by Lab: 6/8/2020
	Gender: Female	Run Date: 6/8/2020
		Date Reported: 6/9/2020
		Source: CC URINE

ABX Resistance Markers

Class and (Gene Name)	Lab Result (Qualitative)	Recommended Treatment																	
		Ampicillin	Amoxicillin	Cefazolin/Cephalexin (1st)	Cefuroxime, Cefoxitin (2nd)	Ceftazidime, Ceftriaxone (3rd)	Cefdinir (3rd)	Cefepime (4th)	Trimethoprim- sulfamethoxazole	Doxycycline	Carbapenems	Vancomycin	Ciprofloxacin	Levofloxacin	Clindamycin	Nitrofurantoin	Amikacin	Gentamicin	Mercolide (azithromycin)
Class A Beta-lactamase (CTX-M-Group 1)	Not detected			X	X	X													
Class A Beta-lactamase (blaKPC)	Not detected																		
Class B metallo Beta-lactamase (blaNDM)	Not detected	X	X	X	X	X	X	X											
vanA Vancomycin	Not detected											X							
vanB Vancomycin	Not detected										X								
mecA	Not detected	X	X																
Sulfonamides	Detected									X									
Fluoroquinolones	Detected											X	X						
Trimethoprim	Detected									X									

Low = <10,000 CFU/ml

Medium = 50,000-100,000 CFU/ml

High = >100,000 CFU/ml

Lab Technician:	0	
Controls		
Patient Extraction Control ₁	PASS	(1) Endogenous control confirms sample collection, DNA/RNA extraction, and assay enzyme activity
Endogenous Positive Control ₁	PASS	(2) Positive control is synthetic inactive pathogen.
Pathogen Positive Control ₂	PASS	(3) Negative Control contains primers, probe, and enzymes with no DNA/RNA template
Pathogen Negative Control ₃	PASS	(4) A "Detected" result indicates the presence of a pathogen (99.99% confidence) above the assay cutoff. Assay cutoff is represented by CFU (bacteria), PFU (viruses) or Copy Number (DNA).

Organisms Tested:

Acinetobacter baumannii, Citrobacter braakii/freundii, Citrobacter koseri, Enterobacter cloacae, Enterococcus spp., Escherichia coli, Klebsiella oxytoca, Klebsiella pneumoniae, Morganella morganii, Proteus mirabilis, Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus epidermidis, Staphylococcus saprophyticus, Streptococcus pyogenes, Serratia marcescens, Candida albicans, Candida parapsilosis, Candida krusei, Candida glabrata, Candida dubliniensis, Candida tropicalis, Prevotella bivia, Mycoplasma genitalium, Mycoplasma hominis, Streptococcus agalactiae (GBS), Ureaplasma urealyticum

Antibiotic Resistance Genes Tested:

Class A β-lactamase (blaKPC), Class A β-lactamase (CTX-M-Group 1), Class B metallo-β-lactamase (blaNDM), Vancomycin (vanA, vanB), Methicillin/Oxacillin (mecA), Sulfonamides, Fluoroquinolones, Trimethoprim

*This test detects the presence of pathogen and must be evaluated with clinical symptoms to/ diagnose disease. All test established and validated by Laboratory and not FDA approved.

Methodology statement: Real-time PCR assays are designed to detect pathogens with clinical significance and analytical sensitivity and specificity greater than 99%.

Limitations: While these assays are very sensitive and specific, theoretically these assays could detect pathogens not listed, resulting in a false positive.

In addition, while these assays are very specific, there may be target pathogen sequences with unknown sequence variability which may not be detected, resulting in a false negative result.