

# 2024 Retail Price List

Specialty Rollers For Turf Management Professionals

**GOLFCO**®  
INTERNATIONAL



**COMPETITION**™  
**ROLLERS**

Offering Superior & Unique Rollers to Upgrade Golf & Turf  
Reel Mowers, Rotary Deck Mowers & Greens Rolling Machines

\* Roller Complete Assemblies & Component Parts \*

\* Roller Rebuild Instructions \*

Each roller assembly listed in this offering catalog comes completely assembled  
with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).



Martin Doyle, President  
[martin@golfcointl.com](mailto:martin@golfcointl.com)  
425-213-3721 cell

**EST. '93**

Manufactured In Redmond, WA

**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2024**

# **Table of Contents**

<b>Photos: 2" diameter Grooved Single &amp; Four Body Polyurethane Competition Rollers™</b>	page 3
<b>Photos: Single Body Polyurethane and Heavy Duty Steel Competition Rollers™</b>	page 4
<b>Photos: Twin and Multi-Body Competition Rollers™</b>	page 5
<b>Reel Overlap Shadowing Solution</b>	page 6
<b>Summary of Roller Lines and Options</b>	page 7
<b>Summary of Special Features</b>	page 8
<b>Competition Roller™ Prices for:</b>	
<b>Jacobsen</b>	
* Greens Mowers	page 9-12
* Surrounds Mowers and Fairway Mowers	page 12
* Fairway and Rotary Deck Mowers	page 12-14
<b>John Deere</b>	
* Greens Mowers	page 14-16
* Surrounds Mowers and Fairway Mowers	page 16-17
* Rotary Deck Mowers	page 17
<b>Toro</b>	
* Greens Mowers	page 18-20
* Light Fairway and Surrounds Mowers	page 20-22
* Rotary Deck and Fairway Mowers	page 22
<b>Ransomes</b>	
* Greens, Surrounds, Fairway & Rough Mowers	page 23
<b>Tru-Turf * SISIS * Dennis * Shibaura * Hustler</b>	page 24
<b>Baroness * Ventrac * National * Bunton * Kesmac</b>	page 25
<b>Upgrade Options, Overhaul Kits, Shafts, Water Pump Bearings</b>	page 26
<b>Roller Rebuild Instructions</b>	page 27

**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2024**

**2" dia. Yellow Polyurethane cast over Heavy Duty Steel Rollers**

(Body count - Groove width - Flat ends or not - Part # ends in:)

Single body - Wide grooves - 2CG



Single body - Wide grooves - Flat ends - 2CGF



Single body - Narrow grooves - 2NG



Single body - Narrow grooves - Flat ends - 2NGF



Four bodies - Wide grooves - 2CG4



Four bodies - Wide grooves - Flat ends - 2CGF4



Four bodies - Narrow grooves - 2NG4














Four bodies - Narrow grooves - Flat ends - 2NGF4









**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2024**

**Single Body Yellow Polyurethane Cast Over Heavy Duty Steel Rollers**

	<b>2" dia.</b> Grooved polyurethane & steel (2/3" centers) Part # ends in 2CGF US Patent #5394681
	<b>2.5" dia.</b> Grooved polyurethane & steel (1" centers) Part # ends in 25CG US Patent #5394681
	<b>3" dia.</b> Grooved polyurethane & steel (1" centers) Part # ends in 3CG US Patent #5394681
	<b>3" dia.</b> Grooved polyurethane & steel (1" centers) with smooth ends Part # ends in 3CG.22C US Patent #5394681
	<b>2" dia.</b> Smooth polyurethane & steel Part # ends in 2C
	<b>2.5" dia.</b> Smooth polyurethane & steel Part # ends in 25C
	<b>3" dia.</b> Smooth polyurethane & steel Part # ends in 3C
	<b>3.5" dia.</b> Smooth polyurethane & steel Part # ends in 3.5C
	<b>5" dia.</b> Smooth polyurethane & steel Part # ends in 5C and Grooved polyurethane & steel Part # ends in 5CG US Patent #5394681
	
	


**Heavy Duty Steel Rollers**

	<b>2" dia.</b> Smooth steel heavy duty 1/4" wall tubing. Part # ends in 2S
	<b>2.5" dia.</b> Smooth steel heavy duty tubing. Part # ends in 25S
	<b>3" dia.</b> Smooth steel heavy duty tubing. Part # ends in 3S
	<b>4" dia.</b> Smooth steel heavy duty tubing. Part # ends in 4S
	<b>3" dia.</b> Competition Roller™ Cutaway body showing Internal Components
	



# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2024 Divided Twin Body Rollers

Twin body rollers minimize striping and shadow lines. On rotary decks they allow for improved air flow, more efficient cutting, better clippings discharge and more consistent after-cut appearance. All bodies spin independently.



3" dia. Smooth polyurethane & steel with 2 twin bodies Part # ends in 3Ct

3" dia. Grooved polyurethane & steel with 2 twin bodies Part # ends in 3CGt US Patent #5394681


5" dia. Smooth polyurethane & steel with 2 twin bodies Part # ends in 5Ct

5" dia. Grooved polyurethane & steel with 2 twin bodies Part # ends in 5CGt US Patent #5394681

## Multi-Body Rollers

Multi-body rollers with independent spinning grooved or smooth sections minimize skidding and damage to turf during turns and through undulations and contours. Significant advantage in golf course roughs, fairways, approaches, surrounds and greens as well as other complex turf conditions.

Multi-body rollers are available in 2", 2.5" & 3" smooth polyurethane or steel designs and 2", 2.5" and 3" grooved polyurethane designs. The number of bodies can often be customized to fit your application and your requirements to enhance after-cut appearance.



2" dia. 6 Section smooth polyurethane & steel with outboard bodies. Part # ends in 2C4+2C

The smaller dia. outboard bodies on the outside of the roller mounting brackets provide anti-scalp protection upon change in tier elevations.

2" dia. 6 Section grooved polyurethane & steel with outboard bodies. Part # ends in 2CG4+2C

2" dia. 4 Section Smooth polyurethane & steel Part # ends in 2C4

2.5" dia. 4 Section Smooth polyurethane & steel Part # ends in 25C4

3" dia. 4 Section Smooth polyurethane & steel Part # ends in 3C4

2.5" dia. 4 Section Smooth steel heavy duty tubing. Part # ends in 25S4

2.5" dia. 4 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 25CG4 US Patent #5394681

3" dia. 3 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 3CG3 US Patent #5394681


3" dia. 4 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 3CG4 US Patent #5394681

3" dia. 5 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 3CG5 US Patent #5394681

# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2024

PROBLEM: REEL OVERLAP SHADOWING

SOLUTION: GOLFCO 3 SECTION MIXED SURFACE ROLLER



Multi-head mowers are designed with overlap positioning of the forward and rear reels causing double cutting of the turf that is typically visible as 2"-3" wide shadowing pathways or lines.

## Golferco has developed an effective solution to this "double cut" shadowing as follows:


- \* We created a special front roller assembly for the rear mower heads. This roller assembly has three design sections on the body as follows: a grooved roller center section combined with short width smooth surface sections on each end. The smooth roller sections are aligned with the overlap of the forward and rear reels and function to lay down the grass just prior to the cut of the rear reel. This significantly minimizes the cut from the rear reel at the overlap end position, thereby eliminating or greatly reducing the shadowing lines inherent in the "double cut".

The multi-section roller aids in diminishing scuffing or sliding of the roller during turns. We have made this roller using our popular ultra tough polyurethane cast over a heavy duty steel roller base and our Competition Roller sealed bearing assembly for optimal life and utility.

We recommend use of our special multi-section front roller assembly in combination with our shortened rear roller. For optimal benefit, use our Competition polyurethane rollers on the forward mower heads. These roller assemblies are available to fit any fairway mower in complete sets or as individual rollers.

This product was initially tested at PGA National Golf Resort, Florida (home of the Honda Classic), in conjunction with the professional care of John Patterson using John Deere 8700D fairway mowers.

\*These special roller combinations are available for all brands and models of fairway rollers.\*



# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2024

## ROLLER LINES and OPTIONS:

Golfco makes rollers as significant upgrades to golf course reel and rotary deck mowers as follows:

Toro, Jacobsen, John Deere, Shibaura, Hustler, Ventrac (as listed here)  
Ransomes, National, Bunton, Kesmac, Progressive Turf, Steiner, Brouwer, Baroness & more (call for details)

Also offering smoothing rollers for True-Turf golf greens rollers - Amazing Pricing Available.

We can make almost any roller including rollers for aeration equipment. Many other diameters and models available

### Competition Rollers™ (Full length shafts and sealed bearings)

**\*ORIGINAL\* - Roller of choice for discerning professionals**

- \* Golfco has been making heavy duty, precision rollers exclusively for the golf & turf industry for 22 years. Our Competition Rollers™ were designed to accommodate almost any option of diameter, length and body style for any reel type and rotary deck mower used by golf courses and other discerning turf care professionals.
  - \* All of our Competition Rollers™ are made of heavy duty, precision steel tubing. We also produce polyurethane rollers. Polyurethane cast and bonded to steel provides exceptional high performance benefits unmatched by other materials. Polyurethane is a highly engineered elastomer similar to rubber but with far superior physical characteristics. Our cast polyurethane Competition Rollers™ provide exceptional wearability with abrasion resistance, toughness and shock absorbcancy unmatched by other material choices. Your mowers will also benefit from the cushioning effect of polyurethane in rough, abusive environments.
  - \* Polyurethane is exceptional at resisting debris buildup. It has no surface micro-pores (unlike metals). It resists absorption and adsorption of liquids and solids. Further, by resisting adherence of contaminants, our polyurethane rollers reduce the likelihood of contributing to transportation or transmigration of harmful microorganisms and diseases.
  - \* Polyurethane is resistant to extremes in temperature. It will not get hot to the touch in sunny applications like metal and therefor will not sear or stress your turf. Also, it reflects cold and is resistant to frost.
  - \* Competition Rollers™ incorporate a unique bearing, seal and shaft design that can be used in any application. All Competition Rollers™ utilize full length shafts and a bearing retainer system that is precise and reliable.
  - \* No regreasing required - the sealed single row ball bearings allow for ease of maintenance. The bearings are filled with a superior quality "EP" (extreme pressure) grease. We have added proprietary, unique additional seals for enhanced protection against the elements and for retaining grease within the housing to prevent leakage. A sealed bearing configuration that actually holds up to the toughest applications.
  - \* Each roller is rebuildable quickly and affordably - the proven success of Golfco's sealed bearing design is taken to the next level.
  - \* Stainless steel bearings are available as an upgrade upon request.
  - \* An optional flush-mount grease fitting can be added that is fully protected against breakage within our proprietary exterior seal. This unique option allows for regreasing of the bearings at discretionary, customized intervals. Since the bearings remain sealed, you can regrease as often or little as you desire.
  - \* Our patented grooved rollers have soft large radius corners to protect the turf and provide steerability. No solid debris will ever lodge between the grooves of our polyurethane rollers. (US Patent 5394681)
- \*\*\* New sectional rollers with multiple independent roller bodies on a single shaft now available.  
An advantage for tight turn conditions or to avoid skid marks on cleanup pass with greens mowers.

### Competition2 Rollers™ (with full length shafts and larger double row bearings)

**\*NEW OPTION\* - If you have the toughest application on the planet**

Golfco offers a significant enhancement to our proven line of Competition Rollers™.  
Competition2 Rollers™ are upgraded to stainless steel double row sealed ball bearings.  
- these heavy duty bearings have significantly higher load bearing capacity  
- double row bearing sets have more than twice the lateral thrust capacity of tapered roller bearings  
- these bearings have up to 2X the mass of the ones that we used successfully for over 20 years  
- double row ball bearings require no adjustments or preloading - no nuts or threaded shafts  
(Please call to inquire about these Competition2 Rollers™ available for many applications)  
(Competition2 Rollers™ have a "2" in front of the part #)

### Pro Roller™ line (Enhanced Golfco designs with water pump style bearings)

Precision machined rollers with simple replaceable water pump style bearings (with integral shafts). Most Pro rollers are machined grooved or smooth from one piece solid steel or aluminum bar. All light steel tubing roller bodies and bearing hubs are TIG welded full circumference to last longer.

### Standard Roller™ line (Comparable to OEM style)

Golfco offers certain roller options that are visually similar to OEM style rollers. These rollers are produced and assembled to high precision standards. They are priced at or below any other manufacturers' comparable roller part.

ALL GOLFCO ROLLERS ARE MADE IN THE USA BY OUR OWN SKILLED MACHINISTS & TECHNICIANS

**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2024  
SUMMARY OF SPECIAL FEATURES**

**Advanced design for bearings, seals and retainers:**

Customized sealed ball bearings.  
Bearings are completely filled with highest quality extreme pressure (EP rated) grease.  
Paired with special external seals for maximum life.  
Stainless bearings available for extreme environmental conditions.  
Special flush mount grease fittings are available (if you prefer to re-grease the bearings).  
Adding grease fitting does not require frequent regreasing. Once or twice a year is typical.

**Competition Rollers are heavy-duty, thick wall precision steel rollers:**

All polyurethane covered rollers are made with 1.75" OD, thick wall, precision DOM steel tubing.  
Machining tolerances are within .0002" for all bearing surfaces and features.  
All production processes are supervised by skilled managers with over 60 years of experience.  
Inspection of all components occurs four times prior to shipping.  
High precision ensures lasting quality of all components and ease of rebuilding.  
Full length shafts (increases integrity of the roller with less stress on body and bearings).

**Polyurethane body material with features as follows:**

Extreme performance elastomer that continues to cure and increase physical properties for years.  
Precision cast (not a thin spray-on coating) over a heavy duty steel roller body.  
Extremely wear and abrasion resistant (very tough).  
Will far outlast any metallic material in abrasive conditions.  
Completely impact resistant and dent proof.  
100% memory rebound and returns to its original shape.  
Highly shock absorbing thereby diminishing damage to mower from rough terrain.  
Minimizes shake and shudder from the motor...reducing wear on joints and components.  
Reduces fatigue and physical wear on mower operators.  
Will not shred or fray like plastic materials.  
Will not absorb liquids, swell, expand or shrink.  
Will not damage concrete or asphalt paths or curbs from contact.  
Silent running on all surfaces.

**Polyurethane minimizes debris collection and buildup:**

Is a "live" material that limits debris from clinging to the surface in dynamic rolling.  
No micro-pore surface structure for adsorption of liquids.  
Diminishes transmigration of harmful elements such as disease or fungus.

**Polyurethane minimizes turf stress form thermal transfer:**

Absorption of heat or cold in roller is minimal.  
No turf stress from heat or cold transmission by roller contact.  
Minimizes potential for frost buildup.

**Grooved design features no parallel sides within the groove channels:**

Eliminates hard debris from lodging in the grooves.  
Provides more consistent, finer after-cut appearance.

**Grooved design has large soft radius groove crests and no corners for gentle turf contact:**

Minimizes surface area contact and ensures less compaction of the turf.  
Rollers ride closer to the soil and prevent floating of mower head.  
Ensures more consistent after-cut appearance.  
Provides easier steering and turning of the mower.  
Non-aggressive and less stressful on turf.  
Allows for more grass to be cut on initial pass - saving time.

---



<b>for Jacobsen mowers</b>		<b>Roller Assemblies</b>	<b>roller retail</b>		<b>replacement shaft</b>	<b>shaft retail</b>
<b>Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 &amp; ECLIPSE 122 &amp; 322 MOWERS - FRONT ROLLER</b>						
<b>2" dia. SINGLE body rollers</b>						
2"	wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb J2522A2CG	<b>\$350</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2"	narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb J2522A2NG	<b>\$350</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2"	wide grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb J2522A2CGF	<b>\$350</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2"	narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb J2522A2NGF	<b>\$350</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2"	smooth Urethane cast over heavy duty steel tubing	8 lb J2522A2C	<b>\$328</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2"	smooth Steel heavy duty tubing (1/4" wall)	11.5 lb J2522A2S	<b>\$279</b>	22.25" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2"	smooth Steel light tubing (full shaft)	5.5 lb J2522A2L	<b>\$279</b>	22.25" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
<b>2" dia. TWO body rollers</b>						
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2504A2CGt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2504A2NGt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2504A2CGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2504A2NGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb J2502A2Ct	<b>\$421</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2502AJNT	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb J2504A2Ct	<b>\$434</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
<b>2" dia. THREE body rollers</b>						
3 bodies	2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb J3122A2CG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.87" shaft	SHA3122AJN+2	<b>\$104</b>
3 bodies	2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb J3122A2NG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.87" shaft	SHA3122AJN+2	<b>\$104</b>
3 bodies	2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb J3122A2C+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.87" shaft	SHA3122AJN+2	<b>\$104</b>
3 bodies	2" smooth Steel heavy duty tubing (single 22.25" inner+2x2" outer bodies)	13 lb J3122A2S+2S	<b>\$487</b>	22.25" center body + 2 short outer bodies on a 31.87" shaft	SHA3122AJN+2	<b>\$104</b>
<b>2" dia. FOUR body rollers</b>						
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb J2522A2CG4	<b>\$526</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb J2522A2NG4	<b>\$526</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2CGF4	<b>\$526</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2NGF4	<b>\$526</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2" smooth Urethane over steel (4x5.55" wide bodies)	8.5 lb J2522A2C4	<b>\$526</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2" smooth Steel heavy duty tubing (4x5.55" wide bodies)	12 lb J2522A2S4	<b>\$526</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
<b>2" dia. SIX body rollers</b>						
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2CG4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2NG4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2CGF4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2NGF4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
6 bodies	2" smooth Urethane over steel (4x5.55" inner+2 outboard bodies)	13 lb J3122A2C4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
6 bodies	2" smooth Steel heavy duty tubing (4x5.55" inner+2 outboard bodies)	13 lb J3122A2S4+2S	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
<b>2.5" dia. SINGLE body rollers</b>						
2.5"	grooved Urethane cast over heavy duty steel tubing no flats	9 lb J2522A25CG	<b>\$407</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2.5"	smooth Urethane cast over heavy duty steel tubing	9.5 lb J2522A25C	<b>\$361</b>	22.45" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
2.5"	smooth Steel heavy duty tubing (1/8" wall)	10 lb J2522A25S	<b>\$313</b>	22.25" body, 25.87" shaft	SHA2522AJ	<b>\$72</b>
<b>2.5" dia. TWO body rollers</b>						
2 bodies	2.5" grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2504A25CGt	<b>\$474</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
2 bodies	2.5" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb J2504A25Ct	<b>\$474</b>	2 short twin independent bodies at ends of a 25.87" shaft	SHA2504AJNT	<b>\$87</b>
<b>2.5" dia. FOUR body rollers</b>						
4 bodies	2.5" grooved Urethane over steel tubing (4x5.55" wide bodies) no flats	10.5 lb J2522A25CG4	<b>\$612</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2.5" smooth Urethane over steel tubing (4x5.55" wide bodies)	9 lb J2522A25C4	<b>\$612</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
4 bodies	2.5" smooth steel heavy duty tubing (4x5.55" wide bodies)	12 lb J2522A25S4	<b>\$612</b>	4 short independent bodies on a 25.87" shaft	SHA2522AJN4	<b>\$87</b>
<b>2.5" dia. SIX body rollers</b>						
6 bodies	2.5" grooved Urethane over steel. (4x5.55" inner+2x2" outer bodies) no flats	14 lb J3122A25CG4+2C	<b>\$686</b>	4 short center bodies + 2 short outer bodies on a 31.87" shaft	SHA3122AJN4+2	<b>\$104</b>
<b>Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 &amp; ECLIPSE 122 &amp; 322 MOWERS - BACK ROLLER</b>						
<b>2" dia. SINGLE body rollers with 3/8"-24 taps in shaft</b>						
2"	wide grooved Urethane cast over steel tubing no flats	7.5 lb J2422S2CG	<b>\$350</b>	22.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2422SJ	<b>\$72</b>
2"	narrow grooved Urethane cast over steel tubing no flats	7.5 lb J2422S2NG	<b>\$350</b>	22.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2422SJ	<b>\$72</b>
2"	wide grooved Urethane cast over steel tubing 1" flats	7.5 lb J2422S2CGF	<b>\$350</b>	22.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2422SJ	<b>\$72</b>
2"	narrow grooved Urethane cast over steel tubing 1" flats	7.5 lb J2422S2NGF	<b>\$350</b>	22.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2422SJ	<b>\$72</b>
2"	smooth Urethane cast over heavy duty steel tubing	8 lb J2422S2C	<b>\$328</b>	22.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2422SJ	<b>\$72</b>
2"	smooth Steel heavy duty tubing (1/4" wall)	11.5 lb J2422S2S	<b>\$279</b>	22.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2422SJ	<b>\$72</b>
2"	smooth Steel light tubing (full shaft)	5.5 lb J2422S2L	<b>\$279</b>	22.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2422SJ	<b>\$72</b>
<b>2" dia. SINGLE body rollers with 7/16"-20 taps in shaft</b>						
2"	wide grooved Urethane cast over steel tubing no flats	7.5 lb J2422G2CG	<b>\$350</b>	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
2"	narrow grooved Urethane cast over steel tubing no flats	7.5 lb J2422G2NG	<b>\$350</b>	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
2"	wide grooved Urethane cast over steel tubing 1" flats	7.5 lb J2422G2CGF	<b>\$350</b>	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
2"	narrow grooved Urethane cast over steel tubing 1" flats	7.5 lb J2422G2NGF	<b>\$350</b>	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
2"	smooth Urethane cast over heavy duty steel tubing	8 lb J2422G2C	<b>\$328</b>	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
2"	smooth Steel heavy duty tubing (1/4" wall)	11.5 lb J2422G2S	<b>\$279</b>	22.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
2"	smooth Steel light tubing (full shaft)	5.5 lb J2422G2L	<b>\$279</b>	22.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	<b>\$72</b>
<b>2" dia. TWO body rollers with 3/8"-24 taps in shaft</b>						
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2404S2CGt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 3/8"-24 taps	SHA2404SJNT	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2404S2NGt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 3/8"-24 taps	SHA2404SJNT	<b>\$87</b>
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2404S2CGFt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 3/8"-24 taps	SHA2404SJNT	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2404S2NGFt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 3/8"-24 taps	SHA2404SJNT	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb J2402S2Ct	<b>\$421</b>	2 short twin bodies at ends of a 24.25" shaft with 3/8"-24 taps	SHA2404SJNT	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb J2404S2Ct	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 3/8"-24 taps	SHA2404SJNT	<b>\$87</b>
<b>2" dia. TWO body rollers with 7/16"-20 taps in shaft</b>						
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2404G2CGt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 7/16"-20 taps	SHA2404GJNT	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2404G2NGt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 7/16"-20 taps	SHA2404GJNT	<b>\$87</b>
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2404G2CGFt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 7/16"-20 taps	SHA2404GJNT	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2404G2NGFt	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 7/16"-20 taps	SHA2404GJNT	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb J2402G2Ct	<b>\$421</b>	2 short twin bodies at ends of a 24.25" shaft with 7/16"-20 taps	SHA2404GJNT	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb J2404G2Ct	<b>\$434</b>	2 short twin bodies at ends of a 24.25" shaft with 7/16"-20 taps	SHA2404GJNT	<b>\$87</b>
<b>2" dia. THREE body rollers with 3/8"-24 taps in shaft</b>						
3 bodies	2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb J3022S2CG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies, 30.25" shaft with 3/8"-24 taps	SHA3022SJN+2	<b>\$104</b>
3 bodies	2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb J3022S2NG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies, 30.25" shaft with 3/8"-24 taps	SHA3022SJN+2	<b>\$104</b>
3 bodies	2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb J3022S2C+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies, 30.25" shaft with 3/8"-24 taps	SHA3022SJN+2	<b>\$104</b>
3 bodies	2" smooth Steel heavy duty tubing (single 22.25" inner+2x2" outer bodies)	13 lb J3022S2S+2S	<b>\$487</b>	22.45" center body + 2 short outer bodies, 30.25" shaft with 3/8"-24 taps	SHA3022SJN+2	<b>\$104</b>

<b>2" dia. THREE body rollers with 7/16"-20 taps in shaft</b>									
3 bodies	2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	J3022G2CG+2C	\$487	22.45" center body + 2 short outer bodies, 30.25" shaft with 7/16"-20 taps	SHA3022GJN+2			\$104
3 bodies	2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	J3022G2NG+2C	\$487	22.45" center body + 2 short outer bodies, 30.25" shaft with 7/16"-20 taps	SHA3022GJN+2			\$104
3 bodies	2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb	J3022G2C+2C	\$487	22.45" center body + 2 short outer bodies, 30.25" shaft with 7/16"-20 taps	SHA3022GJN+2			\$104
3 bodies	2" smooth Steel heavy duty tubing (single 22.25" inner+2x2" outer bodies)	13 lb	J3022G2S+2S	\$487	22.45" center body + 2 short outer bodies, 30.25" shaft with 7/16"-20 taps	SHA3022GJN+2			\$104
<b>2" dia. FOUR body rollers with 3/8"-24 taps in shaft</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422S2CG4	\$536	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422S2NG4	\$536	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4			\$87
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2CGF4	\$536	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2NGF4	\$536	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4			\$87
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	J2422S2C4	\$536	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4			\$87
4 bodies	2" smooth Steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	J2422S2S4	\$536	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4			\$87
<b>2" dia. FOUR body rollers with 7/16"-20 taps in shaft</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422G2CG4	\$536	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422G2NG4	\$536	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4			\$87
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422G2CGF4	\$536	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422G2NGF4	\$536	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4			\$87
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	J2422G2C4	\$536	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4			\$87
4 bodies	2" smooth Steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	J2422G2S4	\$536	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4			\$87
<b>2" dia. SIX body rollers with 3/8"-24 taps in shaft</b>									
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3022S2CG4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 3/8"-24 taps	SHA3022SJN4+2			\$104
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3022S2NG4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 3/8"-24 taps	SHA3022SJN4+2			\$104
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3022S2CGF4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 3/8"-24 taps	SHA3022SJN4+2			\$104
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3022S2NGF4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 3/8"-24 taps	SHA3022SJN4+2			\$104
6 bodies	2" smooth Urethane over steel (4 inner+2 outboard bodies)	13 lb	J3022S2C4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 3/8"-24 taps	SHA3022SJN4+2			\$104
6 bodies	2" smooth Steel heavy duty tubing (4 inner+2 outboard bodies)	13 lb	J3022S2S4+2S	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 3/8"-24 taps	SHA3022SJN4+2			\$104
<b>2" dia. SIX body rollers with 7/16"-20 taps in shaft</b>									
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3022G2CG4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 7/16"-20 taps	SHA3022GJN4+2			\$104
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3022G2NG4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 7/16"-20 taps	SHA3022GJN4+2			\$104
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3022G2CGF4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 7/16"-20 taps	SHA3022GJN4+2			\$104
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3022G2NGF4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 7/16"-20 taps	SHA3022GJN4+2			\$104
6 bodies	2" smooth Urethane over steel (4 inner+2 outboard bodies)	13 lb	J3022G2C4+2C	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 7/16"-20 taps	SHA3022GJN4+2			\$104
6 bodies	2" smooth Steel heavy duty tubing (4 inner+2 outboard bodies)	13 lb	J3022G2S4+2S	\$626	4 center bodies + 2 short outer bodies on a 30.25" shaft w/ 7/16"-20 taps	SHA3022GJN4+2			\$104
<b>Jacobsen TC-22 GREENSMOWERS - FRONT ROLLER</b>									
<b>2" dia. SINGLE body rollers</b>									
	2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2522J2CG	\$379	22.45" body, 25.87" shaft	SHA2522JJ			\$76
	2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2522J2NG	\$379	22.45" body, 25.87" shaft	SHA2522JJ			\$76
	2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	J2522J2CGF	\$379	22.45" body, 25.87" shaft	SHA2522JJ			\$76
	2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	J2522J2NGF	\$379	22.45" body, 25.87" shaft	SHA2522JJ			\$76
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	J2522J2C	\$345	22.45" body, 25.87" shaft	SHA2522JJ			\$76
	2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	J2522J2S	\$315	22.25" body, 25.87" shaft	SHA2522JJ			\$76
	2" smooth Steel light tubing (full shaft)	5.5 lb	J2522J2L	\$315	22.25" body, 25.87" shaft	SHA2522JJ			\$76
<b>2" dia. FOUR body rollers</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2522J2CG4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522JJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2522J2NG4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522JJN4			\$87
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2522J2CGF4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522JJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2522J2NGF4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522JJN4			\$87
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	J2522J2C4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522JJN4			\$87
4 bodies	2" smooth steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	J2522J2S4	\$536	4 short independent bodies on a 25.87" shaft	SHA2522JJN4			\$87
<b>Jacobsen TC-22 GREENSMOWERS - BACK ROLLER</b>									
<b>2" dia. SINGLE body rollers</b>									
	2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2522V2CG	\$379	22.45" body, 25.87" shaft	SHA2522VJ			\$76
	2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2522V2NG	\$379	22.45" body, 25.87" shaft	SHA2522VJ			\$76
	2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	J2522V2CGF	\$379	22.45" body, 25.87" shaft	SHA2522VJ			\$76
	2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	J2522V2NGF	\$379	22.45" body, 25.87" shaft	SHA2522VJ			\$76
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	J2522V2C	\$345	22.45" body, 25.87" shaft	SHA2522VJ			\$76
	2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	J2522V2S	\$315	22.25" body, 25.87" shaft	SHA2522VJ			\$76
	2" smooth Steel light tubing (full shaft)	5.5 lb	J2522V2L	\$315	22.25" body, 25.87" shaft	SHA2522VJ			\$76
<b>2" dia. FOUR body rollers</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2522V2CG4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522VJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2522V2NG4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522VJN4			\$87
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2522V2CGF4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522VJN4			\$87
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2522V2NGF4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522VJN4			\$87
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	J2522V2C4	\$546	4 short independent bodies on a 25.87" shaft	SHA2522VJN4			\$87
4 bodies	2" smooth steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	J2522V2S4	\$536	4 short independent bodies on a 25.87" shaft	SHA2522VJN4			\$87
<b>Jacobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 &amp; GK 518) - FRONT &amp; BACK ROLLERS (SHAFT is 21.25" without taps in either end)</b>									
<b>2" dia. SINGLE body rollers</b>									
	2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2119A2CG	\$362	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
	2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2119A2NG	\$362	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
	2" wide grooved Urethane cast over heavy duty steel tubing	6.5 lb	J2119A2CGF	\$362	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
	2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	J2119A2NGF	\$362	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb	J2119A2C	\$345	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
	2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb	J2119A2S	\$315	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
	2" smooth Steel light tubing (full shaft)	4.5 lb	J2119A2L	\$315	19.45" body, 21.25" shaft w/o taps	SHA2119AJ			\$72
<b>2" dia. TWO body rollers</b>									
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	J2104A2CGt	\$434	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104AJNt			\$87
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	J2104A2NGt	\$434	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104AJNt			\$87
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	J2104A2CGFt	\$434	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104AJNt			\$87
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	J2104A2NGFt	\$434	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104AJNt			\$87
2 bodies	2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb	J2102A2Ct	\$421	2 short twin independent bodies at ends of a 21.25" shaft	SHA2102AJNt			\$87
2 bodies	2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb	J2104A2Ct	\$434	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104AJNt			\$87
<b>2" dia. THREE body rollers</b>									
3 bodies	2" wide grooved Urethane over steel (19.45" inner+2x2" outer bodies)	12 lb	J2719A2CG+2C	\$487	19.45" center body + 2 short outer bodies on a 27.25" shaft	SHA2719AJN+2			\$104
3 bodies	2" narrow grooved Urethane over steel (19.45" inner+2x2" outer bodies)	12 lb	J2719A2NG+2C	\$487	19.45" center body + 2 short outer bodies on a 27.25" shaft	SHA2719AJN+2			\$104
3 bodies	2" smooth Urethane over steel (single 19.45" inner+2x2" outer bodies)	13 lb	J2719A2C+2C	\$487	19.45" center body + 2 short outer bodies on a 27.25" shaft	SHA2719AJN+2			\$104





**Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS**

<b>2" dia. SINGLE body rollers</b>							
2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	J2926A2CG	\$375	26.45" body, 29.75" shaft		SHA2926AJ	\$72
2" wide grooved Urethane cast over heavy duty steel tubing	6.5 lb	J2926A2CGF	\$375	26.45" body, 29.75" shaft		SHA2926AJ	\$72
2" smooth Urethane cast over heavy duty steel tubing	9 lb	J2926A2C	\$375	26.45" body, 29.75" shaft		SHA2926AJ	\$72
2" smooth Steel heavy duty tubing (1/4" wall)	12.5 lb	J2926A2S	\$335	26.25" body, 29.75" shaft		SHA2926AJ	\$72
2" smooth Steel light tubing (full shaft)	7 lb	J2926A2L	\$335	26.25" body, 29.75" shaft		SHA2926AJ	\$72
<b>2" dia. FOUR body rollers</b>							
4 bodies 2" grooved Urethane over steel tubing (4x6.5" wide bodies)	10 lb	J2926A2CG4	\$556	4 short independent bodies on a 29.75" shaft		SHA2926AJN4	\$87
4 bodies 2" smooth Urethane over steel tubing (4x6.5" wide bodies)	13 lb	J2926A2C4	\$556	4 short independent bodies on a 29.75" shaft		SHA2926AJN4	\$87
4 bodies 2" smooth steel heavy duty tubing (4x6.5" wide bodies)	13 lb	J2926A2S4	\$556	4 short independent bodies on a 29.75" shaft		SHA2926AJN4	\$87
<b>2.5" dia. SINGLE body rollers</b>							
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	J2926A25CG	\$407	26.45" body, 29.75" shaft		SHA2926AJ	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	J2926A25C	\$365	26.45" body, 29.75" shaft		SHA2926AJ	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J2926A25S	\$355	26.25" body, 29.75" shaft		SHA2926AJ	\$72
<b>2.5" dia. FOUR body rollers</b>							
4 bodies 2.5" grooved Urethane over steel tubing (4x6.5" wide bodies)	10 lb	J2926A25CG4	\$612	4 short independent bodies on a 29.75" shaft		SHA2926AJN4	\$87
4 bodies 2.5" smooth Urethane over steel tubing (4x6.5" wide bodies)	13 lb	J2926A25C4	\$612	4 short independent bodies on a 29.75" shaft		SHA2926AJN4	\$87
4 bodies 2.5" smooth steel heavy duty tubing (4x6.5" wide bodies)	13 lb	J2926A25S4	\$612	4 short independent bodies on a 29.75" shaft		SHA2926AJN4	\$87
<b>2.5" dia. SIX body rollers</b>							
6 bodies 2.5" grooved Urethane over steel tubing (4x6.5" inner+2x2" outer bodies)	10 lb	J3526A25CG4+2C	\$686	4 short independent bodies + 2 short outer bodies on a 35.75" shaft		SHA3526AJN4+2	\$104
6 bodies 2.5" smooth Urethane over steel tubing (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A25C4+2C	\$686	4 short independent bodies + 2 short outer bodies on a 35.75" shaft		SHA3526AJN4+2	\$104

**Jacobsen 26" LF3810 & TRIKING 1471 & 1671 - FRONT & BACK ROLLERS (Sectional rollers with 4 bodies also available)**

<b>2.5" dia. SINGLE body rollers</b>							
2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb	J2826A25CG	\$407	26.45" body, 28.375" shaft		SHA2826AJ	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	J2826A25C	\$365	26.45" body, 28.375" shaft		SHA2826AJ	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J2826A25S	\$355	26.25" body, 28.375" shaft		SHA2826AJ	\$72
<b>3" dia. SINGLE body rollers</b>							
3" grooved Urethane cast over heavy duty steel tubing	13 lb	J2826A3CG	\$470	26.45" body, 28.375" shaft		SHA2826AJ	\$72
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb	J2826A3C	\$438	26.45" body, 28.375" shaft		SHA2826AJ	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb	J2826A3S	\$408	26.25" body, 28.375" shaft		SHA2826AJ	\$72

**Jacobsen 26" TR-3 - FRONT & BACK ROLLERS (Sectional rollers with 4 bodies also available)**

<b>2.5" dia. SINGLE body rollers</b>							
2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb	J3126X25CG	\$407	26.45" body, 31.25" shaft w/ 1/2" dia. ends		SHA3126XJ	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	J3126X25C	\$365	26.45" body, 31.25" shaft w/ 1/2" dia. ends		SHA3126XJ	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J3126X25S	\$355	26.45" body, 31.25" shaft w/ 1/2" dia. ends		SHA3126XJ	\$72
<b>3" dia. SINGLE body rollers</b>							
3" grooved Urethane cast over heavy duty steel tubing	13 lb	J3126X3CG	\$470	26.45" body, 31.25" shaft w/ 1/2" dia. ends		SHA3126XJ	\$72
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb	J3126X3C	\$438	26.45" body, 31.25" shaft w/ 1/2" dia. ends		SHA3126XJ	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb	J3126X3S	\$408	26.45" body, 31.25" shaft w/ 1/2" dia. ends		SHA3126XJ	\$72

**Jacobsen 30" TRIKING 1684D & 1900D - FRONT & BACK ROLLERS**

<b>2.5" dia. SINGLE body rollers</b>							
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	J3229A25CG	\$407	29.45" body, 32.19" shaft		SHA3229AJ	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	12 lb	J3229A25C	\$365	29.45" body, 32.19" shaft		SHA3229AJ	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	12 lb	J3229A25S	\$355	29.45" body, 32.19" shaft		SHA3229AJ	\$72
<b>3" dia. SINGLE body rollers</b>							
3" grooved Urethane cast over heavy duty steel tubing	12.4 lb	J3229A3CG	\$470	29.45" body, 32.19" shaft		SHA3229AJ	\$72
3" smooth Urethane cast over heavy duty steel tubing	15 lb	J3229A3C	\$438	29.45" body, 32.19" shaft		SHA3229AJ	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb	J3229A3S	\$408	29.45" body, 32.19" shaft		SHA3229AJ	\$72

**Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - FRONT ROLLER (Sectional rollers with 4 bodies also available)**

<b>3" dia. SINGLE body rollers</b>							
3" grooved Urethane cast over heavy duty steel tubing	9 lb	J2119A3CG	\$470	19.45" body		SHA2119AJ	\$72
3" smooth Urethane cast over heavy duty steel tubing	10.5 lb	J2119A3C	\$438	19.45" body		SHA2119AJ	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J2119A3S	\$408	19.25" body		SHA2119AJ	\$72
<b>To diminish instances of shadowing lines due to overlap of reels</b>				<b>call for proper application specifics</b>			
3 section 3" grooved Urethane with 2" wide smooth ends	8.5 lb	J2119A3CG.22C	\$645	front roller for rear mower heads-use with J2016G2C		SHA2119AJ	\$72
12" smooth Urethane cast over heavy duty steel tubing	6.5 lb	J2016G2C	\$391	back roller for rear mower heads-use with J2119A3CG.22C		SHA2016GJ	\$72

**Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - BACK ROLLER (with 7/16-20 tap)**

<b>2" dia. SINGLE body rollers</b>							
2" smooth Urethane cast over heavy duty steel tubing	6.5 lb	J2016G2C	\$365	16.45" body & 7/16"-20 taps in shaft ends		SHA2016GJ	\$72
2" smooth Steel extra heavy duty tubing (1/4" wall)	8.5 lb	J2016G2S	\$305	16.25" body & 7/16"-20 taps in shaft ends		SHA2016GJ	\$72
2" smooth Steel light tubing (full shaft)	4.5 lb	J2016G2L	\$305	16.25" body & 7/16"-20 taps in shaft ends		SHA2016GJ	\$72
2" smooth Urethane cast over heavy duty steel tubing	11 lb	J2019S2C	\$365	19.45" body & 3/8"-24 taps in shaft ends		SHA2019SJ	\$72
2" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J2019S2S	\$305	19.25" body & 3/8"-24 taps in shaft ends		SHA2019SJ	\$72
<b>2.5" dia. SINGLE body rollers</b>							
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	J2019S25C	\$365	19.45" body & 3/8"-24 taps in shaft ends		SHA2019SJ	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J2019S25S	\$355	19.25" body & 3/8"-24 taps in shaft ends		SHA2019SJ	\$72

**Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF38) (Sectional rollers with 4 bodies also available)**

<b>3" dia. SINGLE body rollers</b>							
3" grooved Urethane cast over heavy duty steel tubing	9.4 lb	J2522A3CG	\$470	22.45" body, 25.87" shaft		SHA2522AJ	\$72
3" smooth Urethane cast over heavy duty steel tubing	12 lb	J2522A3C	\$438	22.45" body, 25.87" shaft		SHA2522AJ	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	J2522A3S	\$388	22.25" body, 25.87" shaft		SHA2522AJ	\$72
<b>To diminish instances of shadowing lines due to overlap of reels</b>				<b>call for proper application specifics</b>			
3 section 3" grooved Urethane with 2" wide smooth ends	9.5 lb	J2522A3CG.22C	\$645	front roller for rear mower heads-use with J2419S2C		SHA2522AJ	\$72
12" smooth Urethane cast over heavy duty steel tubing	7 lb	J2419S2C	\$328	back roller for rear mower heads-use with J2522A3CG.22C		SHA2419SJ	\$72

**Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF38) (Sectional rollers with 4 bodies also available)**

<b>2" dia. SINGLE body rollers with 3/8"-24 taps in shaft</b>							
2" wide grooved Urethane cast over steel tubing no flats	7.5 lb	J2422S2CG	\$350	22.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" narrow grooved Urethane cast over steel tubing no flats	7.5 lb	J2422S2NG	\$350	22.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" wide grooved Urethane cast over steel tubing 1" flats	7.5 lb	J2422S2CGF	\$350	22.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" narrow grooved Urethane cast over steel tubing 1" flats	7.5 lb	J2422S2NGF	\$350	22.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" smooth Urethane cast over heavy duty steel tubing	8 lb	J2422S2C	\$328	22.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	J2422S2S	\$279	22.25" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" smooth Steel light tubing (full shaft)	5.5 lb	J2422S2L	\$279	22.25" body on a 24.25" shaft with 3/8"-24 taps		SHA2422SJ	\$72
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb	J2419S2CGF	\$350	19.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2419SJ	\$72
2" smooth Urethane cast over heavy duty steel tubing	7 lb	J2419S2C	\$328	19.45" body on a 24.25" shaft with 3/8"-24 taps		SHA2419SJ	\$72
2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb	J2419S2S	\$298	19.25" body on a 24.25" shaft with 3/8"-24 taps		SHA2419SJ	\$72



<b>2" dia. SINGLE body rollers with 7/16"-20 taps in shaft</b>									
2"	wide grooved Urethane cast over steel tubing no flats	7.5 lb	J2422G2CG	\$350	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
2"	narrow grooved Urethane cast over steel tubing no flats	7.5 lb	J2422G2NG	\$350	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
2"	wide grooved Urethane cast over steel tubing 1" flats	7.5 lb	J2422G2CGF	\$350	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
2"	narrow grooved Urethane cast over steel tubing 1" flats	7.5 lb	J2422G2NGF	\$350	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
2"	smooth Urethane cast over heavy duty steel tubing	8 lb	J2422G2C	\$328	22.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
2"	smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	J2422G2S	\$279	22.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
2"	smooth Steel light tubing (full shaft)	5.5 lb	J2422G2L	\$279	22.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2422GJ	\$72		
<b>2" dia. FOUR body rollers with 3/8"-24 taps in shaft</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422S2CG4	\$526	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4	\$87		
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422S2NG4	\$526	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4	\$87		
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2CGF4	\$526	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4	\$87		
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2NGF4	\$526	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4	\$87		
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	J2422S2C4	\$526	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4	\$87		
4 bodies	2" smooth steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	J2422S2S4	\$526	4 short independent bodies on a 24.25" shaft w/ 3/8"-24 taps	SHA2422SJN4	\$87		
<b>2" dia. FOUR body rollers with 7/16"-20 taps in shaft</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422G2CG4	\$612	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4	\$87		
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	J2422G2NG4	\$612	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4	\$87		
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422G2CGF4	\$612	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4	\$87		
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	J2422G2NGF4	\$612	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4	\$87		
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	J2422G2C4	\$596	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4	\$87		
4 bodies	2" smooth steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	J2422G2S4	\$565	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2422GJN4	\$87		
<b>2.5" dia. SINGLE body rollers with 3/8"-24 taps in shaft</b>									
2.5"	grooved Urethane cast over heavy duty steel tubing	8.5 lb	J2421S25CG	\$407	21.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2421SJ	\$72		
2.5"	smooth Urethane cast over heavy duty steel tubing	8.5 lb	J2421S25C	\$361	21.45" body on a 24.25" shaft with 3/8"-24 taps	SHA2421SJ	\$72		
2.5"	smooth Steel heavy duty tubing (1/4" wall)	9.5 lb	J2421S25S	\$335	21.25" body on a 24.25" shaft with 3/8"-24 taps	SHA2421SJ	\$72		
<b>2.5" dia. SINGLE body rollers with 7/16"-20 taps in shaft</b>									
2.5"	grooved Urethane cast over heavy duty steel tubing	8.5 lb	J2421G25CG	\$407	21.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2421GJ	\$72		
2.5"	smooth Urethane cast over heavy duty steel tubing	8.8 lb	J2421G25C	\$361	21.45" body on a 24.25" shaft with 7/16"-20 taps	SHA2421GJ	\$72		
2.5"	smooth Steel heavy duty tubing (1/4" wall)	9.5 lb	J2421G25S	\$335	21.25" body on a 24.25" shaft with 7/16"-20 taps	SHA2421GJ	\$72		
<b>Jacobsen 26" LIGHT FAIRWAY LF2500 &amp; 3050 - FRONT &amp; BACK ROLLERS (Sectional rollers with 4 bodies also available)</b>									
<b>3" dia. SINGLE body rollers</b>									
3"	grooved Urethane cast over heavy duty steel tubing	13 lb	J3026X3CG	\$467	26.45" body & 1/2" dia. shaft ends	SHA3026XJ	\$72		
3"	smooth Urethane cast over heavy duty steel tubing	13.5 lb	J3026X3C	\$428	26.45" body & 1/2" dia. shaft ends	SHA3026XJ	\$72		
3"	smooth Steel heavy duty tubing (1/8" wall)	13.5 lb	J3026X3S	\$345	26.25" body & 1/2" dia. shaft ends	SHA3026XJ	\$72		
<b>Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 &amp; HF15 - FRONT &amp; BACK ROLLERS</b>									
<b>3" dia. SINGLE body rollers</b>									
3"	grooved Urethane cast over heavy duty steel tubing	12.4 lb	J3329A3CG	\$467	29.45" body	SHA3329AJ	\$72		
3"	smooth Urethane cast over heavy duty steel tubing	15 lb	J3329A3C	\$428	29.45" body	SHA3329AJ	\$72		
3"	smooth Steel heavy duty tubing (1/8" wall)	15 lb	J3329A3S	\$345	29.25" body	SHA3329AJ	\$72		
<b>Jacobsen ROTARY AR-522 &amp; AR-722 26" DECK - FRONT ROLLER</b>									
5"	grooved Urethane over steel tubing (4" wide body)	10 lb	J0404G5CG2	\$346	2 large machined grooves in roller body	SHA0404GJ	\$72		
5"	smooth Urethane over steel tubing (4" wide body)	11 lb	J0404G5C	\$236		SHA0404GJ	\$72		
<b>Jacobsen ROTARY AR-522, AR-722, &amp; AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b>									
<b>3" dia. SINGLE body rollers</b>									
3"	grooved Urethane cast over heavy duty steel tubing	12.5 lb	J2926R3CG	\$553	26.45" body, 29.42" shaft-both ends have large milled flat & pin hole	SHA2926RJ	\$87		
3"	smooth Urethane cast over heavy duty steel tubing	13.2 lb	J2926R3C	\$470	26.45" body, 29.42" shaft-both ends have large milled flat & pin hole	SHA2926RJ	\$87		
3"	smooth Steel heavy duty tubing (1/8" wall)	14 lb	J2926R3S	\$438	26.25" body, 29.42" shaft-both ends have large milled flat & pin hole	SHA2926RJ	\$87		
3"	grooved Urethane cast over heavy duty steel tubing	12.5 lb	J2926Q3CG	\$553	26.45" body, 29.42" shaft-1 end has large milled flat & 1 round end	SHA2926QJ	\$87		
3"	smooth Urethane cast over heavy duty steel tubing	13.2 lb	J2926Q3C	\$470	26.45" body, 29.42" shaft-1 end has large milled flat & 1 round end	SHA2926QJ	\$87		
3"	smooth Steel heavy duty tubing (1/8" wall)	14 lb	J2926Q3S	\$438	26.25" body, 29.42" shaft-1 end has large milled flat & 1 round end	SHA2926QJ	\$87		
<b>3.5" dia. SINGLE body rollers</b>									
3.5"	smooth Urethane cast over heavy duty steel tubing	18 lb	J2926R7C	\$563	26.45" body, 29.42" shaft-both ends have large milled flat & pin hole	SHA2926RJ	\$87		
3.5"	smooth Urethane cast over heavy duty steel tubing	18 lb	J2926Q7C	\$563	26.45" body, 29.42" shaft-1 end has large milled flat & 1 round end	SHA2926QJ	\$87		
<b>4" dia. SINGLE body rollers</b>									
4"	smooth Urethane cast over heavy duty steel tubing	29 lb	J2926R4C	\$626	26.45" body, 29.42" shaft-both ends have large milled flat & pin hole	SHA2926RJ	\$87		
4"	smooth Steel heavy duty tubing (1/8" wall)	27 lb	J2926R4S	\$563	26.25" body, 29.42" shaft-both ends have large milled flat & pin hole	SHA2926RJ	\$87		
<b>3" dia. TWO body rollers</b>									
2 bodies	3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	5.8 lb	J2905R3CGt	\$595	2 short twin bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2905RJN	\$94		
2 bodies	3" smooth Urethane over steel tubing (2 x 4" wide bodies)	6.2 lb	J2904R3Ct	\$595	2 short twin bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2904RJN	\$94		
2 bodies	3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	8 lb	J2904R3St	\$563	2 short twin bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2904RJN	\$94		
2 bodies	3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	5.8 lb	J2905Q3CGt	\$592	2 short twin bodies, 29.42" shaft w/ large milled flat end & 1 round end	SHA2905QJNt	\$94		
2 bodies	3" smooth Urethane over steel tubing (2 x 4" wide bodies)	5.8 lb	J2904Q3Ct	\$595	2 short twin bodies, 29.42" shaft w/ large milled flat end & 1 round end	SHA2905QJNt	\$94		
2 bodies	3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	8 lb	J2904Q3St	\$585	2 short twin bodies, 29.42" shaft w/ large milled flat end & 1 round end	SHA2905QJNt	\$94		
<b>3" dia. FOUR body rollers</b>									
4 bodies	3" grooved Urethane over steel tubing (4 x 6.5" wide bodies)	12.5 lb	J2926R3CG4	\$665	4 short bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2926RJN4	\$94		
4 bodies	3" smooth Urethane over steel tubing (4 x 6.5" wide bodies)	13.5 lb	J2926R3C4	\$665	4 short bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2926RJN4	\$94		
4 bodies	3" grooved Urethane over steel tubing (4 x 6.5" wide bodies)	12.5 lb	J2926Q3CG4	\$665	4 short bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2926QJN4	\$94		
4 bodies	3" smooth Urethane over steel tubing (4 x 6.5" wide bodies)	13.5 lb	J2926Q3C4	\$665	4 short bodies, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2926QJN4	\$94		
<b>Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b>									
<b>3" dia. SINGLE body rollers</b>									
3"	grooved Urethane cast over heavy duty steel tubing	13 lb	J3026D3CG	\$553	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$72		
3"	smooth Urethane cast over heavy duty steel tubing	13.2 lb	J3026D3C	\$470	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$72		
3"	smooth Steel heavy duty tubing (1/8" wall)	14 lb	J3026D3S	\$438	26.25" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$72		
<b>3.5" dia. SINGLE body rollers</b>									
3.5"	smooth Urethane cast over heavy duty steel tubing	17 lb	J3026D7C	\$563	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$72		
<b>4" dia. SINGLE body rollers</b>									
4"	smooth Urethane cast over heavy duty steel tubing	29 lb	J2926R4C	\$626	26.45" body, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2926RJ	\$87		
4"	smooth Steel heavy duty tubing (1/8" wall)	27 lb	J2926R4S	\$563	26.45" body, 29.42" shaft w/ large milled flat & pin hole on ends	SHA2926RJ	\$87		
<b>3" dia. TWO body rollers</b>									
2 bodies	3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	6.3 lb	J3005D3CGt	\$595	2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3005DJNt	\$94		
2 bodies	3" smooth Urethane over steel tubing (2 x 4" wide bodies)	6.3 lb	J3004D3Ct	\$595	2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3004DJNt	\$94		
2 bodies	3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	8 lb	J3004D3St	\$563	2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3004DJNt	\$94		
<b>3" dia. FOUR body rollers</b>									
4 bodies	3" grooved Urethane over steel tubing (4 x 5.2" wide bodies)	12.5 lb	J3026R3CG4	\$665	4 short bodies, 30.5" shaft w/ large milled flat & pin hole on ends	SHA3026RJN4	\$94		
4 bodies	3" smooth Urethane over steel tubing (4 x 5.2" wide bodies)	13.5 lb	J3026R3C4	\$665	4 short bodies, 30.5" shaft w/ large milled flat & pin hole on ends	SHA3026RJN4	\$94		

**Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)**

<b>3" dia. SINGLE body rollers</b>						
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb	J3429R3CG	<b>\$553</b>	29.45" body, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJ	<b>\$87</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	J3429R3C	<b>\$470</b>	29.45" body, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJ	<b>\$87</b>
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb	J3429R3S	<b>\$438</b>	29.25" body, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJ	<b>\$87</b>
<b>3.5" dia. SINGLE body rollers</b>						
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	J3429R7C	<b>\$563</b>	29.45" body, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJ	<b>\$87</b>
<b>4" dia. SINGLE body rollers</b>						
4" smooth Urethane cast over heavy duty steel tubing	29 lb	J3429R4C	<b>\$626</b>	29.45" body, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJ	<b>\$87</b>
4" smooth Steel heavy duty tubing (1/8" wall)	29 lb	J3429R4S	<b>\$569</b>	29.45" body, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJ	<b>\$87</b>
<b>3" dia. TWO body rollers</b>						
2 bodies 3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	6.5 lb	J3405R3CGt	<b>\$645</b>	2 short twin bodies, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3405RJNt	<b>\$94</b>
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	6.5 lb	J3404R3Ct	<b>\$605</b>	2 short twin bodies, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3404RJNt	<b>\$94</b>
2 bodies 3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	8.5 lb	J3404R3St	<b>\$563</b>	2 short twin bodies, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3404RJNt	<b>\$94</b>
<b>3" dia. FIVE body rollers</b>						
5 bodies 3" grooved Urethane over steel tubing (5 x 5.2" wide bodies)	13.5 lb	J3429R3CG5	<b>\$754</b>	5 short bodies, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJN5	<b>\$94</b>
5 bodies 3" smooth Urethane over steel tubing (5 x 5.2" wide bodies)	14 lb	J3429R3C5	<b>\$754</b>	5 short bodies, 34.25" shaft w/ large milled flat & pin hole on ends	SHA3429RJN5	<b>\$94</b>

**Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER**

4" smooth Urethane cast over heavy duty steel tubing	27 lb	R2722X4C	<b>\$626</b>	22.45" body, 27.25" shaft w/ 1/2" dia. ends	SHA2722XR	<b>\$87</b>
4" smooth Steel heavy duty tubing (1/8" wall)	27 lb	R2722X4S	<b>\$599</b>	22.25" body, 27.25" shaft w/ 1/2" dia. ends	SHA2722XR	<b>\$87</b>

**for JOHN DEERE mowers****John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER**

<b>2" dia. SINGLE body rollers</b>						
2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2119A2CG	<b>\$362</b>	19.45" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2119A2NG	<b>\$362</b>	19.45" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	6.5 lb	D2119A2CGF	<b>\$362</b>	19.45" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	D2119A2NGF	<b>\$362</b>	19.45" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb	D2119A2C	<b>\$345</b>	19.45" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb	D2119A2S	<b>\$315</b>	19.25" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	4.5 lb	D2119A2L	<b>\$315</b>	19.25" body on a 21.25" shaft	SHA2119AD	<b>\$72</b>
<b>2" dia. TWO body rollers</b>						
2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	D2104A2CGt	<b>\$434</b>	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104ADNt	<b>\$87</b>
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	D2104A2NGt	<b>\$434</b>	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104ADNt	<b>\$87</b>
2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	D2104A2CGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104ADNt	<b>\$87</b>
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	D2104A2NGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104ADNt	<b>\$87</b>
2 bodies 2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb	D2102A2Ct	<b>\$421</b>	2 short twin independent bodies at ends of a 21.25" shaft	SHA2102ADNt	<b>\$87</b>
2 bodies 2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb	D2104A2Ct	<b>\$434</b>	2 short twin independent bodies at ends of a 21.25" shaft	SHA2104ADNt	<b>\$87</b>
<b>2" dia. THREE body rollers</b>						
3 bodies 2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	D2719A2CG+2C	<b>\$487</b>	19.45" center body + 2 short outer bodies on a 27.25" shaft	SHA2719ADN+2	<b>\$104</b>
3 bodies 2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	D2719A2NG+2C	<b>\$487</b>	19.45" center body + 2 short outer bodies on a 27.25" shaft	SHA2719ADN+2	<b>\$104</b>
3 bodies 2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb	D2719A2C+2C	<b>\$487</b>	19.45" center body + 2 short outer bodies on a 27.25" shaft	SHA2719ADN+2	<b>\$104</b>
3 bodies 2" smooth Steel heavy duty tubing (single 22.25" inner+2x2" outer bodies)	13 lb	D2719A2S+2S	<b>\$487</b>	19.25" center body + 2 short outer bodies on a 27.25" shaft	SHA2719ADN+2	<b>\$104</b>
<b>2" dia. FOUR body rollers</b>						
4 bodies 2" wide grooved Urethane over steel (4x4.75" wide bodies) no flats	8.5 lb	D2119A2CG4	<b>\$536</b>	4 short independent bodies on a 21.25" shaft	SHA2119ADN4	<b>\$87</b>
4 bodies 2" narrow grooved Urethane over steel (4x4.75" wide bodies) no flats	8.5 lb	D2119A2NG4	<b>\$536</b>	4 short independent bodies on a 21.25" shaft	SHA2119ADN4	<b>\$87</b>
4 bodies 2" wide grooved Urethane over steel (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2CGF4	<b>\$536</b>	4 short independent bodies on a 21.25" shaft	SHA2119ADN4	<b>\$87</b>
4 bodies 2" narrow grooved Urethane over steel (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2NGF4	<b>\$536</b>	4 short independent bodies on a 21.25" shaft	SHA2119ADN4	<b>\$87</b>
4 bodies 2" smooth Urethane over steel tubing (4x4.75" wide bodies)	8 lb	D2119A2C4	<b>\$536</b>	4 short independent bodies on a 21.25" shaft	SHA2119ADN4	<b>\$87</b>
4 bodies 2" smooth steel duty tubing (4x4.75" wide bodies)	12 lb	D2119A2S4	<b>\$536</b>	4 short independent bodies on a 21.25" shaft	SHA2119ADN4	<b>\$87</b>
<b>2" dia. SIX body rollers</b>						
6 bodies 2" wide grooved Urethane over steel (4x4.75" inner+2x2" outer bodies)	12 lb	D2719A2CG4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 27.25" shaft	SHA2719ADN4+2	<b>\$104</b>
6 bodies 2" narrow grooved Urethane over steel (4x4.75" inner+2x2" outer bodies)	12 lb	D2719A2NG4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 27.25" shaft	SHA2719ADN4+2	<b>\$104</b>
6 bodies 2" wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2CGF4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 27.25" shaft	SHA2719ADN4+2	<b>\$104</b>
6 bodies 2" narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2NGF4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 27.25" shaft	SHA2719ADN4+2	<b>\$104</b>
6 bodies 2" smooth Urethane over steel tubing (4x4.75" inner+2x2" outer bodies)	12 lb	D2719A2C4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 27.25" shaft	SHA2719ADN4+2	<b>\$104</b>
6 bodies 2" smooth Steel heavy duty tubing (4x4.75" inner+2x2" outer bodies)	12 lb	D2719A2S4+2S	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 27.25" shaft	SHA2719ADN4+2	<b>\$104</b>

**John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS**

<b>2" dia. SINGLE body rollers</b>						
2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2522C2CG	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2522C2NG	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	D2522C2CGF	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	D2522C2NGF	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	7.9 lb	D2522C2C	<b>\$328</b>	22.45" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	D2522C2S	<b>\$279</b>	22.25" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	5.5 lb	D2522C2L	<b>\$279</b>	22.25" body, 25.5" shaft	SHA2522CD	<b>\$72</b>
<b>2" dia. TWO body rollers</b>						
2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	D2504C2CGt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.5" shaft	SHA2504CDNt	<b>\$87</b>
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	D2504C2NGt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.5" shaft	SHA2504CDNt	<b>\$87</b>
2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	D2504C2CGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.5" shaft	SHA2504CDNt	<b>\$87</b>
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	D2504C2NGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 25.5" shaft	SHA2504CDNt	<b>\$87</b>
2 bodies 2" smooth Urethane over steel tubing (2x4" wide twin bodies)	4.2 lb	D2504C2Ct	<b>\$421</b>	2 short twin independent bodies at ends of a 25.5" shaft	SHA2504CDNt	<b>\$87</b>
2 bodies 2" smooth Urethane over steel tubing (2x2" wide twin bodies)	3.7 lb	D2502C2Ct	<b>\$434</b>	2 short twin independent bodies at ends of a 25.5" shaft	SHA2502CDNt	<b>\$87</b>
<b>2" dia. THREE body rollers</b>						
3 bodies 2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	D3122C2CG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2	<b>\$104</b>
3 bodies 2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	D3122C2NG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2	<b>\$104</b>
3 bodies 2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb	D3122C2C+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2	<b>\$104</b>
3 bodies 2" smooth Steel heavy duty tubing (single 22.45" inner+2x2" outer bodies)	13 lb	D3122C2SC+2S	<b>\$487</b>	22.25" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2	<b>\$104</b>
<b>2" dia. FOUR body rollers</b>						
4 bodies 2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	D2522C2CG4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4	<b>\$87</b>
4 bodies 2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	D2522C2NG4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4	<b>\$87</b>
4 bodies 2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2CGF4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4	<b>\$87</b>
4 bodies 2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2NGF4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4	<b>\$87</b>
4 bodies 2" smooth Urethane over steel tubing (4x5.55" wide bodies)	8 lb	D2522C2C4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4	<b>\$87</b>
4 bodies 2" smooth steel heavy duty tubing (4x5.55" wide bodies)	12 lb	D2522C2S4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4	<b>\$87</b>

<b>2" dia. SIX body rollers</b>									
6 bodies	2" wide grooved Urethane over steel (4x5.55" inner+2x2" outer bodies)	12 lb	D3122C2CG4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
6 bodies	2" narrow grooved Urethane over steel (4x5.55" inner+2x2" outer bodies)	12 lb	D3122C2NG4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
6 bodies	2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CGF4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
6 bodies	2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
6 bodies	2" smooth Urethane over steel (4x5.55" inner+2x2" outer bodies)	13 lb	D3122C2C4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
6 bodies	2" smooth Steel heavy duty tubing (4x5.55" inner+2x2" outer bodies)	13 lb	D3122C2C4+2C	<b>\$626</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
<b>2.5" dia. SINGLE body rollers</b>									
1 body	2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb	D2522C25CG	<b>\$407</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
1 body	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	D2522C25C	<b>\$361</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
1 body	2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb	D2522C25S	<b>\$313</b>	22.25" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
<b>2.5" dia. TWO body rollers</b>									
2 bodies	2.5" grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	D2504C25CGt	<b>\$474</b>	2 short twin independent roller bodies on a 25.5" shaft	SHA2504CDNt			<b>\$87</b>
2 bodies	2.5" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb	D2504C25Ct	<b>\$474</b>	2 short twin independent roller bodies on a 25.5" shaft	SHA2504CDNt			<b>\$87</b>
<b>2.5" dia. FOUR body rollers</b>									
4 bodies	2.5" grooved Urethane over steel tubing (4x5.55" wide bodies)	10.5 lb	D2522C25CG4	<b>\$612</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
4 bodies	2.5" smooth Urethane over steel tubing (4x5.55" wide bodies)	10 lb	D2522C25C4	<b>\$612</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
<b>2.5" dia. SIX body rollers</b>									
6 bodies	2.5" grooved Urethane over steel (4x5.55" inner+2x5.55" outboard bodies)	14 lb	D3122C25CG4+2C	<b>\$686</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
6 bodies	2.5" smooth Urethane over steel (4x5.55" inner+2x5.55" outboard bodies)	14 lb	D3122C25C4+2C	<b>\$686</b>	4 short center bodies + 2 short outer bodies on a 31.5" shaft	SHA3122CDN4+2			<b>\$104</b>
<b>John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER</b>									
<b>2" dia. SINGLE body rollers</b>									
	2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2926A2CG	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2926AD			<b>\$72</b>
	2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	6.5 lb	D2926A2CGF	<b>\$362</b>	19.45" body on a 21.25" shaft	SHA2926AD			<b>\$72</b>
	2" smooth Urethane cast over heavy duty steel tubing	9.5 lb	D2926A2C	<b>\$391</b>	26.45" body, 29.75" shaft	SHA2926AD			<b>\$72</b>
	2" smooth Steel heavy duty tubing (1/4" wall)	12.5 lb	D2926A2S	<b>\$345</b>	26.25" body, 29.75" shaft	SHA2926AD			<b>\$72</b>
	2" smooth Steel light tubing (full shaft)	7 lb	D2926A2L	<b>\$345</b>	26.25" body, 29.75" shaft	SHA2926AD			<b>\$72</b>
<b>2.5" dia. SINGLE body rollers</b>									
	2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb	D2926A25CG	<b>\$423</b>	26.45" body, 29.75" shaft	SHA2926AD			<b>\$72</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	D2926A25C	<b>\$391</b>	26.45" body, 29.75" shaft	SHA2926AD			<b>\$72</b>
	2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb	D2926A25S	<b>\$361</b>	26.45" body, 29.75" shaft	SHA2926AD			<b>\$72</b>
<b>2.5" dia. TWO body rollers</b>									
2 bodies	2.5" smooth Urethane over steel tubing (2 x 4" wide bodies)	7 lb	D2904A25Ct	<b>\$516</b>	2 short twin independent bodies at ends of a 29.75" shaft	SHA2904ADNt			<b>\$87</b>
<b>2.5" dia. FOUR body rollers</b>									
4 bodies	2.5" grooved Urethane over steel tubing (4 x 6.5" wide bodies)	10 lb	D2926A25CG4	<b>\$626</b>	4 short independent bodies on a 29.75" shaft	SHA2926ADN4			<b>\$87</b>
4 bodies	2.5" smooth Urethane over steel tubing (4 x 6.5" wide bodies)	13 lb	D2926A25C4	<b>\$612</b>	4 short independent bodies on a 29.75" shaft	SHA2926ADN4			<b>\$87</b>
<b>2.5" dia. SIX body rollers</b>									
6 bodies	2.5" grooved Urethane over steel tubing (4x6.5" inner+2x2" outer bodies)	10 lb	D3526A25CG4+2C	<b>\$686</b>	4 short independent bodies on a 29.75" shaft	SHA3526ADN4+2			<b>\$104</b>
6 bodies	2.5" smooth Urethane over steel tubing (4x6.5" inner+2x2" outer bodies)	13 lb	D3526A25C4+2C	<b>\$686</b>	4 short independent bodies on a 29.75" shaft	SHA3526ADN4+2			<b>\$104</b>
<b>John Deere 22" 3215 &amp; 3225 LIGHT FAIRWAY MOWERS - FRONT &amp; BACK ROLLERS (Sectional rollers with 4 bodies also available)</b>									
<b>Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call</b>									
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	D2522C2CGF	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" smooth Urethane cast over heavy duty steel tubing	7.9 lb	D2522C2C	<b>\$328</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	D2522C2S	<b>\$279</b>	22.25" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" smooth Steel light tubing (full shaft)	5.5 lb	D2522C2L	<b>\$279</b>	22.25" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
<b>John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT &amp; BACK ROLLERS (2 styles) (Sectional rollers with 4 bodies also available)</b>									
	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	D2522C3CG	<b>\$470</b>	22.45" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
	3" smooth Urethane cast over heavy duty steel tubing	12 lb	D2522C3C	<b>\$438</b>	22.45" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
	3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	D2522C3S	<b>\$345</b>	22.25" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
<b>To diminish instances of shadowing lines due to overlap of reels</b>									
	3" grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522C3CG.22C	<b>\$645</b>	front roller for rear mower heads-use with D2519C3C	SHA2522CD			<b>\$72</b>
	3" smooth Urethane cast over heavy duty steel tubing	11 lb	D2519C3C	<b>\$438</b>	back roller for rear mower heads-use with D2522C3CG.22C	SHA2519CD			<b>\$72</b>
<b>John Deere 22" 7500/ 8500 &amp; 7700/ 8700 PRECISION CUT &amp; E-CUT FAIRWAY (QA5 &amp; QA7 reels) (Sectional rollers with 4 bodies also available)</b>									
<b>Rollers for QA-5 reels (with 1 flat on one end of the shaft):</b>									
<b>2" dia. SINGLE body rollers</b>									
	2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2522C2CG	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	D2522C2NG	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	D2522C2CGF	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	D2522C2NGF	<b>\$350</b>	22.45" body, 25.5" shaft	SHA2522CD			<b>\$72</b>
	2" smooth Urethane cast over heavy duty steel tubing	7.9 lb	D2522C2C	<b>\$328</b>	22.45" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
	2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	D2522C2S	<b>\$279</b>	22.25" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
	2" smooth Steel light tubing (full shaft)	5.5 lb	D2522C2L	<b>\$279</b>	22.25" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
<b>2" dia. THREE body rollers</b>									
3 bodies	2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	D3122C2CG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2			<b>\$104</b>
3 bodies	2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	D3122C2NG+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2			<b>\$104</b>
3 bodies	2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb	D3122C2C+2C	<b>\$487</b>	22.45" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2			<b>\$104</b>
3 bodies	2" smooth Steel heavy duty tubing (single 22.45" inner+2x2" outer bodies)	13 lb	D3122C2SC+2S	<b>\$487</b>	22.25" center body + 2 short outer bodies on a 31.5" shaft	SHA3122CDN+2			<b>\$104</b>
<b>2" dia. FOUR body rollers</b>									
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	D2522C2CG4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	D2522C2NG4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
4 bodies	2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2CGF4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2NGF4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
4 bodies	2" smooth Urethane over steel tubing (4x5.55" wide bodies)	8 lb	D2522C2C4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
4 bodies	2" smooth steel heavy duty tubing (4x5.55" wide bodies)	12 lb	D2522C2S4	<b>\$526</b>	4 short independent bodies on a 25.5" shaft	SHA2522CDN4			<b>\$87</b>
<b>2.5" dia. SINGLE body rollers</b>									
	2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb	D2522C25CG	<b>\$407</b>	22.45" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	D2522C25C	<b>\$361</b>	22.45" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
	2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb	D2522C25S	<b>\$313</b>	22.25" body, 25.5" shaft with one flat	SHA2522CD			<b>\$72</b>
<b>To diminish instances of shadowing lines due to overlap of reels</b>									
	2.5" grooved Urethane with 2.2" wide smooth ends	8.5 lb	D2522C25CG.22C	<b>\$545</b>	front roller for rear mower heads-use with D2519C25C	SHA2522CD			<b>\$72</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	D2519C25C	<b>\$407</b>	back roller for rear mower heads-use with D2522C25CG.22C	SHA2519CD			<b>\$72</b>



**3" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes items like 3" grooved Urethane cast over heavy duty steel tubing and 3" smooth Steel heavy duty tubing.

Section: To diminish instances of shadowing lines due to overlap of reels. Includes 3" grooved Urethane with 2.2" wide smooth ends and 3" smooth Urethane cast over heavy duty steel tubing.

**Rollers for QA-7 reels (with 2 flats on one end of the shaft):**

**2" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 2" wide grooved Urethane cast over heavy duty steel tubing no flats and 2" narrow grooved Urethane cast over heavy duty steel tubing no flats.

**2" dia. THREE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 3 bodies 2" wide grooved Urethane over steel and 3 bodies 2" narrow grooved Urethane over steel.

**2" dia. FOUR body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 4 bodies 2" wide grooved Urethane over steel and 4 bodies 2" narrow grooved Urethane over steel.

**2.5" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 2.5" grooved Urethane cast over heavy duty steel tubing and 2.5" smooth Urethane cast over heavy duty steel tubing.

Section: To diminish instances of shadowing lines due to overlap of reels. Includes 2.5" grooved Urethane with 2.2" wide smooth ends and 2.5" smooth Urethane cast over heavy duty steel tubing.

**3" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 3" grooved Urethane cast over heavy duty steel tubing and 3" smooth Urethane cast over heavy duty steel tubing.

Section: To diminish instances of shadowing lines due to overlap of reels. Includes 3" grooved Urethane with 2.2" wide smooth ends and 3" smooth Urethane cast over heavy duty steel tubing.

**John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS**

**2" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 2" smooth Urethane cast over heavy duty steel tubing and 2" smooth Steel extra heavy duty tubing.

**2.5" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 2.5" grooved Urethane cast over heavy duty steel tubing and 2.5" smooth Urethane cast over heavy duty steel tubing.

**3" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 3" grooved Urethane cast over heavy duty steel tubing and 3" smooth Urethane cast over heavy duty steel tubing.

Section: To diminish instances of shadowing lines due to overlap of reels. Includes 2.5" grooved Urethane with 2.2" wide smooth ends and 2.5" smooth Urethane cast over heavy duty steel tubing.

**John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)**

(2.5" diameter also available)

**3" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 3" grooved Urethane cast over heavy duty steel tubing and 3" smooth Urethane cast over heavy duty steel tubing.

**3" dia. TWO body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 2 bodies 3" smooth Urethane over steel tubing and 2 bodies 3" smooth Urethane over steel tubing.

**3" dia. FOUR body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 4 bodies 3" grooved Urethane over steel tubing and 4 bodies 3" smooth Urethane over steel tubing.

**John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)**

(2.5" diameter also available)

**3" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 3" grooved Urethane cast over heavy duty steel tubing and 3" smooth Urethane cast over heavy duty steel tubing.

**3" dia. FIVE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 5 bodies 3" grooved Urethane over steel tubing and 5 bodies 3" smooth Urethane over steel tubing.

**John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG (2 styles)**

call to confirm roller options

**3" dia. SINGLE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 3" grooved Urethane cast over heavy duty steel tubing and 3" smooth Urethane cast over heavy duty steel tubing.

**3" dia. FIVE body rollers**

Table with 5 columns: Description, Weight, Part Number, Price, and Shaft/Body Details. Includes 5 bodies 3" grooved Urethane over steel tubing and 5 bodies 3" smooth Urethane over steel tubing.



John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from 2 styles)				call to confirm roller options		
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb	D3229X3CG	\$470	29.45" body, 32.25" shaft with .5" dia. ends	SHA3229XD	\$78
3" smooth Urethane cast over heavy duty steel tubing	15 lb	D3229X3C	\$438	29.45" body, 32.25" shaft with .5" dia. ends	SHA3229XD	\$78
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb	D3229X3S	\$345	29.25" body, 32.25" shaft with .5" dia. ends	SHA3229XD	\$78
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb	D3029W3CG	\$470	29.45" body, 30" shaft with 5/8" dia. ends & 7/16"-20 taps	SHA3029WD	\$78
3" smooth Urethane cast over heavy duty steel tubing	15 lb	D3029W3C	\$438	29.45" body, 30" shaft with 5/8" dia. ends & 7/16"-20 taps	SHA3029WD	\$78
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb	D3029W3S	\$345	29.45" body, 30" shaft with 5/8" dia. ends & 7/16"-20 taps	SHA3029WD	\$78
John Deere ROTARY 22" 2653 WITH NUNS DECK - BACK ROLLER						
3" smooth Urethane cast over heavy duty steel tubing	11 lb	D2522C3C	\$438	22.45" body, 25.5" shaft	SHA2522CD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	12 lb	D2522C3S	\$345	22.25" body, 25.5" shaft	SHA2522CD	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb	D2522C7C	\$532	22.45" body, 25.5" shaft	SHA2522CD	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb	D2522C4S	\$532	22.25" body, 25.5" shaft	SHA2522CD	\$72
John Deere ROTARY 30" 2653 WITH NUNS DECK - BACK ROLLER						
3" smooth Urethane cast over heavy duty steel tubing	15 lb	D3229N3C	\$438	22.45" body, 32" shaft	SHA3229ND	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb	D3229N3S	\$361	22.25" body, 32" shaft	SHA3229ND	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	D3229N7C	\$532	22.45" body, 32" shaft	SHA3229ND	\$72
4" smooth Urethane cast over heavy duty steel tubing	23 lb	D3229N4C	\$595	22.45" body, 32" shaft	SHA3229ND	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	29 lb	D3229N4S	\$517	22.25" body, 32" shaft	SHA3229ND	\$72
John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)						
2 bodies 5" grooved Urethane over steel tubing (two 5.2" wide bodies)	8 lb	D2305A5CGt	\$792	Twin independent bodies-3 grooves per body	SHA2305ADN	\$84
2 bodies 5" smooth Urethane over steel tubing (two 4" wide bodies)	9.3 lb	D2304A5Ct	\$470	Twin independent bodies on a shaft	SHA2304ADN	\$84
John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple styles to match your needs)						
3" dia. SINGLE body rollers						
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	D2319B3CG	\$470	19.45" body, 23" shaft	SHA2319BD	\$72
3" smooth Urethane cast over heavy duty steel tubing	11 lb	D2319B3C	\$438	19.45" body, 23" shaft	SHA2319BD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	12 lb	D2319B3S	\$345	19.25" body, 23" shaft	SHA2319BD	\$72
3" smooth Urethane cast over heavy duty steel tubing	11.5 lb	D2419B3C	\$438	19.45" body, 24" shaft	SHA2419BD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb	D2419B3S	\$345	19.25" body, 24" shaft	SHA2419BD	\$72
3" smooth Urethane cast over heavy duty steel tubing	12 lb	D2522T3C	\$438	22.45" body, 25.87" shaft	SHA2522TD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	D2522T3S	\$345	22.25" body, 25.87" shaft	SHA2522TD	\$72
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	D2622A3CG	\$486	22.45" body, 26.75" shaft	SHA2622AD	\$72
3" smooth Urethane cast over heavy duty steel tubing	12 lb	D2622A3C	\$438	22.45" body, 26.75" shaft	SHA2622AD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	D2622A3S	\$361	22.25" body, 26.75" shaft	SHA2622AD	\$72
3" dia. TWO body rollers				non-stripping, allows better air flow		
2 bodies 3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	8 lb	D2305B3CGt	\$563	2 short twin independent bodies at ends of a 23" shaft	SHA2305BDN	\$87
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	8 lb	D2304B3Ct	\$438	2 short twin independent bodies at ends of a 23" shaft	SHA2304BDN	\$87
2 bodies 3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	10 lb	D2304B3St	\$375	2 short twin independent bodies at ends of a 23" shaft	SHA2304BDN	\$87
3" dia. THREE body rollers				non-stripping, allows better air flow		
3 bodies 3" grooved Urethane over steel tubing (3 x 5.2" wide bodies)	11 lb	D2319B3CG3	\$779	3 short independent bodies on a 23" shaft	SHA2319BDN3	\$104
3 bodies 3" smooth Urethane over steel tubing (3 x 5.2" wide bodies)	11 lb	D2319B3C3	\$779	3 short independent bodies on a 23" shaft	SHA2319BDN3	\$104
3.5" dia. SINGLE body rollers						
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb	D2319B7C	\$532	19.45" body, 23" shaft	SHA2319BD	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb	D2419B7C	\$532	19.45" body, 24" shaft	SHA2419BD	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb	D2522T7C	\$532	22.45" body, 25.87" shaft	SHA2522TD	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb	D2622A7C	\$532	22.45" body, 26.75" shaft	SHA2622AD	\$72
4" dia. SINGLE body rollers						
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb	D2319B4S	\$484	19.25" body, 23" shaft	SHA2319BD	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb	D2419B4S	\$484	19.25" body, 24" shaft	SHA2419BD	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb	D2522T4S	\$484	22.25" body, 25.87" shaft	SHA2522TD	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb	D2622A4S	\$532	22.25" body, 26.75" shaft	SHA2622AD	\$72
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)						
2 bodies 5" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	12 lb	D2905C5CGt	\$626	Twin independent bodies on a 29" shaft-3 grooves per body	SHA2905CDN	\$84
2 bodies 5" smooth Urethane over steel tubing (2 x 5.2" wide bodies)	13 lb	D2905C5Ct	\$548	Twin independent bodies on a 29" shaft	SHA2905CDN	\$84
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROLLER						
3" dia. SINGLE body rollers						
3" grooved Urethane cast over heavy duty steel tubing	11 lb	D2926C3CG	\$517	26.45" body, 29" shaft	SHA2926CD	\$72
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb	D2926C3C	\$438	26.45" body, 29" shaft	SHA2926CD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb	D2926C3S	\$375	26.25" body, 29" shaft	SHA2926CD	\$72
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb	D2919C3C	\$454	19.45" body, 29" shaft	SHA2919CD	\$72
3" dia. TWO body rollers				non-stripping, allows better air flow		
2 bodies 3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	10 lb	D2905C3CGt	\$563	2 short twin independent bodies at ends of a 29" shaft	SHA2905CDN	\$87
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	10 lb	D2904C3Ct	\$517	2 short twin independent bodies at ends of a 29" shaft	SHA2904CDN	\$87
2 bodies 3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	11 lb	D2904C3St	\$470	2 short twin independent bodies at ends of a 29" shaft	SHA2904CDN	\$87
3" dia. FOUR body rollers				non-stripping, allows better air flow		
4 bodies 3" grooved Urethane over steel tubing (4 x 5.2" wide bodies)	12 lb	D2926C3CG4	\$766	4 short independent bodies on a 29" shaft	SHA2926CDN4	\$87
4 bodies 3" smooth Urethane over steel tubing (4 x 5.2" wide bodies)	12 lb	D2926C3C4	\$766	4 short independent bodies on a 29" shaft	SHA2926CDN4	\$87
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTER						
5" grooved Urethane cast over heavy duty steel tubing	5 lb	D0404G5CG2	\$331	2 large machined grooves in roller body on a full length shaft	SHA0404GD	\$72
5" smooth Urethane over steel tubing (4" wide body)	5 lb	D0404G5C	\$236	superior design to OEM roller with full length shaft	SHA0404GD	\$72
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER						
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb	D2925A3C	\$438	25.45" body, 29.25" shaft	SHA2925AD	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb	D2925A3S	\$375	25.25" body, 29.25" shaft	SHA2925AD	\$72

## for TORO mowers

**Toro 22" GREENSMOWERS - FRONT ROLLER:** series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8"-24 tap in shaft ends for ball stud)  
 (Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)

### 2" dia. SINGLE body rollers

2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	T2522S2CG	\$350	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb	T2522S2NG	\$350	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	T2522S2CGF	\$350	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb	T2522S2NGF	\$350	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2" smooth Urethane cast over heavy duty steel tubing	8 lb	T2522S2C	\$328	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	T2522S2S	\$279	22.25" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2" smooth Steel light tubing (full shaft)	5.5 lb	T2522S2L	\$279	22.25" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72

### 2" dia. TWO body rollers

2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	T2504S2CGt	\$434	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	T2504S2NGt	\$434	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87
2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	T2504S2CGFt	\$434	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	T2504S2NGFt	\$434	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87
2 bodies 2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4.2 lb	T2502S2Ct	\$434	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2502STNt	\$87
2 bodies 2" smooth Urethane over steel tubing (2x4" wide twin bodies)	4 lb	T2504S2Ct	\$421	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87

### 2" dia. THREE body rollers

3 bodies 2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	T3122S2CG+2C	\$487	22.45" center body +2 short outer bodies on a 31.75" shaft-3/8" taps	SHA3122STN+2	\$104
3 bodies 2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	T3122S2NG+2C	\$487	22.45" center body +2 short outer bodies on a 31.75" shaft-3/8" taps	SHA3122STN+2	\$104
3 bodies 2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb	T3122S2C+2C	\$487	22.45" center body +2 short outer bodies on a 31.75" shaft-3/8" taps	SHA3122STN+2	\$104
3 bodies 2" smooth Steel heavy duty tubing (single 22.45" inner+2x2" outer bodies)	13 lb	T3122S2S+2C	\$487	22.45" center body +2 short outer bodies on a 31.75" shaft-3/8" taps	SHA3122STN+2	\$104

### 2" dia. FOUR body rollers

4 bodies 2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	T2522S2CG4	\$526	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87
4 bodies 2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	T2522S2NG4	\$526	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87
4 bodies 2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	T2522S2CGF4	\$526	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87
4 bodies 2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	T2522S2NGF4	\$526	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87
4 bodies 2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	T2522S2C4	\$526	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87
4 bodies 2" smooth steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	T2522S2S4	\$526	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87

### 2" dia. SIX body rollers

6 bodies 2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122S2CG4+2C	\$626	4 short center bodies + 2 short outer bodies on a 31.75" shaft	SHA3122STN4+2	\$104
6 bodies 2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122S2NG4+2C	\$626	4 short center bodies + 2 short outer bodies on a 31.75" shaft	SHA3122STN4+2	\$104
6 bodies 2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122S2CGF4+2C	\$626	4 short center bodies + 2 short outer bodies on a 31.75" shaft	SHA3122STN4+2	\$104
6 bodies 2" narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122S2NGF4+2C	\$626	4 short center bodies + 2 short outer bodies on a 31.75" shaft	SHA3122STN4+2	\$104
6 bodies 2" smooth Urethane over steel (4x5.55" inner+2x2" outer bodies)	13 lb	T3122S2C4+2C	\$626	4 short center bodies + 2 short outer bodies on a 31.75" shaft	SHA3122STN4+2	\$104
6 bodies 2" smooth Steel heavy duty tubing (4x5.55" inner+2x2" outer bodies)	13 lb	T3122S2S4+2C	\$626	4 short center bodies + 2 short outer bodies on a 31.75" shaft	SHA3122STN4+2	\$104

### 2.5" dia. SINGLE body rollers

2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	T2522S25CG	\$407	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	T2522S25C	\$361	22.45" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb	T2522S25S	\$313	22.25" body, 25.75" shaft with 3/8"-24 taps in ends	SHA2522ST	\$72

### 2.5" dia. TWO body rollers

2 bodies 2.5" grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	T2504S25CGt	\$474	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87
2 bodies 2.5" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb	T2504S25Ct	\$474	2 short twin bodes at ends of a 25.75" shaft with 3/8"-24 taps	SHA2504STNt	\$87

### 2.5" dia. FOUR body rollers

4 bodies 2.5" grooved Urethane over steel tubing (4x5.55" bodies) no flats	10 lb	T2522S25CG4	\$612	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87
4 bodies 2.5" smooth Urethane over steel tubing (4x5.55" wide bodies)	13 lb	T2522S25C4	\$612	4 short independent bodies on a 25.75" shaft with 3/8"-24 taps	SHA2522STN4	\$87

### 2.5" dia. SIX body rollers

6 bodies 2.5" grooved Urethane over steel (4x5.55" inner+2x5.55" outboard bodies)	14 lb	D3122C25CG4+2C	\$686	4 short center bodies +2 short outer bodies on a 31.75" shaft-3/8" taps	SHA3122STN4+2	\$104
6 bodies 2.5" smooth Urethane over steel (4x5.55" inner+2x5.55" outboard bodies)	14 lb	D3122C25C4+2C	\$686	4 short center bodies +2 short outer bodies on a 31.75" shaft-3/8" taps	SHA3122STN4+2	\$104

**Toro 22" GREENSMOWERS - BACK ROLLER:** series 3, 300, 3000, 3050, 3100, 3150

(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)

### 2" dia. SINGLE body rollers

2" wide grooved Urethane cast over steel tubing no flats	7.5 lb	T2522A2CG	\$350	22.45" body on a 25.875" shaft	SHA2522AT	\$72
2" narrow grooved Urethane cast over steel tubing no flats	7.5 lb	T2522A2NG	\$350	22.45" body on a 25.875" shaft	SHA2522AT	\$72
2" wide grooved Urethane cast over steel tubing 1" flats	7.5 lb	T2522A2CGF	\$350	22.45" body on a 25.875" shaft	SHA2522AT	\$72
2" narrow grooved Urethane cast over steel tubing 1" flats	7.5 lb	T2522A2NGF	\$350	22.45" body on a 25.875" shaft	SHA2522AT	\$72
2" smooth Urethane cast over heavy duty steel tubing	8 lb	T2522A2C	\$328	22.45" body on a 25.875" shaft	SHA2522AT	\$72
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	T2522A2S	\$279	22.45" body on a 25.875" shaft	SHA2522AT	\$72
2" smooth Steel light tubing (full shaft)	5.5 lb	T2522A2L	\$279	22.25" body on a 25.875" shaft	SHA2522AT	\$72

### 2" dia. TWO body rollers

2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	T2504A2CGt	\$434	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATNt	\$87
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb	T2504A2NGt	\$434	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATNt	\$87
2 bodies 2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	T2504A2CGFt	\$434	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATNt	\$87
2 bodies 2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb	T2504A2NGFt	\$434	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATNt	\$87
2 bodies 2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb	T2502A2Ct	\$421	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATNt	\$87
2 bodies 2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb	T2504A2Ct	\$434	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATNt	\$87

### 2" dia. THREE body rollers

3 bodies 2" wide grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	T3122A2CG+2C	\$487	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATN+2	\$104
3 bodies 2" narrow grooved Urethane over steel (22.45" inner+2x2" outer bodies)	12 lb	T3122A2NG+2C	\$487	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATN+2	\$104
3 bodies 2" smooth Urethane over steel (single 22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$487	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATN+2	\$104
3 bodies 2" smooth Steel heavy duty tubing (single 22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2C	\$487	22.25" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATN+2	\$104

### 2" dia. FOUR body rollers

4 bodies 2" wide grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$526	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2522ATN4	\$87
4 bodies 2" narrow grooved Urethane over steel (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$526	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2522ATN4	\$87
4 bodies 2" wide grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$526	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2522ATN4	\$87
4 bodies 2" narrow grooved Urethane over steel (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$526	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2522ATN4	\$87
4 bodies 2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	T2522A2C4	\$526	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2522ATN4	\$87
4 bodies 2" smooth Steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	T2522A2S4	\$526	4 short independent bodies on a 24.25" shaft w/ 7/16"-20 taps	SHA2522ATN4	\$87

**2" dia. SIX body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists various roller configurations like wide grooved Urethane and smooth Steel heavy duty tubing.

**2.5" dia. SINGLE body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2.5" grooved Urethane cast over heavy duty steel tubing.

**2.5" dia. Four body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2.5" grooved Urethane over steel.

**Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150 (with 3/8"-24 tap in shaft ends)**

(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 3" grooved Urethane cast over heavy duty steel tubing.

**Toro 22" TriFlex series GREENSMOWERS - FRONT & BACK ROLLERS: 3200, 3250, 3300, 3320, 3370, 3400, 3420**

(choose the style to match your needs) (these rollers have solid shaft ends without taps, they do not accommodate yoke ball studs)

and

**Toro GREENSMOWER FLEX models 21, 2100, 2120, 1021 & e1021 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "A" in part # to "S")**

**2" dia. SINGLE body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2" wide grooved Urethane cast over steel tubing.

**2" dia. TWO body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2" wide grooved Urethane over steel.

**2" dia. THREE body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2" wide grooved Urethane over steel.

**2" dia. FOUR body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2" wide grooved Urethane over steel.

**2" dia. SIX body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2" wide grooved Urethane (4x5.55" inner+2x2" outer bodies).

**2.5" dia. SINGLE body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2.5" grooved Urethane cast over heavy duty steel tubing.

**2.5" dia. TWO body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2.5" grooved Urethane over steel.

**2.5" dia. Four body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2.5" grooved Urethane over steel.

**2.5" dia. SIX body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2.5" grooved Urethane over steel.

**Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")**

**2" dia. SINGLE body rollers**

Table with 6 columns: Qty, Description, Weight, Price, Description, Price. Lists roller configurations like 2" wide grooved Urethane cast over heavy duty steel tubing.



**2" dia. TWO body rollers**

2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2304C2CGt	<b>\$434</b>	2 short twin independent bodies at ends of a 23" shaft	SHA2304CTNt	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) no flats	4 lb J2304C2NGt	<b>\$434</b>	2 short twin independent bodies at ends of a 23" shaft	SHA2304CTNt	<b>\$87</b>
2 bodies	2" wide grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2304C2CGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 23" shaft	SHA2304CTNt	<b>\$87</b>
2 bodies	2" narrow grooved Urethane over steel (2x4.75" wide twin bodies) 1" flats	4 lb J2304C2NGFt	<b>\$434</b>	2 short twin independent bodies at ends of a 23" shaft	SHA2304CTNt	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x2" wide twin bodies)	4 lb J2302C2Ct	<b>\$421</b>	2 short twin independent bodies at ends of a 23" shaft	SHA2304CTNt	<b>\$87</b>
2 bodies	2" smooth Urethane over steel tubing (2x4.75" wide twin bodies)	4.2 lb J2304C2Ct	<b>\$434</b>	2 short twin independent bodies at ends of a 23" shaft	SHA2304CTNt	<b>\$87</b>

**2" dia. THREE body rollers**

3 bodies	2" wide grooved Urethane over steel (19.45" inner+2x2" outer bodies)	12 lb J2919C2CG+2C	<b>\$487</b>	19.45" center body + 2 short outer bodies on a 29" shaft	SHA2919CTN+2	<b>\$104</b>
3 bodies	2" narrow grooved Urethane over steel (19.45" inner+2x2" outer bodies)	12 lb J2919C2NG+2C	<b>\$487</b>	19.45" center body + 2 short outer bodies on a 29" shaft	SHA2919CTN+2	<b>\$104</b>
3 bodies	2" smooth Urethane over steel (single 19.45" inner+2x2" outer bodies)	13 lb J2919C2C+2C	<b>\$487</b>	19.45" center body + 2 short outer bodies on a 29" shaft	SHA2919CTN+2	<b>\$104</b>

**2" dia. FOUR body rollers**

4 bodies	2" wide grooved Urethane over steel (4x4.75" wide bodies) no flats	8.5 lb J2319C2CG4	<b>\$536</b>	4 short independent bodies on a 23" shaft	SHA2319CTN4	<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x4.75" wide bodies) no flats	8.5 lb J2319C2NG4	<b>\$536</b>	4 short independent bodies on a 23" shaft	SHA2319CTN4	<b>\$87</b>
4 bodies	2" wide grooved Urethane over steel (4x4.75" wide bodies) 1" flats	8.5 lb J2319C2CGF4	<b>\$536</b>	4 short independent bodies on a 23" shaft	SHA2319CTN4	<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x4.75" wide bodies) 1" flats	8.5 lb J2319C2NGF4	<b>\$536</b>	4 short independent bodies on a 23" shaft	SHA2319CTN4	<b>\$87</b>
4 bodies	2" smooth Urethane over steel tubing (4 x 4.75" wide bodies)	8.5 lb J2319C2C4	<b>\$536</b>	4 short independent bodies on a 23" shaft	SHA2319CTN4	<b>\$87</b>
4 bodies	2" smooth steel heavy duty tubing (4 x 4.75" wide bodies)	12 lb J2319C2S4	<b>\$536</b>	4 short independent bodies on a 23" shaft	SHA2319CTN4	<b>\$87</b>

**2" dia. SIX body rollers**

6 bodies	2" wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb T2919C2CG4+2C	<b>\$626</b>	4 short independent bodies + 2 short outer bodies on a 29" shaft	SHA2919CTN4+2	<b>\$104</b>
6 bodies	2" narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb T2919C2NG4+2C	<b>\$626</b>	4 short independent bodies + 2 short outer bodies on a 29" shaft	SHA2919CTN4+2	<b>\$104</b>
6 bodies	2" wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb T2919C2CGF4+2C	<b>\$626</b>	4 short independent bodies + 2 short outer bodies on a 29" shaft	SHA2919CTN4+2	<b>\$104</b>
6 bodies	2" narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb T2919C2NGF4+2C	<b>\$626</b>	4 short independent bodies + 2 short outer bodies on a 29" shaft	SHA2919CTN4+2	<b>\$104</b>
6 bodies	2" smooth Urethane over steel tubing (4x4.75" inner+2x2" outer bodies)	12 lb T2919C2C4+2C	<b>\$626</b>	4 short independent bodies + 2 short outer bodies on a 29" shaft	SHA2919CTN4+2	<b>\$104</b>
6 bodies	2" smooth Steel heavy duty tubing (4x4.75" inner+2x2" outer bodies)	12 lb T2919C2S4+2C	<b>\$626</b>	4 short independent bodies + 2 short outer bodies on a 29" shaft	SHA2919CTN4+2	<b>\$104</b>

**Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS****2" dia. SINGLE body rollers**

	2" wide grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb J2219S2CG	<b>\$362</b>	19.45" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>
	2" narrow grooved Urethane cast over heavy duty steel tubing no flats	7.5 lb J2219S2NG	<b>\$362</b>	19.45" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>
	2" wide grooved Urethane cast over heavy duty steel tubing	6.5 lb J2219S2CGF	<b>\$362</b>	19.45" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>
	2" narrow grooved Urethane cast over heavy duty steel tubing 1" flats	7.5 lb J2219S2NGF	<b>\$362</b>	19.45" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb J2219S2C	<b>\$345</b>	19.45" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>
	2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb J2219S2S	<b>\$315</b>	19.25" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>
	2" smooth Steel light tubing (full shaft)	4.5 lb J2219S2L	<b>\$315</b>	19.25" body, 22.75" shaft w/o taps	SHA2219ST	<b>\$72</b>

**2" dia. FOUR body rollers**

4 bodies	2" wide grooved Urethane over steel (4x4.75" wide bodies) no flats	8.5 lb J2219S2CG4	<b>\$536</b>	4 short independent bodies on a 22.75" shaft	SHA2219STN4	<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x4.75" wide bodies) no flats	8.5 lb J2219S2NG4	<b>\$536</b>	4 short independent bodies on a 22.75" shaft	SHA2219STN4	<b>\$87</b>
4 bodies	2" wide grooved Urethane over steel (4x4.75" wide bodies) 1" flats	8.5 lb J2219S2CGF4	<b>\$536</b>	4 short independent bodies on a 22.75" shaft	SHA2219STN4	<b>\$87</b>
4 bodies	2" narrow grooved Urethane over steel (4x4.75" wide bodies) 1" flats	8.5 lb J2219S2NGF4	<b>\$536</b>	4 short independent bodies on a 22.75" shaft	SHA2219STN4	<b>\$87</b>
4 bodies	2" smooth Urethane over steel tubing (4 x 4.75" wide bodies)	8.5 lb T2219S2C4	<b>\$536</b>	4 short independent bodies on a 22.75" shaft	SHA2219STN4	<b>\$87</b>
4 bodies	2" smooth steel heavy duty tubing (4 x 4.75" wide bodies)	12 lb T2219S2S4	<b>\$536</b>	4 short independent bodies on a 22.75" shaft	SHA2219STN4	<b>\$87</b>

**Toro GM1600 26" GREENSMOWER - FRONT & BACK ROLLERS****2" dia. SINGLE body rollers**

	2" wide grooved Urethane cast over heavy duty steel tubing no flats	9 lb T3127A2CG	<b>\$375</b>	27.45" body, 31" shaft	SHA3127AT	<b>\$72</b>
	2" wide grooved Urethane cast over heavy duty steel tubing 1" flats	9 lb T3127A2CGF	<b>\$375</b>	27.45" body, 31" shaft	SHA3127AT	<b>\$72</b>
	2" smooth Urethane cast over heavy duty steel tubing	11 lb T3127A2C	<b>\$375</b>	27.45" body, 31" shaft	SHA3127AT	<b>\$72</b>
	2" smooth Steel heavy duty tubing (1/4" wall)	13.5 lb T3127A2S	<b>\$345</b>	27.25" body, 31" shaft	SHA3127AT	<b>\$72</b>
	2" smooth Steel light tubing (full shaft)	8 lb T3127A2L	<b>\$345</b>	27.25" body, 31" shaft	SHA3127AT	<b>\$72</b>

**2.5" dia. SINGLE body rollers**

	2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb T3127A25CG	<b>\$423</b>	27.45" body, 31" shaft	SHA3127AT	<b>\$72</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	11 lb T3127A25C	<b>\$391</b>	27.45" body, 31" shaft	SHA3127AT	<b>\$72</b>
	2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb T3127A25S	<b>\$361</b>	27.25" body, 31" shaft	SHA3127AT	<b>\$72</b>

**2.5" dia. TWO body rollers**

2 bodies	2.5" smooth Urethane over steel tubing (2 x 4" wide bodies)	7 lb T3104A25Ct	<b>\$516</b>	2 short twin independent bodies at ends of a 29.75" shaft	SHA3104ATNt	<b>\$87</b>
----------	---	-----------------	--------------	---	-------------	-------------

**2.5" dia. FOUR body rollers**

4 bodies	2.5" grooved Urethane over steel tubing (4 x 6.5" wide bodies)	10 lb T3127A25CG4	<b>\$612</b>	4 short independent bodies on a 29.75" shaft	SHA3127ATN4	<b>\$87</b>
4 bodies	2.5" smooth Urethane over steel tubing (4 x 6.5" wide bodies)	13 lb T3127A25C4	<b>\$612</b>	4 short independent bodies on a 29.75" shaft	SHA3127ATN4	<b>\$87</b>

**2.5" dia. SIX body rollers**

6 bodies	2.5" grooved Urethane over steel tubing (4x6.5" inner+2x2" outer bodies)	10 lb D3727A25CG4+2C	<b>\$686</b>	4 short independent bodies on a 29.75" shaft	SHA3727ATN4+2	<b>\$104</b>
6 bodies	2.5" smooth Urethane over steel tubing (4x6.5" inner+2x2" outer bodies)	13 lb D3727A25C4+2C	<b>\$686</b>	4 short independent bodies on a 29.75" shaft	SHA3727ATN4+2	<b>\$104</b>

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER****(Sectional rollers with 4 bodies also available)****Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call**

	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522A25CG	<b>\$407</b>	22.45" body & 25.87" shaft	SHA2522AT	<b>\$72</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A25C	<b>\$361</b>	22.45" body & 25.87" shaft	SHA2522AT	<b>\$72</b>
	2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522A25S	<b>\$313</b>	22.25" body & 25.87" shaft	SHA2522AT	<b>\$72</b>

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)****(Sectional rollers with 4 bodies also available)**

	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2319A2CGF	<b>\$350</b>	19.45" body	SHA2319AT	<b>\$72</b>
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2319A2C	<b>\$328</b>	19.45" body	SHA2319AT	<b>\$72</b>
	2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb T2319A2S	<b>\$279</b>	19.25" body	SHA2319AT	<b>\$72</b>
	2" smooth Steel light tubing (full shaft)	4.5 lb T2319A2L	<b>\$279</b>	19.25" body	SHA2319AT	<b>\$72</b>

**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT****(Sectional rollers with 4 bodies also available)****Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call**

	2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2319T25CG	<b>\$434</b>	19.45" body & 23" shaft	SHA2319TT	<b>\$72</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2319T25C	<b>\$382</b>	19.45" body & 23" shaft	SHA2319TT	<b>\$72</b>
	2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2319T25S	<b>\$332</b>	19.25" body & 23" shaft	SHA2319TT	<b>\$72</b>

**3" dia. SINGLE body rollers**

	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2722A3CG	<b>\$470</b>	22.45" body, 27" shaft	SHA2722AT	<b>\$72</b>
	3" smooth Urethane cast over heavy duty steel tubing	12 lb T2722A3C	<b>\$438</b>	22.45" body, 27" shaft	SHA2722AT	<b>\$72</b>
	3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2722A3S	<b>\$345</b>	22.25" body, 27" shaft	SHA2722AT	<b>\$72</b>
	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2724A3CG	<b>\$470</b>	24.45" body, 27" shaft	SHA2724AT	<b>\$72</b>
	3" smooth Urethane cast over heavy duty steel tubing	12 lb T2724A3C	<b>\$438</b>	24.45" body, 27" shaft	SHA2724AT	<b>\$72</b>
	3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2724A3S	<b>\$342</b>	24.25" body, 27" shaft	SHA2724AT	<b>\$72</b>



**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK**

**(Sectional rollers with 4 bodies also available)**

**2" dia. SINGLE body rollers**

2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2319A2CGF	<b>\$350</b>	19.45" body, 23" shaft	SHA2319AT	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2319A2C	<b>\$328</b>	19.45" body, 23" shaft	SHA2319AT	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb T2319A2S	<b>\$279</b>	19.25" body, 23" shaft	SHA2319AT	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	4.5 lb T2319A2L	<b>\$279</b>	19.25" body, 23" shaft	SHA2319AT	<b>\$72</b>
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2519A2CGF	<b>\$350</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2519A2C	<b>\$328</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	10.5 lb T2519A2S	<b>\$279</b>	19.25" body, 25" shaft	SHA2519AT	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	4.5 lb T2519A2L	<b>\$279</b>	19.25" body, 25" shaft	SHA2519AT	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2321A2C	<b>\$313</b>	21.45" body, 23.75" shaft	SHA2321AT	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb T2321A2S	<b>\$279</b>	21.25" body, 23.75" shaft	SHA2321AT	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	5.5 lb T2321A2L	<b>\$279</b>	21.25" body, 23.75" shaft	SHA2321AT	<b>\$72</b>

**2.5" dia. SINGLE body rollers**

2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2319A25CG	<b>\$407</b>	19.45" body, 23" shaft	SHA2319AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2319A25C	<b>\$361</b>	19.45" body, 23" shaft	SHA2319AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2319A25S	<b>\$313</b>	19.25" body, 23" shaft	SHA2319AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2519A25CG	<b>\$407</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2519A25C	<b>\$361</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2519A25S	<b>\$313</b>	19.25" body, 25" shaft	SHA2519AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb T2321A25CG	<b>\$407</b>	21.45" body, 23.75" shaft	SHA2321AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2321A25C	<b>\$361</b>	21.45" body, 23.75" shaft	SHA2321AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb T2321A25S	<b>\$313</b>	21.25" body, 23.75" shaft	SHA2321AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb T2521C25CG	<b>\$407</b>	21.45" body, 25.5" shaft	SHA2521CT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2521C25C	<b>\$361</b>	21.45" body, 25.5" shaft	SHA2521CT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2521C25S	<b>\$313</b>	21.25" body, 25.5" shaft	SHA2521CT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb T2522C25CG	<b>\$407</b>	22.45" body, 25.5" shaft	SHA2522CT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522C25C	<b>\$361</b>	22.45" body, 25.5" shaft	SHA2522CT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522C25S	<b>\$313</b>	22.25" body, 25.5" shaft	SHA2522CT	<b>\$72</b>

**3" dia. SINGLE body rollers**

3" grooved Urethane cast over heavy duty steel tubing	9 lb T2319T3CG	<b>\$486</b>	19.45" body & 23" shaft	SHA2319TT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	11 lb T2319T3C	<b>\$461</b>	19.45" body & 23" shaft	SHA2319TT	<b>\$72</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb T2319T3S	<b>\$370</b>	19.25" body & 23" shaft	SHA2319TT	<b>\$72</b>
3" grooved Urethane cast over heavy duty steel tubing	9 lb T2519A3CG	<b>\$170</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	11 lb T2519A3C	<b>\$438</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb T2519A3S	<b>\$342</b>	19.25" body, 25" shaft	SHA2519AT	<b>\$72</b>
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522C3CG	<b>\$490</b>	22.45" body, 25.5" shaft	SHA2522CT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2522C3C	<b>\$438</b>	22.45" body, 25.5" shaft	SHA2522CT	<b>\$72</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2522C3S	<b>\$342</b>	22.25" body, 25.5" shaft	SHA2522CT	<b>\$72</b>

**Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS**

**(Sectional rollers with 4 bodies also available)**

**2.5" dia. SINGLE body rollers**

2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2419A25CG	<b>\$407</b>	19.45" body, 24.5" shaft	SHA2419AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2419A25C	<b>\$361</b>	19.45" body, 24.5" shaft	SHA2419AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2419A25S	<b>\$313</b>	19.25" body, 24.5" shaft	SHA2419AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb T2421A25CG	<b>\$407</b>	21.45" body, 24.5" shaft	SHA2421AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2421A25C	<b>\$361</b>	21.45" body, 24.5" shaft	SHA2421AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2421A25S	<b>\$313</b>	21.25" body, 24.5" shaft	SHA2421AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2422A25CG	<b>\$407</b>	22.45" body, 24.5" shaft	SHA2422AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2422A25C	<b>\$361</b>	22.45" body, 24.5" shaft	SHA2422AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2422A25S	<b>\$313</b>	22.25" body, 24.5" shaft	SHA2422AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2519A25CG	<b>\$407</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2519A25C	<b>\$361</b>	19.45" body, 25" shaft	SHA2519AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2519A25S	<b>\$313</b>	19.25" body, 25" shaft	SHA2519AT	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522A25CG	<b>\$407</b>	22.45" body, 25.87" shaft	SHA2522AT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A25C	<b>\$361</b>	22.45" body, 25.87" shaft	SHA2522AT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522A25S	<b>\$313</b>	22.25" body, 25.87" shaft	SHA2522AT	<b>\$72</b>

**3" dia. SINGLE body rollers**

3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG	<b>\$470</b>	22.45" body, 25.87" shaft	SHA2522AT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2522A3C	<b>\$438</b>	22.45" body, 25.87" shaft	SHA2522AT	<b>\$72</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2522A3S	<b>\$342</b>	22.25" body, 25.87" shaft	SHA2522AT	<b>\$72</b>
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2722A3CG	<b>\$470</b>	22.45" body, 27" shaft	SHA2722AT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2722A3C	<b>\$438</b>	22.45" body, 27" shaft	SHA2722AT	<b>\$72</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2722A3S	<b>\$345</b>	22.25" body, 27" shaft	SHA2722AT	<b>\$72</b>
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2724A3CG	<b>\$470</b>	24.45" body, 27" shaft	SHA2724AT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2724A3C	<b>\$438</b>	24.45" body, 27" shaft	SHA2724AT	<b>\$72</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2724A3S	<b>\$342</b>	24.25" body, 27" shaft	SHA2724AT	<b>\$72</b>

<b>To diminish instances of shadowing lines due to overlap of reels</b>			<b>call for proper application specifics</b>		
3 section 3" grooved Urethane with 2" wide smooth ends	9.5 lb T2722A3CG.22C	<b>\$645</b>	front roller for rear mower heads-use with T2719A3C	SHA2722AT	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required to fit BACK ROLLER)	11 lb T2719A3C	<b>\$438</b>	back roller for rear mower heads-use with T2722A3CG.22C	SHA2719AT	<b>\$72</b>

**2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available** **call for proper application specifics**

Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT & BACK ROLLERS			(Sectional rollers with 4 bodies also available)		
<b>2.5" dia. SINGLE body rollers</b>					
2.5" grooved Urethane cast over heavy duty steel tubing	10 lb T3026D25CG	\$407	26.45" body, 30" shaft	SHA3026DT	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb T3026D25C	\$361	26.45" body, 30" shaft	SHA3026DT	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T3026D25S	\$313	26.25" body, 30" shaft	SHA3026DT	\$72
2.5" grooved Urethane cast over heavy duty steel tubing	10.3 lb T3227D25CG	\$423	27.45" body, 32" shaft	SHA3227DT	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb T3227D25C	\$375	27.45" body, 32" shaft	SHA3227DT	\$72
<b>3" dia. SINGLE body rollers</b>					
3" grooved Urethane cast over heavy duty steel tubing	12.5 lb T3026D3CG	\$470	26.45" body, 30" shaft	SHA3026DT	\$72
3" smooth Urethane cast over heavy duty steel tubing	13 lb T3026D3C	\$438	26.45" body, 30" shaft	SHA3026DT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	13 lb T3026D3S	\$342	26.25" body, 30" shaft	SHA3026DT	\$72
3" grooved Urethane cast over heavy duty steel tubing	12.8 lb T3227D3CG	\$470	27.45" body, 32" shaft	SHA3227DT	\$72
3" smooth Urethane cast over heavy duty steel tubing	13.3 lb T3227D3C	\$438	27.45" body, 32" shaft	SHA3227DT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	13.3 lb T3227D3S	\$342	27.25" body, 32" shaft	SHA3227DT	\$72
<b>Toro SIDEWINDER 32" REEL MOWERS: 3100D &amp; 2600D &amp; 2300D - FRONT ROLLER (check length of body and shaft to match your requirements)</b>					
3" grooved Urethane cast over heavy duty steel tubing	14 lb T3431U3CG	\$486	31.45" body, 34.5" shaft	SHA3431UT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3431U3S	\$375	31.25" body, 34.5" shaft	SHA3431UT	\$72
3" grooved Urethane cast over heavy duty steel tubing	14 lb T3632U3CG	\$486	32.45" body, 36" shaft	SHA3632UT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3632U3S	\$375	32.25" body, 36" shaft	SHA3632UT	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb T3431U25S	\$361	31.25" body, 34.5" shaft	SHA3431UT	\$72
<b>Toro SIDEWINDER 32" REEL MOWERS: 3100D &amp; 2600D &amp; 2300D - BACK ROLLER</b>					
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3429U3C	\$438	29.45" body, 34.5" shaft	SHA3429UT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	14.5 lb T3429U3S	\$361	29.25" body, 34.5" shaft	SHA3429UT	\$72
2.5" smooth Urethane cast over heavy duty steel tubing	12.5 lb T3429U25C	\$375	29.45" body, 34.5" shaft	SHA3429UT	\$72
2.5" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb T3429U25S	\$361	29.25" body, 34.5" shaft	SHA3429UT	\$72
<b>Toro REEL MOWERS: 4500D, 4300D, 4000D, 3500D, 450D, 335D &amp; 350D - FRONT ROLLER</b>					
3" grooved Urethane cast over heavy duty steel tubing	14.5 lb T3732K3CG	\$470	Replacement for OEM rollers with 36" or 37" shaft	SHA3732KT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	16 lb T3732K3S	\$375	Replacement for OEM rollers with 36" or 37" shaft	SHA3732KT	\$72
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb T3229T3CG	\$470	Replacement for OEM rollers with 32" shaft	SHA3229TT	\$72
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3229T3C	\$438	Replacement for OEM rollers with 32" shaft	SHA3229TT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3229T3S	\$345	Replacement for OEM rollers with 32" shaft	SHA3229TT	\$72
<b>Toro REEL MOWERS: 4500D, 4000D, 3500D, 450D, 335D, &amp; 350D - BACK ROLLER</b>					
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3429K3C	\$438	29.45" body	SHA3429KT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3429K3S	\$329	29.25" body	SHA3429KT	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb T3429K7C	\$532	29.45" body	SHA3429KT	\$72
4" smooth Urethane cast over heavy duty steel tubing	30 lb T3429K4C	\$626	29.45" body	SHA3429KT	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	29 lb T3429K4S	\$563	29.25" body	SHA3429KT	\$72
<b>Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO &amp; PARKMASTER GANG</b>					
3" smooth Urethane cast over heavy duty steel tubing	14 lb T3227J3C	\$438	27.45" body	SHA3227JT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb T3227J3S	\$345	27.25" body	SHA3227JT	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	17 lb T3227J7C	\$532	27.45" body	SHA3227JT	\$72
4" smooth Steel heavy duty tubing (1/8" wall)	27 lb T3227J4S	\$563	27.25" body	SHA3227JT	\$72
<b>Toro ROTARY DECK 4500D, 4700D, 3500D &amp; 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft)</b>					
5" grooved Urethane cast over steel tubing w/ bearings/seals	5 lb T0505G5CG3	\$345	do not need OEM 5/8" dia. bolt	SHA0505GT	\$72
5" smooth Urethane over steel tubing (5.2" wide body)	5 lb T0505G5C	\$236	do not need OEM 5/8" dia. bolt	SHA0505GT	\$72
<b>Toro ROTARY DECK 4500D, 4700D, 3500D &amp; 3505D - BACK ROLLER</b>					
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb T3329A3CG	\$470	non-stripping, allows better air flow	SHA3329AT	\$72
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3329A3C	\$438	29.45" body	SHA3329AT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3329A3S	\$345	29.25" body	SHA3329AT	\$72
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb T3329A7C	\$532	29.45" body	SHA3329AT	\$72
2 bodies 3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	10.5 lb T3305A3CGt	\$563	non-stripping, allows better air flow	SHA3305ATN	\$87
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	11 lb T3304A3Ct	\$517	non-stripping, allows better air flow	SHA3304ATN	\$87
2 bodies 3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	12 lb T3304A3St	\$470	non-stripping, allows better air flow	SHA3304ATN	\$87
5 bodies 3" grooved Urethane over steel tubing (5 x 5.2" wide bodies)	13.5 lb T3329A3CG5	\$822	non-stripping, for tight turns & ground undulations	SHA3329ATN5	\$87
5 bodies 3" smooth Urethane over steel tubing (5 x 5.2" wide bodies)	14 lb T3329A3C5	\$822	non-stripping, for tight turns & ground undulations	SHA3329ATN5	\$87
<b>Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft)</b>					
5" grooved Urethane cast over steel tubing w/ bearings/seals	5 lb T0705G5CG3	\$345	3 large machined grooves in roller body	SHA0705GT	\$75
5" smooth Urethane over steel tubing (5.2" wide body)	5.5 lb T0705G5C	\$236	do not need OEM 5/8" dia. bolt	SHA0705GT	\$72
<b>Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)</b>					
3" grooved Urethane cast over heavy duty steel tubing	11 lb T2824K3CG	\$470	24.45" body	SHA2824KT	\$72
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2824K3C	\$438	24.45" body	SHA2824KT	\$72
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb T2824K3S	\$345	24.25" body	SHA2824KT	\$72
2 bodies 3" grooved Urethane over steel tubing (2 x 5.2" wide bodies)	10.5 lb T2805K3CGt	\$563	non-stripping, allows better air flow	SHA2805KTN	\$87
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	11 lb T2804K3Ct	\$517	non-stripping, allows better air flow	SHA2804KTN	\$87
2 bodies 3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	12 lb T2804K3St	\$470	non-stripping, allows better air flow	SHA2804KTN	\$87
4 bodies 3" grooved Urethane over steel tubing (4 x 5.2" wide bodies)	12.5 lb T2824K3CG4	\$766	non-stripping, for tight turns & ground undulations	SHA2824KTN4	\$87
4 bodies 3" smooth Urethane over steel tubing (4 x 5.2" wide bodies)	13.5 lb T2824K3C4	\$766	non-stripping, for tight turns & ground undulations	SHA2824KTN4	\$87

## for RANSOMES mowers

### RANSOMES ALL 22" GREENSPLEX & E-PLEX - FRONT ROLLER

2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	R2522A2CGF	<b>\$350</b>	22.45" body	SHA2522AJ	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	8 lb	R2522A2C	<b>\$328</b>	22.45" body	SHA2522AJ	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	R2522A2S	<b>\$279</b>	22.25" body	SHA2522AJ	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	5.5 lb	R2522A2L	<b>\$279</b>	22.25" body	SHA2522AJ	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2522A25CG	<b>\$407</b>	22.45" body	SHA2522AJ	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	R2522A25C	<b>\$361</b>	22.45" body	SHA2522AJ	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb	R2522A25S	<b>\$313</b>	22.25" body	SHA2522AJ	<b>\$72</b>
4 bodies 2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2522A2C4	<b>\$584</b>	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	<b>\$72</b>
4 bodies 2" smooth Steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	R2522A2S4	<b>\$555</b>	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	<b>\$72</b>
4 bodies 2.5" grooved Urethane over steel: 1" crests ctc (5.55" bodies)	10.5 lb	R2522A25CG4	<b>\$626</b>	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	<b>\$72</b>
4 bodies 2.5" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2522A25C4	<b>\$612</b>	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	<b>\$72</b>

### RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER

2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	R2422S2CGF	<b>\$350</b>	22.45" body, 3/8"-24 taps in shaft ends	SHA2422SJ	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	8 lb	R2422S2C	<b>\$328</b>	22.45" body, 3/8"-24 taps in shaft ends	SHA2422SJ	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	R2422S2S	<b>\$279</b>	22.25" body, 3/8"-24 taps in shaft ends	SHA2422SJ	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	5.5 lb	R2422S2L	<b>\$279</b>	22.25" body, 3/8"-24 taps in shaft ends	SHA2422SJ	<b>\$72</b>
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	R2422G2CGF	<b>\$350</b>	22.45" body, 7/16"-20 taps in shaft ends	SHA2422GJ	<b>\$72</b>
2" smooth Urethane cast over heavy duty steel tubing	8 lb	R2422G2C	<b>\$328</b>	22.45" body, 7/16"-20 taps in shaft ends	SHA2422GJ	<b>\$72</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	R2422G2S	<b>\$279</b>	22.25" body, 7/16"-20 taps in shaft ends	SHA2422GJ	<b>\$72</b>
2" smooth Steel light tubing (full shaft)	5.5 lb	R2422G2L	<b>\$279</b>	22.25" body, 7/16"-20 taps in shaft ends	SHA2422GJ	<b>\$72</b>
4 bodies 2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2422S2C4	<b>\$584</b>	4 independent bodies @22.3" oal on a shaft with 3/8"-24 taps	SHA2422SJN4	<b>\$72</b>
4 bodies 2" smooth Steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	R2422S2S4	<b>\$555</b>	4 independent bodies @22.3" oal on a shaft with 3/8"-24 taps	SHA2422SJN4	<b>\$72</b>
4 bodies 2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2422G2C4	<b>\$584</b>	4 independent bodies @22.3" oal on a shaft with 7/16"-20 taps	SHA2422GJN4	<b>\$72</b>
4 bodies 2" smooth Steel heavy duty tubing (4 x 5.55" wide bodies)	12 lb	R2422G2S4	<b>\$555</b>	4 independent bodies @22.3" oal on a shaft with 7/16"-20 taps	SHA2422GJN4	<b>\$72</b>

### RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS

2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2826G25CG	<b>\$407</b>	7/16"-20 taps in shaft ends	SHA2826GR	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	11.5 lb	R2826G25C	<b>\$361</b>	7/16"-20 taps in shaft ends	SHA2826GR	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	12 lb	R2826G25S	<b>\$313</b>	7/16"-20 taps in shaft ends	SHA2826GR	<b>\$72</b>

### RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS

3" grooved Urethane cast over heavy duty steel tubing	13 lb	R2722R3CG	<b>\$470</b>		SHA2722RR	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	R2722R3C	<b>\$438</b>		SHA2722RR	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb	R2722R3S	<b>\$345</b>		SHA2722RR	<b>\$72</b>

### RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER

3" grooved Urethane cast over heavy duty steel tubing	13 lb	R2622A3CG	<b>\$470</b>		SHA2622AR	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	R2622A3C	<b>\$438</b>		SHA2622AR	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb	R2622A3S	<b>\$345</b>		SHA2622AR	<b>\$72</b>

### RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER

3" grooved Urethane cast over heavy duty steel tubing	13 lb	R2722A3CG	<b>\$470</b>		SHA2722AR	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	R2722A3C	<b>\$438</b>		SHA2722AR	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb	R2722A3S	<b>\$345</b>		SHA2722AR	<b>\$72</b>

### RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER

2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2421S25CG	<b>\$407</b>	3/8"-24 taps in shaft ends	SHA2421SJ	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	R2421S25C	<b>\$361</b>	3/8"-24 taps in shaft ends	SHA2421SJ	<b>\$72</b>
2.5" smooth Steel extra heavy duty tubing (1/4" wall)	10 lb	R2421S25S	<b>\$313</b>	3/8"-24 taps in shaft ends	SHA2421SJ	<b>\$72</b>
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2421G25CG	<b>\$407</b>	7/16"-20 taps in shaft ends	SHA2421GJ	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	8 lb	R2421G25C	<b>\$361</b>	7/16"-20 taps in shaft ends	SHA2421GJ	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/4" wall)	12 lb	R2421G25S	<b>\$313</b>	7/16"-20 taps in shaft ends	SHA2421GJ	<b>\$72</b>

### RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS

3" grooved Urethane cast over heavy duty steel tubing	13 lb	R3026T3CG	<b>\$170</b>		SHA3026TR	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	R3026T3C	<b>\$438</b>		SHA3026TR	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb	R3026T3S	<b>\$345</b>		SHA3026TR	<b>\$72</b>

### RANSOMES 30" T-PLEX 185D - ALL ROLLERS

3" grooved Urethane cast over heavy duty steel tubing	13 lb	R3429T3CG	<b>\$513</b>		SHA3429TR	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	R3429T3C	<b>\$479</b>		SHA3429TR	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb	R3429T3S	<b>\$416</b>		SHA3429TR	<b>\$72</b>

### RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS

2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R3127G25CG	<b>\$454</b>	27.45" body, 31 .62" shaft w/ 7/16"-20 taps	SHA3127GR	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing	11.2 lb	R3127G25C	<b>\$409</b>	27.45" body, 31 .62" shaft w/ 7/16"-20 taps	SHA3127GR	<b>\$72</b>
2.5" smooth Steel extra heavy duty tubing (1/4" wall)	12 lb	R3127G25S	<b>\$381</b>	27.25" body, 31 .62" shaft w/ 7/16"-20 taps	SHA3127GR	<b>\$72</b>
3" grooved Urethane cast over heavy duty steel tubing	12.4 lb	R3529A3CG	<b>\$513</b>	29.45" body, 35" shaft	SHA3529AR	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb	R3529A3C	<b>\$479</b>	29.45" body, 35" shaft	SHA3529AR	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb	R3529A3S	<b>\$416</b>	29.25" body, 35" shaft	SHA3529AR	<b>\$72</b>

### RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER

3.5" smooth Urethane cast over heavy duty steel tubing	27 lb	R2722X7C	<b>\$563</b>	22.45" body	SHA2722XR	<b>\$72</b>
4" smooth Urethane cast over heavy duty steel tubing	23 lb	R2722X4C	<b>\$626</b>	22.45" body	SHA2722XR	<b>\$72</b>
4" smooth Steel heavy duty tubing (1/8" wall)	27 lb	R2722X4S	<b>\$599</b>	22.45" body	SHA2722XR	<b>\$72</b>

## for TRU-TURF Greens Golf Rollers

Tru-Turf Smoothing Heads Rollers for RS48-11E machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	T2222S25C	<b>\$361</b>	22.45" body	SHA2222ST	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	T2222S25S	<b>\$323</b>	22.25" body	SHA2222ST	<b>\$72</b>
Tru-Turf Smoothing Heads Rollers for RB48-11A machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	T2222R25C	<b>\$374</b>	22.45" body short rollers (4 per machine)	SHA2222RT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	T2222R25S	<b>\$336</b>	22.25" body short rollers (4 per machine)	SHA2222RT	<b>\$72</b>
2.5" smooth Urethane cast over heavy duty steel tubing 24.45"	10 lb	T2524R25C	<b>\$387</b>	24.45" body long rollers (2 per machine)	SHA2222RT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 24.25"	9.6 lb	T2524R25S	<b>\$349</b>	24.25" body long rollers (2 per machine)	SHA2222RT	<b>\$72</b>
Tru-Turf Smoothing Heads Rollers for R50-11 machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	T2222Y25C	<b>\$374</b>	22.45" body short rollers (4 per machine)	SHA2222YT	<b>\$87</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	T2222Y25S	<b>\$336</b>	22.25" body short rollers (4 per machine)	SHA2222YT	<b>\$87</b>
2.5" smooth Urethane cast over heavy duty steel tubing 24.45"	10 lb	T2524Y25C	<b>\$387</b>	24.45" body long rollers (2 per machine)	SHA2524YT	<b>\$87</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 24.25"	9.6 lb	T2524Y25S	<b>\$349</b>	24.25" body long rollers (2 per machine)	SHA2524YT	<b>\$87</b>
Tru-Turf Smoothing Heads Rollers for GR39 machine						
2.5" smooth Urethane cast over heavy duty steel tubing 39.5"	15.5 lb	T3939S25C	<b>\$580</b>	39.45" body	SHA3939ST	<b>\$96</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 39.5"	15.5 lb	T3939S25S	<b>\$519</b>	39.25" body	SHA3939ST	<b>\$96</b>
Tru-Turf Smoothing Heads Rollers for TR7000C machine						
2.5" smooth Urethane cast over heavy duty steel tubing 39.5" 2 bodies	15.5 lb	T3939S25C2	<b>\$621</b>	2 body assembly at 39.5" total length	SHA3939ST	<b>\$96</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 39.5" 2 bodies	15.5 lb	T3939S25S2	<b>\$548</b>	2 body assembly at 39.5" total length	SHA3939ST	<b>\$96</b>
Tru-Turf Smoothing Heads Rollers for R52 machine						
2.5" smooth Urethane cast over heavy duty steel tubing 18.45"	9 lb	T1818S25C	<b>\$361</b>	18.45" body	SHA1818ST	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 18.25"	8.7 lb	T1818S25S	<b>\$336</b>	18.25" body	SHA1818ST	<b>\$72</b>
Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	TT2422S25C	<b>\$407</b>	22.45" body, 24.25" shaft	SHA2422STT	<b>\$72</b>
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	TT2422S25S	<b>\$391</b>	22.25" body, 24.25" shaft	SHA2422STT	<b>\$72</b>

## for SISIS

Sisis Flexi-400 - ALL ROLLERS						
3" smooth Urethane cast over heavy duty steel tubing	11.6 lb	S2524S3C	<b>\$470</b>	24.45" body	SHA2524SS	<b>\$87</b>
3" smooth Steel heavy duty tubing	12 lb	S2524S3S	<b>\$441</b>	24.25" body	SHA2524SS	<b>\$87</b>
3.5" smooth Urethane cast over heavy duty steel tubing	16 lb	S2524S7C	<b>\$532</b>	24.45" body	SHA2524SS	<b>\$87</b>
Sisis Veemo MK2 Verticutter - ALL ROLLERS						
3" smooth Urethane cast over heavy duty steel tubing	15 lb	S3029G3C	<b>\$470</b>	29.45" body	SHA3029GS	<b>\$87</b>
3" smooth Steel heavy duty tubing	15 lb	S3029G3S	<b>\$441</b>	29.25" body	SHA3029GS	<b>\$87</b>

## for DENNIS

Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)						
3.5" smooth Urethane cast over heavy duty steel tubing	21 lb	D3834G7C	<b>\$612</b>		SHA3834GD	<b>\$102</b>
Handlebar bushing (2 per roller)		2SLEEVE 1.25x.5x1.2 PU	<b>\$31</b>			

## for SHIBAURA & HUSTLER

Shibaura G EXE 26 Greens Mower (Sectional rollers with 4 bodies also available)						
2.5" grooved Urethane cast over heavy duty steel tubing	10 lb	S2826P25CG	<b>\$541</b>	26.45" body, 28.375" shaft	SHA2826PS	<b>\$84</b>
2.5" smooth Urethane cast over heavy duty steel tubing	12.5 lb	S2826P25C	<b>\$484</b>	26.45" body, 28.375" shaft	SHA2826PS	<b>\$84</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb	S2826P25S	<b>\$421</b>	26.25" body, 28.375" shaft	SHA2826PS	<b>\$84</b>
2" smooth Urethane cast over heavy duty steel tubing	8.5 lb	S2826P2C	<b>\$396</b>	26.45" body, 28.375" shaft	SHA2826PS	<b>\$84</b>
2" smooth Steel heavy duty tubing (1/4" wall)	12 lb	S2826P2S	<b>\$369</b>	26.25" body, 28.375" shaft	SHA2826PS	<b>\$84</b>
Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower (Sectional rollers with 4 bodies also available)						
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	S2522P2CGF	<b>\$396</b>	22.45" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
2" smooth Urethane cast over heavy duty steel tubing	8 lb	S2522P2C	<b>\$369</b>	22.45" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	S2522P2S	<b>\$356</b>	22.25" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	S2522P25CG	<b>\$526</b>	22.45" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
2.5" smooth Urethane cast over heavy duty steel tubing	11.5 lb	S2522P25C	<b>\$470</b>	22.45" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
2.5" smooth Steel heavy duty tubing (1/8" wall)	12 lb	S2522P25S	<b>\$407</b>	22.25" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway (Sectional rollers with 4 bodies also available)						
3" grooved Urethane cast over heavy duty steel tubing	10.5 lb	S2522P3CG	<b>\$563</b>	22.45" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb	S2522P3C	<b>\$532</b>	22.45" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
3" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb	S2522P3S	<b>\$438</b>	22.25" body, 25.75" shaft	SHA2522PS	<b>\$84</b>
Shibaura SR370 (Sectional rollers with 4 bodies also available)						
3" grooved Urethane cast over heavy duty steel tubing	12.5 lb	S2926P3CG	<b>\$584</b>	26.45" body, 29.75" shaft	SHA2926PS	<b>\$84</b>
3" smooth Urethane cast over heavy duty steel tubing	14 lb	S2926P3C	<b>\$548</b>	26.45" body, 29.75" shaft	SHA2926PS	<b>\$84</b>
3" smooth Steel heavy duty tubing (1/8" wall)	14 lb	S2926P3S	<b>\$470</b>	26.25" body, 29.75" shaft	SHA2926PS	<b>\$84</b>



## for BARONESS

### Baroness LM66T Greens - ALL ROLLERS

2.5" grooved Urethane cast over heavy duty steel tubing	13 lb B2725H25CG	<b>\$502</b>	25.45" body	SHA2725HK	<b>\$87</b>
2.5" smooth Urethane cast over heavy duty steel tubing	15 lb B2725H25C	<b>\$454</b>	25.45" body	SHA2725HK	<b>\$87</b>
2.5" smooth Steel heavy duty tubing	15 lb B2725H25S	<b>\$423</b>	25.45" body	SHA2725HK	<b>\$87</b>

### Baroness LM185 - ALL ROLLERS

3" grooved Urethane cast over heavy duty steel tubing	13 lb B3027K3CG	<b>\$611</b>	27.45" body	SHA3027KK	<b>\$87</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb B3027K3C	<b>\$548</b>	27.45" body	SHA3027KK	<b>\$87</b>
3" smooth Steel heavy duty tubing	15 lb B3027K3S	<b>\$470</b>	27.25" body	SHA3027KK	<b>\$87</b>

### Baroness LM2700 Fairway - 27.45" ROLLER BODIES

3" grooved Urethane cast over heavy duty steel tubing	13 lb B2727G3CG	<b>\$611</b>	27.45" body	SHA2727GK	<b>\$87</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb B2727G3C	<b>\$548</b>	27.45" body	SHA2727GK	<b>\$87</b>
3" smooth Steel heavy duty tubing	15 lb B2727G3S	<b>\$470</b>	27.25" body	SHA2727GK	<b>\$87</b>
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb B2727G7C	<b>\$690</b>	27.45" body	SHA2727GK	<b>\$87</b>
4" smooth Urethane cast over heavy duty steel tubing	23 lb B2727G4C	<b>\$782</b>	27.45" body	SHA2727GK	<b>\$87</b>

## for VENTRAC

### Ventrac MJ840 Contour Deck Rotary Mower

3" smooth Urethane cast over heavy duty steel tubing	11.8 lb 2V2422S3C	only available through Venture Products		SHA2422SV	
3" smooth Steel heavy duty tubing (1/8" wall)	11.4 lb V2422S3S	<b>\$438</b>	22.05" body	SHA2422SV	<b>\$87</b>
2 bodies 3" grooved Urethane over steel tubing (2 x 4" wide bodies)	8 lb V2404S3CGt	<b>\$563</b>	non-stripping, allows better air flow	SHA2404SVN	<b>\$87</b>
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	8 lb 2V2404S3Ct	<b>\$626</b>	non-stripping, allows better air flow	SHA2404SVN	<b>\$87</b>
2 bodies 3" smooth Urethane over steel tubing (2 x 4" wide bodies)	8 lb V2404S3Ct	<b>\$517</b>	non-stripping, allows better air flow	SHA2404SVN	<b>\$87</b>
2 bodies 3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	10 lb V2404S3St	<b>\$484</b>	non-stripping, allows better air flow	SHA2404SVN	<b>\$87</b>

### Ventrac MR740 Triplex Reel Mower

3" grooved Urethane cast over heavy duty steel tubing	9.5 lb V2827G3CG	<b>\$548</b>	27.45" body	SHA2827GV	<b>\$87</b>
3" smooth Urethane cast over heavy duty steel tubing	11.5 lb V2827G3C	<b>\$486</b>	27.45" body	SHA2827GV	<b>\$87</b>
3" smooth Steel heavy duty tubing (1/8" wall)	11.2 lb V2827G3S	<b>\$457</b>	27.25" body	SHA2827GV	<b>\$87</b>

## for NATIONAL

### National 68 & 84 TRIPLEX & PTO GANG - 30" REELS

3" grooved Urethane cast over heavy duty steel tubing	13 lb N3429I3CG	<b>\$470</b>	29.45" body	SHA3429IN	<b>\$72</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb N3429I3C	<b>\$438</b>	29.45" body	SHA3429IN	<b>\$72</b>
3" smooth Steel heavy duty tubing	15 lb N3429I3S	<b>\$345</b>	29.25" body	SHA3429IN	<b>\$72</b>
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb N3429I7C	<b>\$532</b>	29.45" body	SHA3429IN	<b>\$72</b>
4" smooth Urethane cast over heavy duty steel tubing	23 lb N3229I4C	<b>\$595</b>	29.45" body	SHA3229IN	<b>\$72</b>
4" smooth Steel heavy duty tubing	19 lb N3429I4S	<b>\$532</b>	29.25" body	SHA3229IN	<b>\$72</b>

### National 68 & 84 TRIPLEX & PTO GANG - 25" OUTSIDE REELS

3" smooth Urethane cast over heavy duty steel tubing	11 lb N2420I3C	<b>\$438</b>	20.45" body	SHA2420IN	<b>\$72</b>
3" smooth Steel heavy duty tubing	11 lb N2420I3S	<b>\$361</b>	20.25" body	SHA2420IN	<b>\$72</b>
3.5" smooth Urethane cast over heavy duty steel tubing	13 lb N2420I7C	<b>\$532</b>	20.45" body	SHA2420IN	<b>\$72</b>

## for BUNTON

### Bunton 22" WALKING GREENSMOWERS - FRONT

(Sectional rollers with 4 bodies also available)

2" grooved Urethane cast over heavy duty steel tubing	7.5 lb B2422P2CGF	<b>\$363</b>	22.45" body	SHA2422PB	<b>\$84</b>
2" smooth Urethane cast over heavy duty steel tubing	8 lb B2422P2C	<b>\$341</b>	22.45" body	SHA2422PB	<b>\$84</b>
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb B2422P2S	<b>\$303</b>	22.25" body	SHA2422PB	<b>\$84</b>
2" smooth Steel light tubing (full shaft)	5 lb B2422P2L	<b>\$303</b>	22.25" body	SHA2422PB	<b>\$84</b>
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb B2422P25CG	<b>\$384</b>	22.45" body	SHA2422PB	<b>\$84</b>
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb B2422P25C	<b>\$341</b>	22.45" body	SHA2422PB	<b>\$84</b>
2.5" smooth Steel heavy duty tubing (1/4" wall)	10 lb B2422P25S	<b>\$313</b>	22.25" body	SHA2422PB	<b>\$84</b>

### Bunton 26" WALKING GREENSMOWER - FRONT

(Sectional rollers with 4 bodies also available)

2.5" grooved Urethane cast over heavy duty steel tubing	10 lb B2726P25CG	<b>\$384</b>	26.45" body	SHA2726PB	<b>\$84</b>
2.5" smooth Urethane cast over heavy duty steel tubing	10.5 lb B2726P25C	<b>\$341</b>	26.45" body	SHA2726PB	<b>\$84</b>
2.5" smooth Steel heavy duty tubing (1/4" wall)	11 lb B2726P25S	<b>\$313</b>	26.25" body	SHA2726PB	<b>\$84</b>

### Bunton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS

3" grooved Urethane cast over heavy duty steel tubing	13 lb B3629H3CG	<b>\$470</b>	29.45" body	SHA3629HB	<b>\$84</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb B3629H3C	<b>\$438</b>	29.45" body	SHA3629HB	<b>\$84</b>
3" smooth Steel heavy duty tubing	15 lb B3629H3S	<b>\$345</b>	29.25" body	SHA3629HB	<b>\$84</b>
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb B3629H7C	<b>\$532</b>	29.25" body	SHA3629HB	<b>\$84</b>

## for KESMAC

### Kesmac GANG MOWER - ALL ROLLERS

3" grooved Urethane cast over heavy duty steel tubing	13 lb K3227A3CG	<b>\$563</b>	27.45" body	SHA3227AK	<b>\$84</b>
3" smooth Urethane cast over heavy duty steel tubing	15 lb K3227A3C	<b>\$438</b>	27.45" body	SHA3227AK	<b>\$84</b>
3" smooth Steel heavy duty tubing	15 lb K3227A3S	<b>\$345</b>	27.25" body	SHA3227AK	<b>\$84</b>
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb K3227A7C	<b>\$563</b>	27.45" body	SHA3227AK	<b>\$84</b>
4" smooth Urethane cast over heavy duty steel tubing	23 lb N3227A4C	<b>\$595</b>	27.45" body	SHA3227AK	<b>\$84</b>

Don't see your machine listed? Call us about the possible roller options for your equipment.

# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2023

## Competition Roller™ Upgrade Options

### Upgrade to Stainless Steel Bearings on Competition Rollers™

### Upgrade to Double Row Bearings as our Competition2 Rollers™

- upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)
- available for most rollers > 2" diameter (requires specially machined inner steel tube bearing housings)

### Add Grease Fittings (set of 2 special flush mount grease fittings)

- grease fittings (set of two) for new Competition Rollers™ or new overhaul kits
- special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

### Bearing Installation Tool Set

- set of 2 tools - aids in installing bearings into roller housing and onto shaft

### Super Duty solid one piece Polyurethane Soft Blow Mallet

- unique utility to add to your tool box

Retail Part #

\$28 BU-COMPSS



\$80

(designate by adding "2" to front of roller part number)

\$24 GFFD316SET

\$29 2SEAL16CUGF SET



\$76 2TOOLSET



\$70 #MALLET1



## Competition Roller™ Overhaul Kits - \*ORIGINAL STYLE\*



Standard overhaul kit for all single body rollers (except "H" style 2" grooved)  
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$72 OHCOMP

Stainless steel bearing overhaul kit for all single body rollers (except "H" style 2" grooved)  
(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

\$100 OHCOMPSS

Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19  
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$72 OHCOMPH

Overhaul kit for twin body roller assemblies (one kit per body - call to confirm)

\$87 OHCOMPnt

Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

\$74 OHCOMPn4

## Competition2 Roller™ Overhaul Kits \*SERIES 2\* with Double-Row Bearings

Kit with Double-Row Bearings with corrosion resistant black oxide finish  
(with 2 bearings, 6 seals, 2 stainless washers & 4 retainers)

\$120 OHCOMP2BO

{ Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

## Competition Roller™ Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

## Pro Roller™ Bearings (Water Pump Style)

Replaces Toro #21-8430  
Water pump bearing-sealed (shaft is 1.8")

\$26 BWP3

Replaces Toro #52-3180 & 52-3210  
Water pump bearing-sealed (shaft is 1.8" with 3/8-24 tap)

\$26 BWP4

Replaces Jacobsen #101482  
Water pump bearing-sealed (shaft is 1.0" with 7/16-20 tap)

\$26 BWP5

Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741  
Water pump bearing-sealed (shaft is 1.5")

\$26 BWP7

