



Series: Altezza Specifications

Special Order



20 x 20 in / 50 x 50 cm Pressed Matte 4500-0726-0



13 x 13 in / 33 x 33 cm Pressed Matte 4500-0725-0

STOCKED



12 x 24 in / 30 x 60 cm Pressed Matte 4500-0724-0

Mosaic



2 x 2 in / 5 x 5 cm Mosaic Matte 4501-0000-0

Trim



3 x 12 in / 7.1 x 30 cm Bullnose Matte 4502-0000-0

Packaging information

Key logistical details including item codes and product specifications.

| Altezza Product & Packaging Information | | | | | | | | | | | |
|---|----------------------|-----------|----------------------|------------|------------|------------|-------------|-----------|-------------|--------------|------------|
| | ACTUAL DIMENSIONS | THICKNESS | CARRARA ITEM CODE | LBS BOX | KGS BOX | PCS BOX | SQFT BOX | M² BOX | BXS SKID | SQFT SKID | M² SKID |
| 20 x 20 in / 50 x 50 cm ALTEZZA MATTE PRESSED GLAZED PORCELAIN TILE | 500 x 500 mm | 8.7 mm | 4500-0726-0 | 65.28 | 29.61 | 6 | 16.15 | 1.5 | 26 | 419.90 | 39 |
| 12 x 24 in / 30 x 60 cm ALTEZZA MATTE PRESSED GLAZED PORCELAIN TILE | 300 x 600 mm | 8.5 mm | 4500-0724-0 | 62.48 | 28.34 | 8 | 15.5 | 1.44 | 32 | 496 | 46.08 |
| 13 x 13 in / 33 x 33 cm ALTEZZA MATTE PRESSED GLAZED PORCELAIN TILE | 330 x 330 mm | 7.1 mm | 4500-0725-1 | 45.41 | 20.6 | 11 | 12.92 | 1.2 | 54 | 697.68 | 64.8 |
| MOSAIC | | | | | | | | | | | |
| 2 x 2 in / 5 x 5 cm ALTEZZA MATTE GLAZED PORCELAIN MOSAIC | 299 x 299 mm | 9 mm | 4501-0000-0 | 38.45 | 17.44 | 10 | 9.58 | 0.89 | 48 | 459.84 | 42.91 |
| TRIM | | | | | | | | | | | |
| 3 x 12 in / 7.1 x 30 cm ALTEZZA MATTE GLAZED PORCELAIN BULLNOSE | 71 x 300 mm | 9 mm | 4502-0000-0 | 16.46 | 7.47 | 20 | N/A | N/A | 84 | 1680 PCS | |




630.594.4795

Series: Altezza Technical

Tile collection performance based on industry standards.

| Technica | al Information | | |
|-------------------------|---------------------|--------------------------------------|---|
| \Diamond | WATER ABSORPTION | ANSI / ISO - (%) | < 0.5% |
| | ABRASION RESISTANCE | ANSI / ISO | CLASS 4 |
| 50°50 50°50 50°50 | SCRATCH HARDNESS | ANSI / ISO - (Mohs) | 5 |
| 8/8 | BREAKING STRENGTH | ANSI - (Ibf) ISO - (N) | ≥300 >1300 |
| | SHADE VARIATION | | V2 |
| | SLIP RESISTANCE | ANSI - DCOF (WET) M ISO - R VALUE | ATTE ≥0.65 (ID, IW, IW+, EW , O/G) MATTE R(-) |
| \square | CHEMICAL RESISTANCE | ANSI / ISO | CLASS A |
| z | STAIN RESISTANCE | ANSI / ISO | CLASS A / CLASS 5 |
| * | FROST RESISTANCE | ANSI / ISO | PASS |

Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production lots.





630.594.4795

Series: Altezza Technical

Usage recommendations

Our recommendations for suitable applications.

| Usage Re | Jsage Recommendations* MATTE GLAZED PORCELAIN | | | | | |
|----------|---|------|-----------------------|--|--|--|
| | APPLICATION | WALL | FLOOR | | | |
| | RESIDENTIAL | • | ID, IW, IW+, EW , O/G | | | |
| INTERIOR | COMMERCIAL | • | ID, IW, IW+, EW , O/G | | | |
| | HEAVY COMMERCIAL | • | | | | |
| EXTERIOR | RESIDENTIAL / COMMERCIAL | • | ID, IW, IW+, EW , O/G | | | |

These recommendations are not defined by ANSI/ISO standards.

Factors other than the noted DCOF result must also be taken into consideration. Such factors include, but are not limited to, expected contaminants, drainage, surface texture, effect of structure on the DCOF measurement, number of grout joints, traction-enhancing features, and intended use in addition to the other criteria noted in standard ANSI A326.3

Packaging information

Key logistical details including item codes and product specifications.

| Altezza Product & Packaging Information | | | | | | | | | | | |
|---|----------------------|-----------|----------------------|------------|------------|------------|-------------|-----------|-------------|--------------|------------|
| Items in red are stocked by Legacy Tile | ACTUAL DIMENSIONS | THICKNESS | CARRARA ITEM CODE | LBS BOX | KGS BOX | PCS BOX | SQFT BOX | M² BOX | BXS SKID | SQFT SKID | M² SKID |
| 20 x 20 in / 50 x 50 cm ALTEZZA MATTE PRESSED GLAZED PORCELAIN TILE | 500 x 500 mm | 8.7 mm | 4500-0726-0 | 65.28 | 29.61 | 6 | 16.15 | 1.5 | 26 | 419.90 | 39 |
| 12 x 24 in / 30 x 60 cm ALTEZZA MATTE PRESSED GLAZED PORCELAIN TILE | 300 x 600 mm | 8.5 mm | 4500-0724-0 | 62.48 | 28.34 | 8 | 15.5 | 1.44 | 32 | 496 | 46.08 |
| 13 x 13 in / 33 x 33 cm ALTEZZA MATTE PRESSED GLAZED PORCELAIN TILE | 330 x 330 mm | 7.1 mm | 4500-0725-1 | 45.41 | 20.6 | 11 | 12.92 | 1.2 | 54 | 697.68 | 64.8 |
| MOSAIC | | | | | | | | | | | |
| 2 x 2 in / 5 x 5 cm ALTEZZA MATTE GLAZED PORCELAIN MOSAIC | 299 x 299 mm | 9 mm | 4501-0000-0 | 38.45 | 17.44 | 10 | 9.58 | 0.89 | 48 | 459.84 | 42.91 |
| TRIM | | | | | | | | | | | |
| 3 x 12 in / 7.1 x 30 cm ALTEZZA MATTE GLAZED PORCELAIN BULLNOSE | 71 x 300 mm | 9 mm | 4502-0000-0 | 16.46 | 7.47 | 20 | N/A | N/A | 84 | 1680 PCS | |

DCOF Classifications per ANSI A326.3: (ID): Interior, Dry (IW): Interior, Wet (IW+): Interior, Wet Plus (EW): Exterior, Wet (O/G): Oils/Greases