



We design and manufacture embedded controls



## **Focus areas**

IOT

For Industrial, Commercial and Professional Applications Using BLE Mesh, SubGhz

**BLDC** 

BLDC Motor Controls, AC Induction Motor Controls like Single phasing preventers, Overload Relays, Auto starts, Soft starts



## **Focus areas**

Fire Alarms

We have considerable experience and contacts in this industry

Consumer

Our success story on controls for Mosquito repellents – 15 Million+ Numbers produced in 9 months,

We are open to licensing our designs for production



# **Design Process**



Project always starts with an Idea




# **Design Process**



Idea is converted into detailed specifications and a contract is signed. It can be a Design + Production contract or Design+ Royalty contract




## **Design Process**



External look and feel and dimensions of product is decided and a 3D solid model is designed using software like Solid Works or Solid Edge. A sample is 3D printed using facilities available in-house.




## **Design Process**



Product schematics are prepared and reviewed with customer




## **Design Process**



Schematic is converted into a PCB Layout



## **Design Process**



PCB design is done in 2D / 3D and a complete 3D view is available before making the PCB



## **Design Process**

```
🔣 Nt/1_Bird/\2_Suppliers\ST\ST ARM CORTEX M7\stm32cubef7\STM32Cube_FW_F7_V1.1.0\Projects\STM32746G-Discovery\Templates\MDK-ARM\Project.uvprojx - µVision
 File Edit View Project Flash Debug Peripherals Tools SVCS Window Help
 □ B 1 Q - O O 0 II II - A
 main.c
 ☐ 🍪 Project: Project
                                          MPU InitStruct.BaseAddress = 0x20010000;
  STM32746G_Discovery(AXIM-FLASH
                                          MPU InitStruct.Size = MPU REGION SIZE 256KB;
                                         MPU InitStruct.AccessPermission = MPU REGION FULL ACCESS;

    □ Drivers/BSP/Components

                                          MPU_InitStruct.IsBufferable = MPU_ACCESS_NOT_BUFFERABLE;
     ⊕ 🎑 Drivers/STM32F7xx HAL Driver
                                   194 MPU InitStruct.IsCacheable = MPU ACCESS CACHEABLE;
195 MPU InitStruct.IsShareable = MPU ACCESS NOT SHAREABLE;
     ⊕ Drivers/BSP/STM32746G_Discov
                                         MPU InitStruct.Number = MPU REGION NUMBERO;
     Example/User
                                         MPU_InitStruct.TypeExtField = MPU_TEX_LEVELO;
                                          MPU_InitStruct.SubRegionDisable = 0x00
         stm32f7xx_it.c
                                         MPU_InitStruct.DisableExec = MPU_INSTRUCTION_ACCESS_ENABLE;
         stm32f7xx_hal_msp.c
     Doc Doc
                                         HAL MPU ConfigRegion(&MPU InitStruct);
     /* Enable the MPU */
                                   203
     Example/MDK-ARM
                                   204
                                         HAL_MPU_Enable (MPU_PRIVILEGED_DEFAULT);
        startup_stm32f746xx.s
                                   205
       ◆ CMSIS
                                   206
                                   207 □ /**
                                   208
                                          * @brief CPU L1-Cache enable.
                                   209
                                          * @param None
                                   210
                                          * @retval None
                                        static void CPU CACHE Enable (void)
                                   213 🗏 {
                                          /* Enable I-Cache */
                                         SCB EnableICache();
                                   216
                                   217
                                          /* Enable D-Cache */
                                         SCB EnableDCache();
                                    221 #ifdef USE_FULL_ASSERT
                                   223 日/*
                                          * @brief Reports the name of the source file and the source line number
                                          * @param file: pointer to the source file name
                                         * @param line: assert_param error line source number
                                   229
                                   230
                                         void assert failed(uint8 t* file, uint32 t line)
                                    231 =
                                             ex: printf("Wrong parameters value: file %s on line %d\r\n", file, line) */
                                    235
```

Compilers like KEIL MDK Professional , Microchip MPLAB and Renesas e2 studio are available with us for firmware development



# BIRD ELECTRONICS PRIVATE LIMITED Design Process



Debugging is done with appropriate debugger. KEIL ULINK2 is one of the good debugger suitable for use with KEIL MDK Professional.



# **Design Process**



Project completed and delivered Next idea starts here!



## **Production process and equipment**



We have in house facilities for prototypes and low volume production. High volume production facilities are available with our associate company.



## Production process and equipment



Reflow oven can match/far exceed capacity of pick and place machine.




## **Production process and equipment**



For PCBs with SMD and Thruhole components, we need a wave soldering machine. One machine can easily process matching components for PCBs processed on pick and place machine.



# BIRD ELECTRONICS PRIVATE LIMITED About Us



Started business in 1986 as a family owned partnership firm. In 1996 became a family owned private limited company. Initially we manufactured Security guard Alert systems, water level controllers and Alarm Annunciators.



## **About Us**



1988 on-wards started manufacturing controllers for Centralized lubrication systems. These are used to provide controlled lubrication to heavy earth moving machines. Such timers were used by virtually all earth moving machines. These were used by companies like Grindwell Norton/Lincoln Helios and SKF.




## **About Us**



In the early 1990s brought in several controllers for Dental Medical equipment: Dental Chair motion controls, X-Ray timers, Micro-motor controls, Autoclaves and many more.




## **About Us**



In the mid to late 1990s designed controllers for Asphalt compactors, drilling efficiency monitors for very large mining drills and some very complex timers. We still make some of these products without much change even after more than 20 years. The products are used by companies like Ingersoll Rand / Volvo.



# BIRD ELECTRONICS PRIVATE LIMITED About Us



In 2019/2020 designed a controller for a mosquito repellent device which is a very low cost product. 15 Million + nos have been manufactured in less than 9 months since the launch of this product - and without a single unit with a failed component due to manufacturing defect.



# Ecology and technology go together

We have been granted international patent (PCT) on mosquito repellents under Green Channel scheme. 2 more patents are in the pipeline on mosquito repellents.



## **Contact Us**

Bird Electronics Private Limited #71&72 Royal Enclave, 2<sup>nd</sup> Main, 5<sup>th</sup> Cross, Srirampura, Jakkur Bangalore 560064 India anand@birdelectronics.in https://birdelectronics.in +919900140040

BECORPORATE REV3 29June2020

We have been granted international patent (PCT) on mosquito repellents under Green Channel scheme. 2 more patents are in the pipeline on mosquito repellents.

