DPP - Daily Practice Problems

Chapter-wise Sheets

 Date :
 Start Time :
 End Time :

 PHYSICS
 CP22

 SYLLABUS : Electromagnetic Waves

 Max. Marks : 180
 Marking Scheme : (+4) for correct & (-1) for incorrect answer

INSTRUCTIONS : This Daily Practice Problem Sheet contains 45 MCQs. For each question only one option is correct. Darken the correct circle/ bubble in the Response Grid provided on each page.

- 1. An electromagnetic wave in vacuum has the electric and magnetic field \vec{E} and \vec{B} , which are always perpendicular to each other. The direction of polarization is given by \vec{X} and that of wave propagation by \vec{k} . Then
 - (a) $\vec{X} \parallel \vec{B}$ and $\vec{k} \parallel \vec{B} \times \vec{E}$ (b) $\vec{X} \parallel \vec{E}$ and $\vec{k} \parallel \vec{E} \times \vec{B}$
 - (c) $\vec{X} \parallel \vec{B}$ and $\vec{k} \parallel \vec{E} \times \vec{B}$ (d) $\vec{X} \parallel \vec{E}$ and $\vec{k} \parallel \vec{B} \times \vec{E}$
- 2. The rms value of the electric field of the light coming from the Sun is 720 N/C. The average total energy density of the electromagnetic wave is
 - (a) $4.58 \times 10^{-6} \text{ J/m}^3$ (b) $6.37 \times 10^{-9} \text{ J/m}^3$
 - (c) $81.35 \times 10^{-12} \text{ J/m}^3$ (d) $3.3 \times 10^{-3} \text{ J/m}^3$
- 3. In order to establish an instantaneous displacemet current of 1 mA in the space between the plates of 2μ F parallel plate capacitor, the potential difference need to apply is (a) 100 Vs^{-1} (b) 200 Vs^{-1} (c) 300 Vs^{-1} (d) 500 Vs^{-1}
- 4. During the propagation of electromagnetic waves in a medium:
 - (a) Electric energy density is double of the magnetic energy density.

- (b) Electric energy density is half of the magnetic energy density.
- (c) Electric energy density is equal to the magnetic energy density.
- (d) Both electric and magnetic energy densities are zero.
- 5. An electromagnetic wave with frequency ω and wavelength λ travels in the + y direction. Its magnetic field is along + x-axis. The vector equation for the associated electric field (of amplitude E_0) is
 - (a) $\overrightarrow{E} = -E_0 \cos\left(\omega t + \frac{2\pi}{\lambda}y\right) \hat{x}$
 - (b) $\overrightarrow{E} = E_0 \cos\left(\omega t \frac{2\pi}{\lambda}y\right) \hat{x}$
 - (c) $\overrightarrow{E} = E_0 \cos\left(\omega t \frac{2\pi}{\lambda}y\right)\hat{z}$

(d)
$$\overrightarrow{E} = -E_0 \cos\left(\omega t + \frac{2\pi}{\lambda}y\right)\hat{z}$$

RESPONSE GRID 1. abcd 2. abcd 3. abcd 4. abcd 5. abcd

Space for Rough Work

Mastermind Career Institute : 9760352969

P-86

- An electromagnetic wave of frequency v = 3.0 MHz6. passes from vacuum into a dielectric medium with permittivity $\epsilon = 4.0$. Then
 - (a) wavelength is halved and frequency remains unchanged
 - (b) wavelength is doubled and frequency becomes half
 - (c) wavelength is doubled and the frequency remains unchanged
 - (d) wavelength and frequency both remain unchanged.
- The average electric field of electromagnetic waves in certain 7. region of free space is 9×10^{-4} NC⁻¹. Then the average magnetic field in the same region is of the order of
 - (a) $27 \times 10^{-4} \text{ T}$ (b) $3 \times 10^{-12} \,\mathrm{T}$ $\left(\frac{1}{3}\right) \times 10^{-12} \text{ T}$ (d) $3 \times 10^{12} \,\mathrm{T}$ (c)
- The electric field of an electromagnetic wave travelling 8. through vaccum is given by the equation $E = E_0 \sin (kx - \omega t)$. The quantity that is independent of wavelength is

(a)
$$k\omega$$
 (b) $\frac{k}{\omega}$ (c) $k^2\omega$ (d) ω

The electric and the magnetic field associated with an E.M. 9. wave, propagating along the +z-axis, can be represented by

(a)
$$\begin{bmatrix} \vec{E} = E_0 \hat{i}, \vec{B} = B_0 \hat{j} \end{bmatrix}$$
 (b) $\begin{bmatrix} \vec{E} = E_0 \vec{k}, \vec{B} = B_0 \hat{i} \end{bmatrix}$
(c) $\begin{bmatrix} \vec{E} = E_0 \hat{j}, \vec{B} = B_0 \hat{i} \end{bmatrix}$ (d) $\begin{bmatrix} \vec{E} = E_0 \hat{j}, \vec{B} = B_0 \hat{k} \end{bmatrix}$

10. The energy of electromagnetic wave in vacuum is given by the relation

(a)
$$\frac{E^2}{2\varepsilon_0} + \frac{B^2}{2\mu_0}$$
 (b) $\frac{1}{2}\varepsilon_0 E^2 + \frac{1}{2}\mu_0 B^2$
(c) $\frac{E^2 + B^2}{c}$ (d) $\frac{1}{2}\varepsilon_0 E^2 + \frac{B^2}{2\mu_0}$

- 11. A plane electromagnetic wave is incident on a plane surface of area A, normally and is perfectly reflected. If energy E strikes the surface in time t then average pressure exerted on the surface is (c = speed of light)
 - (a) zero (b) E/Atc (c) 2E/Atc (d) E/c
- An electromagnetic wave travels along z-axis. Which of the 12. following pairs of space and time varying fields would generate such a wave?

(a) E_x, B_y (b) E_y, B_x (c) E_z, B_x (d) E_y, B_z

The magnetic field in a travelling electromagnetic wave has 13. a peak value of 20 nT. The peak value of electric field strength is :

- (a) 3 V/m(b) 6V/m(c) 9 V/m(d) 12 V/mMicrowave oven acts on the principle of :
- 14. giving rotational energy to water molecules (a)
 - giving translational energy to water molecules (b)
 - (c) giving vibrational energy to water molecules
 - (d) transferring electrons from lower to higher energy levels in water molecule
- Displacement current is 15.
 - (a) continuous when electric field is changing in the circuit
 - (b) continuous when magnetic field is changing in the circuit
 - (c) continuous in both types of fields
 - (d) continuous through wires and resistance only
- The electric field associated with an e.m. wave in vacuum is 16.

given by $\vec{E} = \hat{i} 40 \cos(kz - 6 \times 10^8 t)$, where E, z and t are in volt/m, meter and seconds respectively. The value of wave vector k is

(a)
$$2 m^{-1}$$
 (b) $0.5 m^{-1}$ (c) $6 m^{-1}$ (d) $3 m^{-1}$

- The charge on a parallel plate capacitor varies as $q = q_0$ 17. $\cos 2\pi \upsilon t$. The plates are very large and close together (area = A, separation = d). The displacement current through the capacitor is
 - (a) $q_0 2\pi \upsilon \sin \pi \upsilon t$ (c) $q_0 2\pi \sin \pi \upsilon t$ (b) $-q_0 2\pi \upsilon \sin 2\pi \upsilon t$
 - (d) $q_0^{-\pi \upsilon} \sin 2\pi \upsilon t$
- A radiation of energy 'E' falls normally on a perfectly 18 reflecting surface. The momentum transferred to the surface is (C = Velocity of light)

(a)
$$\frac{2E}{C}$$
 (b) $\frac{2E}{C^2}$ (c) $\frac{E}{C^2}$ (d) $\frac{E}{C}$

Match List - I (Electromagnetic wave type) with List - II (Its 19. association/application) and select the correct option from the choices given below the lists:

| | | 0 | | | |
|----|---------|---------|----|-------|-----------------------------|
| | List 1 | | | | List 2 |
| 1. | Infrare | d wave | es | (i) | To treat muscular strain |
| 2. | Radio | waves | | (ii) | For broadcasting |
| 3. | X-rays | | | (iii) | To detect fracture of bones |
| 4. | Ultravi | olet ra | ys | (iv) | Absorbed by the ozone layer |
| | | | | | of the atmosphere |
| | 1 | 2 | 3 | | 4 |

| (a) | (iv) | (iii) | (ii) | (i) |
|-----|-------|-------|------|-------------|
| (b) | (i) | (ii) | (iv) | (iii) |
| (-) | (:::) | (:) | (2) | (\cdot) |

- (c) (iii) (ii) (i) (iv) (d) (i) (ii) (iii) (iv)
- A plane electromagnetic wave travels in free space along 20.

X-direction. If the value of \vec{B} (in tesla) at a particular point in space and time is 1.2×10^{-8} k. The value of \vec{E} (in Vm⁻¹) at that point is

(a) $1.2\hat{j}$ (b) $3.6 \hat{k}$ (c) $1.2 \hat{k}$ (d) $3.6 \hat{j}$

Space for Rough Work

Mastermind Career Institute : 9760352969

DPP/CP22

DPP/ CP22 -

- **21.** If v_s , v_x and v_m are the speed of soft gamma rays, X-rays and microwaves respectively in vacuum, then
- 22. Photons of an electromagnetic radiation has an energy 11 keV each. To which region of electromagnetic spectrum does it belong ?
 - (a) X-ray region (b) Ultra violet region
 - (c) Infrared region (d) Visible region
- 23. A plane electromagnetic wave travels in free space along x-axis. At a particular point in space, the electric field along y-axis is 9.3 V m^{-1} . The magnetic induction (B) along z-axis is
- **24.** The ratio of amplitude of magnetic field to the amplitude of electric field for an electromagnetic wave propagating in vacuum is equal to :
 - (a) the speed of light in vacuum
 - (b) reciprocal of speed of light in vacuum
 - (c) the ratio of magnetic permeability to the electric susceptibility of vacuum
 - (d) unity
- **25.** A plane electromagnetic wave is incident on a material surface. If the wave delivers momentum p and energy E, then
 - (a) p=0, E=0 (b) $p \neq 0, E \neq 0$
 - (c) $p \neq 0, E = 0$ (d) $p = 0, E \neq 0$
- 26. Intensity of electromagnetic wave will be
 - (a) $I = c\mu_0 B_0^2 / 2$ (b) $I = c\epsilon_0 B_0^2 / 2$
 - (c) $I = B_0^2 / c\mu_0$ (d) $I = E_0^2 / 2c\epsilon_0$
- **27.** The decreasing order of wavelength of infrared, microwave, ultraviolet and gamma rays is
 - (a) microwave, infrared, ultraviolet, gamma rays
 - (b) gamma rays, ultraviolet, infrared, micro-waves
 - (c) microwaves, gamma rays, infrared, ultraviolet
- (d) infrared, microwave, ultraviolet, gamma rays
- 28. Which radiation in sunlight, causes heating effect ?(a) Ultraviolet(b) Infrared
 - (a) Ultraviolet(b) Infrared(c) Visible light(d) All of these

- **29.** The speed of electromagnetic wave in vacuum depends upon the source of radiation. It
 - (a) increases as we move from γ -rays to radio waves
 - (b) decreases as we move from γ -rays to radio waves
 - (c) is same for all of them
 - (d) None of these
- **30.** When an electromagnetic waves enter the ionised layer of ionosphere, the motion of electron cloud produces a space current and the electric field has its own capacitative displacement current, then
 - (a) the space current is in phase of displacement current
 - (b) the space current lags behind the displacement current by a phase 180°.
 - (c) the space current lags behind the displacement current by a phase 90°.
 - (d) the space current leads the displacement current by a phase 90°.
- 31. The displacement current is


(a)
$$\varepsilon_{o} d\phi_{E} / dt$$
 (b) $\frac{\varepsilon_{o}}{R} d\phi_{E} / dt$

(c)
$$\varepsilon_0 E/R$$
 (d) $\varepsilon_0 q C/R$

- 32. Electromagnetic radiation of highest frequency is
 (a) infrared radiations
 (b) visible radiation
 (c) radio waves
 (d) γ-rays
- 33. A point source of electromagnetic radiation has an average power output of 1500 W. The maximum value of electric field at a distance of 3m from this sources in Vm^{-1} is

(a) 500 (b) 100 (c)
$$\frac{500}{3}$$
 (d) $\frac{250}{3}$

- **34.** Frequency of a wave is 6×10^{15} Hz. The wave is
 - (a) radiowave (b) microwave
 - (c) x-ray (d) ultraviolet
- **35.** The electromagnetic waves do not transport (a) energy (b) charge
 - (c) momentum (d) information
- **36.** Which of the following statement is false for the properties of electromagnetic waves?
 - (a) Both electric and magnetic field vectors attain the maxima and minima at the same place and same time.
 - (b) The energy in electromagnetic wave is divided equally between electric and magnetic vectors
 - (c) Both electric and magnetic field vectors are parallel to each other and perpendicular to the direction of propagation of wave
 - (d) These waves do not require any material medium for propagation.



- Space for Rough Work

P-88

- **37.** Which of the following electromagnetic waves has minimum frequency ?
 - (a) Microwaves (b) Audible waves
 - (c) Ultrasonic wave (d) Radiowaves
- **38.** The wave impendance of free space is
 - (a) zero (b) 376.6 Ω (c) 33.66 Ω (d) 3.76 Ω
- **39.** A plane electromagnetic wave in a non-magnetic dielectric medium is given by $\vec{E} = \vec{E}_0 (4 \times 10^{-7} x 50t)$ with distance being in meter and time in seconds. The dielectric constant of the medium is :
 - (a) 2.4 (b) 5.8 (c) 8.2 (d) 4.8
- **40.** We consider the radiation emitted by the human body. Which of the following statements is true?
 - (a) the radiation emitted lies in the ultraviolet region and hence is not visible.
 - (b) the radiation emitted is in the infra-red region.
 - (c) the radiation is emitted only during the day.
 - (d) the radiation is emitted during the summers and absorbed during the winters.
- 41. In a plane electromagnetic wave propagating in space has an electric field of amplitude 9×10^3 V/m, then the amplitude of the magnetic field is
 - (a) $2.7 \times 10^{12} \text{ T}$ (b) $9.0 \times 10^{-3} \text{ T}$
 - (c) $3.0 \times 10^{-4} \text{ T}$ (d) $3.0 \times 10^{-5} \text{ T}$

- **42.** Out of the following options which one can be used to produce a propagating electromagnetic wave ?
 - (a) A charge moving at constant velocity
 - (b) A stationary charge
 - (c) A chargeless particle
 - (d) An accelerating charge
- 43. Radio waves of constant amplitude can be generated with
 - (a) rectifier (b) filter
 - (c) F.E.T. (d) oscillator
- **44.** In an electromagnetic wave
 - (a) power is transmitted along the magnetic field
 - (b) power is transmitted along the electric field
 - (c) power is equally transferred along the electric and magnetic fields
 - (d) power is transmitted in a direction perpendicular to both the fields
- **45.** If c is the speed of electromagnetic waves in vacuum, its speed in a medium of dielectric constant K and relative permeability μ_r is

(a)
$$v = \frac{1}{\sqrt{\mu_r K}}$$
 (b) $v = c\sqrt{\mu_r K}$

(c)
$$v = \frac{c}{\sqrt{\mu_r K}}$$
 (d) $v = \frac{K}{\sqrt{\mu_r C}}$

| Response | 37.@b©d | 38.@b©d | 39. @b©d | 40. abcd | 41. abcd |
|----------|--------------------|--------------------|-----------------|----------|----------|
| Grid | 42. ⓐ ⓑ ⓒ ⓓ | 43. ⓐ ⓑ ⓒ ⓓ | 44. abcd | 45. abcd | |

DAILY PRACTICE PROBLEM DPP CHAPTERWISE CP22 - PHYSICS

| Total Questions | 45 | Total Marks | 180 | | |
|---|----|------------------|-----|--|--|
| Attempted | | Correct | | | |
| Incorrect | | Net Score | | | |
| Cut-off Score | 50 | Qualifying Score | 70 | | |
| Success Gap = Net Score – Qualifying Score | | | | | |
| Net Score = (Correct × 4) – (Incorrect × 1) | | | | | |

_ Space for Rough Work _

DPP/ CP22