# **DPP - Daily Practice Problems**

# Chapter-wise Sheets

Start Time : Date : End Time : BIOLOGY **B26** SYLLABUS : Reproductive Health Max. Marks: 180 **Marking Scheme :** + 4 for correct & (-1) for incorrect Time : 60 min. INSTRUCTIONS : This Daily Practice Problem Sheet contains 45 MCQs. For each question only one option is correct. Darken the correct circle/ bubble in the Response Grid provided on each page. 1. Consider the statements given below regarding (d) that can be used for correcting genetic disorders of the contraception and answer as directed thereafter: foetus Medical Termination of Pregnancy (MTP) during first (i) 3. Tying up or removing a small part of fallopian duct is called trimester is generally safe (a) Vasectomy (b) Ductus arteriosus Generally chances of conception are nil until mother (ii) (c) Archidectomy (d) Tubectomy breast-feeds the infant upto two years Copper-T is a device that prevents 4. (iii) Intrauterine devices like copper-T are effective (a) implantation of blastocyst (b) ovulation contraceptives (iv) Contraception pills may be taken upto one week after (c) fertilization coitus to prevent conception (d) egg maturation Which two of the above statements are correct? 5. The diaphragm, cervical cap and vaults are (b) iii and iv (a) ii and iii (a) Disposable contraceptive devices (c) i and iii (d) i and ii (b) Reusable contraceptives 2. Amniocentesis is a technique (c) IUDs (a) by which the essential amino acids in the body can be (d) Implants estimated 6. The transfer of zygote or early embryo (up to 8 blastomere) (b) by which any chromosomal anomalies in the foetus into fallopian tube is can be detected (b) ZIFT (a) IVF and ET in which the sex of the foetus can be reversed (c) (c) GIFT (d) IUT (a)(b)(c)(d) 4. abcd Response (a)(b)(c)(d) 2. (a)b)c)d) 3. 5. abcd1. 6. (a)(b)(c)(d) GRID \_ Space for Rough Work \_

### **Mastering Biology With Tripti Kakkar**

#### в-102

- 7. The technique called gamete intrafallopian transfer (GIFT) is recommended for those females:
  - (a) who cannot produce an ovum
  - (b) who cannot retain the foetus inside uterus.
  - (c) whose cervical canal is too narrow to allow passage for the sperms
  - (d) who cannot provide suitable environment for fertilisation
- 8. The copper ions of IUDs
  - (a) Suppress the motility and fertilization capacity of sperms
  - (b) Make the uterus unsuitable for implantation
  - (c) Increase phagocytosis of sperms
  - (d) Make cervix hostile to sperms
- 9. Condoms are barriers that cover–
  - (a) Penis in male and ovary in female.
  - (b) Penis in male and cervix and vagina in female.
  - (c) Scrotum in male and cervix and vagina in female.
  - (d) Cervix in male and vagina in female.
- 10. Birth control pills check ovulation in female by inhibiting the secretion of -
  - (a) follicle stimulating hormone
  - (b) luteinizing hormone
  - (c) Both (a) and (b)
  - (d) None of the above
- **11.** Identical twins are produced when
  - (a) One fertilized egg divides and two blastomeres separate
  - (b) One sperm fertilizes two eggs
  - (c) One egg is fertilized with two sperms
  - (d) Two eggs are fertilized
- **12.** Progestasert and LNG-20 are
  - (a) Implants (b) Copper releasing IUDs
  - (c) Non-medicated IUDs (d) Hormone releasing IUDs
- **13.** Read the following 4-statements and mark the option that has both correct statements
  - (i) MTP was legalized in 1971
  - (ii) Inability to conceive or produce children even after 2 years of unprotected sexual cohabitation is called infertility
  - (iii) Surgical method of contraception prevents gamete formation
  - (iv) MTPs are relatively safe up to 12 weeks of pregnancy
  - (a) (i) and (ii) (b) (ii) and (iii)
  - (c) (iii) and (iv) (d) (i) and (iii)
- **14.** Medical Termination of Pregnancy (MTP) is considered safe up to how many weeks of pregnancy?

- (a) Eight weeks (b) Twelve weeks
- (c) Eighteen weeks (d) Six weeks
- **15.** Ultrasound of how much frequency is beamed into human body for sonography ?
  - (a) 15 30 MHZ (b) 1 15 MHZ
  - (b) 45 70 MHZ (d) 30 45 MHZ.
- 16. What is the figure given below showing in particular ?



- (a) Ovarian cancer (b) Uterine cancer
- (c) Tubectomy (d) Vasectomy
- **17.** *In vitro* fertilisation is a technique that involves transfer of which one of the following into the fallopian tube ?
  - (a) Zygote only
  - (b) Embryo only, upto 8 cell stage
  - (c) Either zygote or early embryo upto 8 cell stage
  - (d) Embryo of 32 cell stage
- **18.** MTP is practised mainly to
  - (a) get rid of unwanted female child legally.
  - (b) get rid of unwanted pregnancies due to failure of contraception.
  - (c) both (a) and (b).
  - (d) decrease population size.
- 19. In amniocentesis, the fluid is taken from
  - (a) foetal blood
  - (b) mother's blood
  - (c) body fluid of mother
  - (d) fluid surrounding foetus
- **20.** Which of the following is not *true* about the birth control pill?
  - (a) The pill works by preventing ovulation.
  - (b) The pill works by preventing implantation.
  - (c) The ovarian cycle is suspended by the birth control pill.
  - (d) The birth control pill contains low doses of estrogen and progesterone.
- **21.** Which of the following birth control measures can be considered as the safest?
  - (a) The rhythm method
  - (b) The use of physical barriers
  - (c) Temination of unwanted pregnancy
  - (d) Sterilization techniques

	9. abcd 10.abcd   14. abcd 15. abcd   19. abcd 20. abcd	
--	---	--

Space for Rough Work .

## **Mastering Biology With Tripti Kakkar**

- DPP/ CB26

31.

33.

34.

#### DPP/CB26 -

- **22.** Using which contraceptive also provides protection from contracting STDs and AIDS ?
  - (a) Diaphragms (b) Spermicidal foams
- (c) Condoms(d) Lactational amenorrhoea23. Copper-T is a device that prevents
  - (a) implantation of blastocyst
    - (b) ovulation
    - (c) fertilization
    - (d) egg maturation
- 24. Cu ions released from copper releasing Intra Uterine Devices (IUDs):
  - (a) make uterus unsuitable for implantation
  - (b) increase phagocytosis of sperms
  - (c) suppress sperm motility
  - (d) prevent ovulation
- **25.** Which one of the following is the most widely accepted method of contraception in India, as at present ?
  - (a) Cervical caps
  - (b) Tubectomy
  - (c) Diaphragms
  - (d) IUDs. (Intra uterine devices)
- **26.** The test-tube Baby Programme employs which one of the following techniques?
  - (a) Intra cytoplasmic sperm injection (ICSI)
  - (b) Intra uterine insemination (IUI)
  - (c) Gamete intra fallopian transfer (GIET)
  - (d) Zygote intra fallopian transfer (ZIFT)
  - Oral contraceptive pills are composed of
  - (a) progestrogens only
  - (b) progestrogen and estrogen combination
  - (c) progestrogen-testosterone combination
  - (d) both (a) or (b)

27.

- **28.** Which of the following cannot be detected in a developing foetus by amniocentesis?
  - (a) Sex of the foetus
  - (b) Down syndrome
  - (c) Jaundice
  - (d) Klinefelter syndrome
- 29. One of the legal methods of birth control is :
  - (a) by abstaining from coitus from day 10 to 17 of the menstrual cycle
    - (b) by having coitus at the time of day break
    - (c) by a premature ejaculation during coitus
    - (d) abortion by taking an appropriate medicine
- **30.** One of the following is **not** a method of contraception which one?
  - (a) Tubectomy
  - (b) Condoms

- (c) Pills of a combination of oxytocin and vasopressin(d) Lippes loop
- Which one of the following statements is correct regarding
- Sexually Transmitted Diseases (STD)?
- (a) The chances of a 5 year boy contacting a STD are very little
- (b) A person may contact syphilis by sharing milk with one already suffering from the disease
- (c) Haemophilia is one of the STD
- (d) Genital herpes and sickle-cell anaemia are both STD
- **32.** The stage transferred into the uterus after induced fertilization of ova in the laboratory is:
  - (a) Zygote
  - (b) Embryo at 4 blastomere stage
  - (c) Embryo at 2 blastomere stage
  - (d) Morula
  - Reproductive health in society can be improved by -
    - (i) Introduction of sex education in schools.
    - (ii) Increased medical assistance.
    - (iii) Awareness about contraception and STDs.
    - (iv) Equal opportunities to male and female child.
    - (v) Ban on aminocentesis.
    - (vi) Encouraging myths and misconceptions.
    - (a) All of these (b) (i), (ii), (iv) and (vi)
  - (c) (i), (ii), (iii), (iv) and (v) (d) (ii) and (v)
  - What is true for "Lactational amenorrhoea"?
  - (i) It means absence of menstruation.
  - (ii) Ovulation does not occur during the lactational period.
  - (iii) Chances of failure of contraception are almost nil upto six months following parturition.
  - (iv) Side effects are almost nil.
  - (v) Contraceptive efficiency reduces after the period of intense lactation.
  - (vi) It is natural method of contraception.
  - (vii) It increases phagocytosis of sperms
  - (a) (ii), (iii), (iv), (v) and (vi)
  - (b) All except (vii)
  - (c) (ii), (iii), (iv) and (v)
  - (d) All of these
- 35. IUDs-
  - (i) Increase phagocytosis of sperms.
  - (ii) Release Cu ions that suppress sperm motility and fertilising capacity of sperms.
  - (iii) Make the uterus unsuitable for implantation.
  - (iv) Make the cervix hostile to sperms.
  - (v) Prevent semen from entering the female reproductive tract.
  - (a) (i), (ii), (iii), (iv) and (v) (b) (i), (ii), (iii) and (iv)

(1)			(c) (i) and (ii)	) (d)	(ii), (iii) and (iv)
Response Grid	22. a b c d 27. a b c d 32. a b c d	23. a b c d 28. a b c d 33. a b c d			26. abcd 31. abcd

- Space for Rough Work .

## **Mastering Biology With Tripti Kakkar**

в-103

#### в-104

- 36. Match Column I with Column II.
  - Column I A. Non-medicated IUDs

#### Column II

- (i) Lippes loop
- B. Hormone releasing IUDs C.
- (ii) Multiload (iii)7
- Copper releasing IUDs
- (iii) CuT
- (iv) Cu7
- (v) LNG-(ii)0
- (vi) Progestasert
- (a) A-(i); B-(ii, vi); C-(iii, iv, v)
- (b) A-(i); B-(v, vi); C-(ii, iii, iv)
- (c) A-(ii); B-(v, vi); C-(i, iii, iv)
- (d) A-(ii); B-(i, vi); C-(iii, iv, v)
- 37. Progesterone pill helps in preventing pregnancy by not allowing -
  - (a) ova formation (b) fertilization
  - (c) implantation (d) None of these
- 38. The permissible use of the technique amniocentesis is for (a) detecting sex of the unborn foetus
  - (b) artificial insemination
  - (c) transfer of embryo into the uterus of the surrogate mother
  - (d) detecting any genetic abnormality
- 39. The family planning programmes in India were initiated in (a) 1951 (b) 1961
  - (d) 1981
- (c) 1971 **40.** RCH stands for
  - (a) Routine Check-up of Health
  - (b) Reproduction Cum Hygiene
  - (c) Reversible Contraceptive Hazards
  - (d) Reproductive and Child Health Care
- 'Saheli' a new oral contraceptive developed by 41.
  - (a) All Indian Institute of Medical Science
    - (b) Central Drug Research Institute
    - (c) Health Care Pvt. Ltd.
    - (d) Bharat Immunologicals & Biologicals corp. Ltd.
- **42.** Artificial insemination mean
  - (a) transfer of sperms of husband to a test tube containing ova.
  - (b) artificial introduction of sperms of a healthy donor into the vagina.

- (c) introduction of sperms of a healthy donor directly into the ovary.
- transfer of sperms of a healthy donor to a test tube (d) containing ova.
- **43.** What is true for an ideal contraceptive ?
  - (i) It should be user-friendly.
  - (ii) It should be easily available.
  - (iii) It should be ineffective and reversible with least side effects.
  - (iv) It should be effective and reversible with least side effects.
  - (v) It should interfere with the sexual act of the user.
  - (a) All of these (b) (i), (ii) and (iii)
  - (c) (i), (ii) and (iv) (d) (i),(ii),(iv) and (v)
- 44. Choose the correct statements -
  - According to the WHO, reproductive health is total (i) well-being in the physical, social, emotional, behavioural aspects of reproduction.
  - According to the WHO, reproductive health is total (ii) well being in the physical, social and emotional aspects of reproduction.
  - (iii) A reproductively healthy society has people with physically and functionally normal reproductive organs.
  - (iv) Reproductively healthy societies have abnormal sexrelated emotional and behavioural interactions.

(d) (i) only

- (b) (ii) and (iv) (a) (i), (ii) and (iii)
- (c) (i) and (iii)
- 45. Study the given reasons on the basis of which pregnancy can be terminated. Identify the correct reasons.
  - To get rid of unwanted pregnancies. (i)
  - To prevent the fatality or harmfulness to the mother or (ii) to foetus or both due to the continuation of pregnancy.
  - (iii) Termination of pregnancy is safe in each and every case.
  - (iv) If the foetus is male.
  - (v) It plays an important role in decreasing the population.
  - (b) (ii), (iii) only (i), (ii), only(a)
  - (d) All of these (iii), (iv), (v) only (c)

Response			38. abcd		
GRID	41.@b©d	42.@bcd	<b>43.</b> ⓐⓑⓒⓓ	44. @bcd	45. abcd

Space for Rough Work

DAILY PRACTICE PROBLEM DPP CHAPTERWISE 26 - BIOLOGY			
Total Questions	45	Total Marks	180
Attempted		Correct	
Incorrect		Net Score	
Cut-off Score	48	Qualifying Score	55
Success Gap = Net Score – Qualifying Score			
Net Score = (Correct × 4) – (Incorrect × 1)			

#### Mastermind Career Institute : 9760352969

- DPP/ CB26