GST Global Sealer Technologies

Safety Data Sheet

Issue Date: 08-May-2020 Revision Date: 22-May-2020 Version 1

1. IDENTIFICATION

Product identifier

Product Name PRO-GRADE CLEANER

Other means of identification

SDS # GST-009

Product Code GST511

Recommended use of the chemical and restrictions on use
Recommended Use Multi-Purpose Degreaser.

Details of the supplier of the safety data sheet

Manufacturer Address

GST International, Inc. 1205 Icehouse Ave. Sparks, NV 89431 Ph: 775-829-2626

www.gstinternational.com
Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America) Contract #93918

2. HAZARDS IDENTIFICATION

Appearance Greenish yellow liquid Physical state Liquid Odor Characteristic

Classification

The classification and labeling information in this Safety Data Sheet should be viewed as provisional, as the product's ingredients and percentages are kept as a trade secret / proprietary.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Signal Word Danger

Hazard statements

Causes skin irritation Causes serious eye damage Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure

GST-009 - PRO-GRADE CLEANER Revision Date: 22-May-2020



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

NOTE: Acute Toxicity classifications / calculations are approximates

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Nonylphenol Ethoxylate	127087-87-0	Proprietary
2-Butoxyethanol	111-76-2	Proprietary
Sodium metasilicate pentahydrate	10213-79-3	0-5
Sodium metasilicate	6834-92-0	Proprietary
Diethanolamine	111-42-2	0-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Get medical advice/attention if you feel unwell.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything

by mouth to an unconscious person. Call a poison center or doctor/physician if you feel

unwell.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation and serious eye damage. May be harmful if swallowed. May cause

nausea, vomiting, stomach ache, and diarrhea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Halon. Foam, Dry Chemical, Carbon Dioxide.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Cool closed containers exposed to fire with water spray.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Clean-UpReclaim where possible. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wear appropriate

personal protective equipment. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when handling this product. Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

dust/fume/gas/mist/vapors/spray.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	
Sodium metasilicate	2 mg/m ³	2 mg/m³	-
6834-92-0			
Sodium metasilicate pentahydrate	-	15 mg/m ³ TWA (total dust); 5	-
10213-79-3		mg/m³ TWA (respirable fraction)	
Diethanolamine	TWA: 1 mg/m ³ inhalable fraction		TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m ³	TWA: 15 mg/m ³
	S*		

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Maintain eye

wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Wear safety glasses with side shields (or goggles). Refer to 29

CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide

to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

Respiratory Protection If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceGreenish yellow liquidOdorCharacteristicColorGreenish yellowOdor ThresholdNot determined

Property Values Remarks • Method

pH Not determined
Melting point / freezing point
Boiling point / boiling range
Not determined
201 °F

GST-009 - PRO-GRADE CLEANER Revision Date: 22-May-2020

Flash point None

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined Vapor Density Not determined

Relative Density 1.10

Water Solubility Soluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Other information

VOC Content (%) 5.1%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation.

Inhalation May cause irritation if inhaled.

Ingestion May be harmful if swallowed. May cause nausea, vomiting, stomach ache, and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-
Sodium metasilicate pentahydrate 10213-79-3	847 mg/Kg (rat)	-	-
Diethanolamine 111-42-2	= 620 µL/kg (Rat) = 780 mg/kg (Rat)	= 11.9 mL/kg (Rabbit)= 7640 μL/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Suspected of causing cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		
Diethanolamine 111-42-2	A3	Group 2B		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

Unknown Acute Toxicity NOTE: Acute Toxicity classifications / calculations are approximates.

 Oral LD50
 2,060.48
 mg/kg

 Dermal LD50
 8,364.70
 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol		2950: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 1490: 96 h Lepomis	EC50 1698 - 1940: 24 h Daphnia
		macrochirus mg/L LC50 static	magna mg/L EC50
Sodium metasilicate		210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 semi-static 210: 96 h	EC50
		Brachydanio rerio mg/L LC50	
Diethanolamine	2.1 - 2.3: 96 h Pseudokirchneriella	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subcapitata mg/L EC50 7.8: 72 h	promelas mg/L LC50 flow-through	EC50
	Desmodesmus subspicatus mg/L	600 - 1000: 96 h Lepomis	
	EC50	macrochirus mg/L LC50 static 1200	

Revision Date: 22-May-2020

	- 1580: 96 h Pimephales promelas	
	mg/L LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
111-76-2	
Diethanolamine	-2.18
111-42-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Nonylphenol Ethoxylate	X	ACTIVE	X	X	Χ	X	X	X	X
2-Butoxyethanol	Х	ACTIVE	X	X	Χ	X	Х	X	X
Sodium metasilicate	Х	ACTIVE	X	X	Χ	X	Х	X	X
Sodium metasilicate pentahydrate	Х					Х		Х	
Diethanolamine	Х	ACTIVE	Х	Х	X	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Revision Date: 22-May-2020

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Diethanolamine	100 lb		RQ 100 lb final RQ
111-42-2			RQ 45.4 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nonylphenol Ethoxylate - 127087-87-0	127087-87-0	Proprietary	1.0
2-Butoxyethanol - 111-76-2	111-76-2	Proprietary	1.0
Diethanolamine - 111-42-2	111-42-2	0-5	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen

U.S. State Right-to-Know Regulations

Ī	Chemical name	New Jersey	Massachusetts	Pennsylvania
	2-Butoxyethanol 111-76-2	X	X	X
Ī	Diethanolamine 111-42-2	X	X	X

16. OTHER INFORMATION

Health Hazards Special Hazards NFPA **Flammability** Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection** HMIS Not determined Not determined Not determined Not determined

Issue Date: 08-May-2020 **Revision Date:** 22-May-2020 **Revision Note:** New product

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet