



# LED Wall Pack Light Multi Watt Multi CCT



25W / 40W / 60W / 80W  
60W / 80W / 100W / 120W



Quick Mount Back Plate

## FEATURES

- IP65 rated
- Photocell included
- Semi cut-off
- 50,000 hours lifetime

## APPLICATIONS

- Commercial/Industrial
- Factories
- Warehouse
- Distribution Centers
- Shopping Malls
- Supermarkets
- Auto Dealerships



|   |   |
|---|---|
| <b>CONSTRUCTION</b>   | <b>CONTROLS AND DIMMING</b>   |
| Heavy die-cast aluminum alloy housing with bronze powder-coated finish.                 | 0-10V dimming standard. Photocell included.   |
| <b>OPTICAL SYSTEM</b>   | <b>INSTALLATION AND MOUNTING</b>  |
| Lumileds LUXEON 3030 2D LED chips. High quality tempered glass optics. 120° beam angle. | Wall mount with quick mount back plate.   |
| <b>ELECTRICAL</b>   | <b>WARRANTY</b>   |
| 120-277V input or 347-480V input. -40°C to 40°C (-40°F to 104°F).                       | 5-year limited warranty. Actual performance may differ as a result of end-user environment and application. |

## OPTIONAL ACCESSORIES



Emergency Back-up Driver  
120-EMBU-15W-050



Cut-off Shield  
120-SH-WP-CO



Wire Guard  
120-SH-WP-WR



# LED Wall Pack Light Multi Watt Multi CCT

## Part Number 120-WPXX-80-27-DIM

| WATTAGE SELECTABLE | CCT SELECTABLE    | LUMENS     | EFFICACY | VOLTAGE  | CRI  | POWER FACTOR | THD   | REPLACES      |
|--------------------|-------------------|------------|----------|----------|------|--------------|-------|---------------|
| 25W                | 3000K/4000K/5000K | 3,500LM    | 140lm/W  | 120-277V | 71.3 | .985         | 11.8% | 70-150W HID   |
| 40W                | 3000K/4000K/5000K | 5,600LM    | 140lm/W  | 120-277V | 71.3 | .985         | 11.8% | 70-150W HID   |
| 60W                | 3000K/4000K/5000K | 8,400LM    | 140lm/W  | 120-277V | 71.3 | .985         | 11.8% | 175W-250W HID |
| 80W                | 3000K/4000K/5000K | 11,421.3LM | 140lm/W  | 120-277V | 71.3 | .985         | 11.8% | 175W-250W HID |

## Part Number 120-WPXX-120-27-DIM

| WATTAGE SELECTABLE | CCT SELECTABLE    | LUMENS   | EFFICACY   | VOLTAGE  | CRI  | POWER FACTOR | THD  | REPLACES      |
|--------------------|-------------------|----------|------------|----------|------|--------------|------|---------------|
| 60W                | 3000K/4000K/5000K | 8,205LM  | 136.75lm/W | 120-277V | 71.6 | .966         | 8.4% | 175W-250W HID |
| 80W                | 3000K/4000K/5000K | 10,940LM | 136.75lm/W | 120-277V | 71.6 | .966         | 8.4% | 175W-250W HID |
| 100W               | 3000K/4000K/5000K | 13,675LM | 136.75lm/W | 120-277V | 71.6 | .966         | 8.4% | 320W-400W HID |
| 120W               | 3000K/4000K/5000K | 16,753LM | 136.75lm/W | 120-277V | 71.6 | .966         | 8.4% | 320W-400W HID |




## Part Number 120-WPXX-80-48-DIM

| WATTAGE SELECTABLE | CCT SELECTABLE    | LUMENS   | EFFICACY | VOLTAGE  | CRI | POWER FACTOR | THD | REPLACES      |
|--------------------|-------------------|----------|----------|----------|-----|--------------|-----|---------------|
| 25W                | 3000K/4000K/5000K | 3,500LM  | 140lm/W  | 347-480V | 70  | .9           | 15% | 70-150W HID   |
| 40W                | 3000K/4000K/5000K | 5,600LM  | 140lm/W  | 347-480V | 70  | .9           | 15% | 70-150W HID   |
| 60W                | 3000K/4000K/5000K | 8,400LM  | 140lm/W  | 347-480V | 70  | .9           | 15% | 175W-250W HID |
| 80W                | 3000K/4000K/5000K | 11,200LM | 140lm/W  | 347-480V | 70  | .9           | 15% | 175W-250W HID |

## Part Number 120-WPXX-120-48-DIM

| WATTAGE SELECTABLE | CCT SELECTABLE    | LUMENS   | EFFICACY | VOLTAGE  | CRI | POWER FACTOR | THD | REPLACES      |
|--------------------|-------------------|----------|----------|----------|-----|--------------|-----|---------------|
| 60W                | 3000K/4000K/5000K | 8,100LM  | 135lm/W  | 347-480V | 70  | .9           | 20% | 175W-250W HID |
| 80W                | 3000K/4000K/5000K | 10,800LM | 135lm/W  | 347-480V | 70  | .9           | 20% | 175W-250W HID |
| 100W               | 3000K/4000K/5000K | 13,500LM | 135lm/W  | 347-480V | 70  | .9           | 20% | 320W-400W HID |
| 120W               | 3000K/4000K/5000K | 16,200LM | 135lm/W  | 347-480V | 70  | .9           | 20% | 320W-400W HID |

### PRODUCT DIMENSIONS





# LED Wall Pack Light Multi Watt Multi CCT

---