

# Configuring Field Maps For Field Worker Safety

Tom DeWitte  
Technical Lead – Natural Gas & District Energy  
Esri, Inc



THE SCIENCE OF WHERE™

# Agenda

- Introduction
- Demonstration of End User Experience
- How to Configure Field Maps Geofencing
- Questions




# Utility Safety Use Case #1: Known Hazards

## What are Known Hazards?

- Persistent, identified location which can be dangerous to a utility mobile worker

### Dangerous Animal



### Dangerous Customer

### Physical Hazard



# Utility Safety Use Case #2: Emergency Events

## What are Emergency Events?

- Temporary event location which can be dangerous to a utility mobile worker

### Evacuation Zones



### Natural Disasters

### Infrastructure Failure








# Safety Notifications

- On device notification of approaching hazard
- Notification generated regardless of network communication
- Mobile device managed process
- Automatic generation of hazard specific notifications




# ArcGIS Field Maps

-  Data Collecting
-  Map Viewing
-  GPS Tracking
-  Safety Awareness
-  Tracing





# Demonstration






# Safety Awareness


Real-time Notifications based on proximity to a hazard

## Application based Geofencing

### Known Hazards



### Emergency Events





The background image is a composite of two parts. The top part shows a wide, panoramic view of a desert landscape at sunset or sunrise, with mountains in the distance and a pipeline stretching across the valley. The bottom part is a close-up, low-angle shot of a large, white, cylindrical industrial pipe, likely part of a pipeline, set against a desert background with sparse vegetation and a dirt road.

# How to Configure Geofencing

# Geofencing - Configuration

- Configured within ArcGIS Field Maps Web application

The screenshot displays the ArcGIS Field Maps Web application interface for configuring a geofence. The main map shows a city area with several geofences labeled: Reynolds Rd TBS - 720 PSI, Mud Lake CS - 500 PSI, Wakeshima TBS - 275 PSI, Scotts CS - 500 PSI, and Wakeshima CS - 500 PSI. The 'Level 5 Known Hazards' geofence is selected in the left-hand 'Geofences' list.

The 'Edit geofence' panel on the right shows the following configuration:

- Name\***: Level 5 Known Hazards
- Areas**: Layer\* is set to 'Gas Known Hazards'. A filter is applied.
- Buffer**: 100 units, with 'Feet' selected as the unit.
- Action**: Type is 'Location alert'.
- On enter**: Checked.
- Message\***: Level 5 POLICE ASSIST: At {address}, Police escort required.
- On exit**: Unchecked.

Buttons for 'Cancel' and 'Save' are visible at the bottom of the panel. The bottom of the map shows the text: 'Sources: Esri, HERE, Garmin, FAO, NOAA, USGS © OpenStreetMap contributors, and the GIS User Community | Esri, NOAA Powered by Esri'.





# Questions







THANK YOU





Tom DeWitte

380 New York Street | Redlands, CA 92373 | USA

Phone: 909-369-8348

Email: [tdewitte@esri.com](mailto:tdewitte@esri.com)

LinkedIn: <https://www.linkedin.com/in/tom-dewitte-esriengineer>