# **SAFETY DATA SHEET**



# 1. Identification

Product identifier CertainTeed Type C Gypsum Panels

Other means of identification

Product identifier CertainTeed® 1/2" Type C, CertainTeed® 5/8" Type C, CertainTeed® 1/2" Exterior Soffit Type C,

CertainTeed® 5/8" Exterior Soffit Type C, 1/2" Abuse Resistant Type C

Synonyms Gypsum Panels

**Recommended use** Gypsum panels for interior wall, ceiling, and exterior soffit applications.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CertainTeed Gypsum
Address 20 Moores Road
Malvern, PA 19355

United States of America

Telephone 1-800-233-8990
Website www.certainteed.com

Emergency telephone 3E Global Incident Response Hotline

+1 760 476 3962

+1 866 519 4752 (Toll Free) Access Code: 336250

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Calcium sulfate dihydrate	10101-41-4	80 - 100
Cellulose	9004-34-6	1 - 5
Vermiculite	1318-00-9	1 - 5
Silica, fume	69012-64-2	0.5 - 1.5

#### Composition comments

The exact concentrations of the above listed chemicals are being withheld as a trade secret. All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

Raw material in this product contains respirable crystalline silica as an impurity. Independent testing of this product suggests that under most conditions of use, this product will not result in exposure to respirable crystalline silica that exceeds OSHA's Action Level, (AL) or Permissible Exposure Limit (PEL). However, actual concentrations of respirable silica may vary based on the conditions of use. Specific exposures can only be determined by workplace industrial hygiene testina.

https://www.certainteed.com/drywall/osha-crystalline-silica-techupdate-certainteed-gypsum-board-products

#### 4. First-aid measures

In case of inhalation of dust: Move to fresh air. Call a physician if symptoms develop or persist.

Inhalation Wash off with soap and water. Get medical attention if irritation develops and persists.

Skin contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Eve contact Rinse mouth. Get medical attention if symptoms occur. Ingestion Dusts may irritate the respiratory tract, skin and eyes.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, hazardous combustion products are released that may include: Carbon oxides. Sulfur oxides. Fumes of metal oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.

Stop the flow of material, if this is without risk. Pick up and arrange disposal without creating dust. Collect dust using a vacuum cleaner equipped with HEPA filter. Recover and recycle, if practical. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions** 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in a dry place. Protect from weather and prevent exposure to sustained moisture. Protect from direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

966486 Version #: 01 Revision date: -Issue date: 08-September-2023

# 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permis Components	ainie Exposure	Type	Value	Form
Cellulose (CAS 9004-34-6)		PEL	5 mg/m3	Respirable fraction.
			15 mg/m3	Total dust.
US. OSHA Table Z-3 Permis Components	sible Exposure	Limits (PEL) for Mineral Dusts (	29 CFR 1910.1000) Value	Form
Calcium sulfate dihydrate (CAS 10101-41-4)		TWA	5 mg/m3	Respirable fraction.
			15 mg/m3	Total dust.
			50 mppcf	Total dust.
			15 mppcf	Respirable fraction.
Cellulose (CAS 9004-34-6)		TWA	5 mg/m3	Respirable fraction.
			15 mg/m3	Total dust.
			50 mppcf	Total dust.
			15 mppcf	Respirable fraction.
Silica, fume (CAS 69012-64-2)		TWA	5 mg/m3	Respirable fraction.
00012 01 2)			15 mg/m3	Total dust.
			0.8 mg/m3	
			20 mppcf	
UC ACCILITATE A CALL STORE	Values (TLV)		- 11	
US. ACGIH Threshold Limit Components	values (ILV)	Туре	Value	Form
Calcium sulfate dihydrate (CAS 10101-41-4)		TWA	10 mg/m3	Inhalable fraction.
Cellulose (CAS 9004-34-6)		TWA	10 mg/m3	
NIOSH. Immediately Danger	ous to Life or H	lealth (IDLH) Values, as amende	d	
Components		Туре	Value	
Silica, fume (CAS 69012-64-2)		IDLH	3000 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Haz	ards		
Components		Туре	Value	Form
Cellulose (CAS 9004-34-6)		TWA	5 mg/m3	Respirable.
			10 mg/m3	Total
Silica, fume (CAS 69012-64-2)		TWA	6 mg/m3	
ogical limit values	No biological e	exposure limits noted for the ingred	lient(s).	
propriate engineering trols	applicable, use maintain airbo established, m any operation	ventilation should be used. Ventila e process enclosures, local exhaus rne levels below recommended exnaintain airborne levels to an accep which may generate dusts, use apow the recommended exposure lim	st ventilation, or other posure limits. If expos stable level. If material propriate local exhaus	engineering controls to sure limits have not been I is ground, cut, or used i
vidual protection measures,	such as perso	nal protective equipment		
Eye/face protection	=	nt fitting goggles should be worn in	dusty areas.	
Skin protection				
Hand protection	Wear suitable protective gloves to prevent cuts and abrasions. Suitable gloves can be recommended by the glove supplier.			
Other		clothing (long sleeved shirts and lor		

CertainTeed Type C Gypsum Panels

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Follow OSHA respirator regulations (29CFR 1910.134) and use NIOSH/MSHA approved respirators. Appropriate respirator selection

should be made by a qualified professional.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Solid. Physical state Solid. **Form** Color White. Odor Odorless. **Odor threshold** Not applicable. Not applicable. рH Melting point/freezing point Not applicable. Initial boiling point and boiling Not applicable.

range

Flash point Not applicable. **Evaporation rate** Not applicable. Flammability (solid, gas) Not flammable. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not applicable. Explosive limit - upper (%) Not applicable.

Vapor pressure Not applicable. Vapor density Not applicable. Not available. Relative density

Solubility(ies)

Insoluble in water. Solubility (water)

**Partition coefficient** Not applicable, product is a mixture.

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** 2642 °F (1450 °C) Not applicable. **Viscosity** 

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Exposure to sunlight. Water, moisture. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Decomposition is not expected under normal conditions of use and storage. In the event of fire: **Hazardous decomposition** See Section 5. products

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

CertainTeed Type C Gypsum Panels 966486 Version #: 01 Revision date: -Issue date: 08-September-2023 **Skin contact** Dust or powder may irritate the skin.

**Eye contact** Dust may irritate the eyes.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation May cause irritation through mechanical abrasion.

Serious eye damage/eye Airborne dust may cause mechanical eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silica, fume (CAS 69012-64-2) 3 Not classifiable as to carcinogenicity to humans.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential**No data available on bioaccumulation.

**Mobility in soil** The product is insoluble in water. Not expected to be mobile in soil.

Other adverse effects No data available for this product.

13. Disposal considerations

Disposal instructions Recover and reclaim or recycle, if practical. Collect and reclaim or dispose in sealed containers at

licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging**Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

SDS US

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

**US federal regulations** 

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

**Toxic Substances Control Act (TSCA)** 

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Calcium sulfate dihydrate (CAS 10101-41-4)

Cellulose (CAS 9004-34-6)

Silica, fume (CAS 69012-64-2)

## US. New Jersey Worker and Community Right-to-Know Act

Cellulose (CAS 9004-34-6)

Silica, fume (CAS 69012-64-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Cellulose (CAS 9004-34-6)

Silica, fume (CAS 69012-64-2)

# **US. Rhode Island RTK**

Calcium sulfate dihydrate (CAS 10101-41-4)

Cellulose (CAS 9004-34-6)

Silica, fume (CAS 69012-64-2)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	No

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No
Japan Inventory of Existing and New Chemical Substances (ENCS) No
Korea Existing Chemicals List (ECL) No
New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

# 16. Other information, including date of preparation or last revision

**Issue date** 08-September-2023

Revision date - Version # 01

Further information E - Safety Glasses, Gloves, Dust Respirator

**HMIS**® ratings Health: 0

Flammability: 0 Physical hazard: 0 Personal protection: E

**Disclaimer** CertainTeed Gypsum cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

CertainTeed Type C Gypsum Panels

SDS US

966486 Version #: 01 Revision date: - Issue date: 08-September-2023

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).