SAFETY DATA SHEET



1. Identification

Product identifier CertainTeed Type X Gypsum Panels

Other means of identification

Product identifier 5/8" Abuse Resistant Type X, 5/8" CertainTeed® Type X, 5/8" CertainTeed® Exterior Soffit Type X,

5/8" Extreme Abuse, 5/8" Extreme Impact, 5/8" CertainTeed® Veneer Plaster Base Type X, 5/8"

CertainTeed Patch and Repair Drywall Panels

Synonyms Gypsum Panels

Recommended use Gypsum panels for interior wall, ceiling, and exterior soffit applications.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CertainTeed Gypsum
Address 20 Moores Road
Malvern. PA 19355

United States of America

Telephone 1-800-233-8990
Website www.certainteed.com

Emergency telephone 3E Global Incident Response Hotline

+1 760 476 3962

+1 866 519 4752 (Toll Free) Access Code: 336250

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	<u></u>
Calcium sulfate dihydrate	10101-41-4	80 - 100
Cellulose	9004-34-6	1 - 5

966487 Version #: 01 Revision date: - Issue date: 08-September-2023

Composition comments

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

Raw material in this product contains respirable crystalline silica as an impurity. Independent testing of this product suggests that under most conditions of use, this product will not result in exposure to respirable crystalline silica that exceeds OSHA's Action Level, (AL) or Permissible Exposure Limit (PEL). However, actual concentrations of respirable silica may vary based on the conditions of use. Specific exposures can only be determined by workplace industrial hygiene testing.

https://www.certainteed.com/drywall/osha-crystalline-silica-techupdate-certainteed-gypsum-board-products

4. First-aid measures

In case of inhalation of dust: Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists.

Skin contactDo not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Eye contactRinse mouth. Get medical attention if symptoms occur. **Ingestion**Dusts may irritate the respiratory tract, skin and eyes.

Most important symptoms/effects, acute and deleved

delayed Indication of immediate

medical attention and special treatment needed
General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, hazardous combustion products are released that may include: Carbon oxides. Sulfur oxides. Fumes of metal oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.

Stop the flow of material, if this is without risk. Pick up and arrange disposal without creating dust. Collect dust using a vacuum cleaner equipped with HEPA filter. Recover and recycle, if practical. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a dry place. Protect from weather and prevent exposure to sustained moisture. Protect from direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

CertainTeed Type X Gypsum Panels
966487 Version #: 01 Revision date: - Issue date: 08-September-2023

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form	
Cellulose (CAS 9004-34-6)	PEL	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
US. OSHA Table Z-3 Permis Components	sible Exposure Limits (PEL) for Mine Type	eral Dusts (29 CFR 1910.1000 Value) Form	
Calcium sulfate dihydrate (CAS 10101-41-4)	TWA	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
		50 mppcf	Total dust.	
		15 mppcf	Respirable fraction.	
Cellulose (CAS 9004-34-6)	TWA	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
		50 mppcf	Total dust.	
		15 mppcf	Respirable fraction.	
US. ACGIH Threshold Limit Components	Values (TLV) Type	Value	Form	
Calcium sulfate dihydrate (CAS 10101-41-4)	TWA	10 mg/m3	Inhalable fraction.	
Cellulose (CAS 9004-34-6)	TWA	10 mg/m3		
US. NIOSH: Pocket Guide to Components	o Chemical Hazards Type	Value	Form	
Cellulose (CAS 9004-34-6)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
logical limit values	No biological exposure limits noted for	• ,		
propriate engineering atrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not beer established, maintain airborne levels to an acceptable level. If material is ground, cut, or used any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.			
- · · · · · · · · · · · · · · · · · · ·	such as personal protective equipm			
Eye/face protection	Unvented, tight fitting goggles should	be worn in dusty areas.		
		·		
Skin protection Hand protection	Wear suitable protective gloves to pre recommended by the glove supplier.	event cuts and abrasions. Suita	able gloves can be	
Skin protection	Wear suitable protective gloves to pre recommended by the glove supplier. Normal work clothing (long sleeved signs and steeped signs)		-	
Skin protection Hand protection	recommended by the glove supplier.	hirts and long pants) is recomr n airborne concentrations belo eptable level (in countries whe irator must be worn. Follow OS ISHA approved respirators. Ap	nended. w recommended exposur re exposure limits have no BHA respirator regulations	
Skin protection Hand protection Other	recommended by the glove supplier. Normal work clothing (long sleeved silf engineering controls do not maintailimits (where applicable) or to an accepteen established), an approved respicable (29CFR 1910.134) and use NIOSH/M	hirts and long pants) is recomr n airborne concentrations belo eptable level (in countries whe irator must be worn. Follow OS ISHA approved respirators. Ap sional.	nended. w recommended exposur re exposure limits have no BHA respirator regulations	

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

CertainTeed Type X Gypsum Panels
966487 Version #: 01 Revision date: - Issue date: 08-September-2023

Color White. Odorless. Odor **Odor threshold** Not applicable.

Not applicable. pН Not applicable. Melting point/freezing point Not applicable.

Initial boiling point and boiling

range

Flash point

Evaporation rate

Not applicable. Not applicable.

Flammability (solid, gas) Not flammable.

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not applicable. Explosive limit - upper (%) Not applicable. Not applicable. Vapor pressure Vapor density Not applicable. Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble in water.

Not applicable, product is a mixture. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** 2642 °F (1450 °C) **Viscosity** Not applicable.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Exposure to sunlight. Water, moisture. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Decomposition is not expected under normal conditions of use and storage. In the event of fire:

See Section 5.

11. Toxicological information

Information on likely routes of exposure

Dust may irritate respiratory system. Inhalation Skin contact Dust or powder may irritate the skin.

Eve contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes.

Issue date: 08-September-2023

Information on toxicological effects

Version #: 01 Revision date: -

Acute toxicity Not expected to be acutely toxic.

May cause irritation through mechanical abrasion. Skin corrosion/irritation Serious eye damage/eye Airborne dust may cause mechanical eye irritation.

irritation

966487

CertainTeed Type X Gypsum Panels

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil The product is insoluble in water. Not expected to be mobile in soil.

Other adverse effects No data available for this product.

13. Disposal considerations

Disposal instructions Recover and reclaim or recycle, if practical. Collect and reclaim or dispose in sealed containers at

licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

966487

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Version #: 01 Revision date: -

CertainTeed Type X Gypsum Panels

els

Issue date: 08-September-2023

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Calcium sulfate dihydrate (CAS 10101-41-4)

Cellulose (CAS 9004-34-6)

US. New Jersey Worker and Community Right-to-Know Act

Cellulose (CAS 9004-34-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Cellulose (CAS 9004-34-6)

US. Rhode Island RTK

Calcium sulfate dihydrate (CAS 10101-41-4)

Cellulose (CAS 9004-34-6)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On inv	entory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing co	untry(s)

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 08-September-2023

Revision date - Version # 01

Further information E - Safety Glasses, Gloves, Dust Respirator

HMIS® ratings Health: 0

Flammability: 0 Physical hazard: 0 Personal protection: E

Disclaimer CertainTeed Gypsum cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

CertainTeed Type X Gypsum Panels

966487 Version #: 01 Revision date: - Issue date: 08-September-2023 7 / 7